

OE Ref (Orig)	DESCRIPTION
000 045 202 B	Side lamp bulb, 12 Volt, 4 W
000 045 203 B	Tail light bulb, 12 Volt, 5 W
000 045 204 B	Number plate lamp bulb, 12 Volt, 10 W
000 045 207 B	Panel light bulb, 12 Volt, 2 W
000 045 208 B	Interior light bulb, 12 Volt, 10 W
000 045 225 B	Panel bulb, 12 Volt, 1.2 W
000 045 226 B	Panel bulb, 12 Volt, 3 W
000 045 233	Stop and tail light bulb, 12 Volt, 21/5 W
000 055 206	Flasher relay, 4+2x21 W
012 409 191 D	Distance sensor
014 141 701 D	Operating shaft for clutch
014 141 701 E	Operating shaft for clutch
014 301 155	Bushing for starter, D=ø 14.1 mm d=ø 12.1 mm H=14 mm
014 301 155 A	Bushing for starter, D=ø 14.1 mm d=ø 12.1 mm H=14 mm
014 311 295 D	Synchronizer for transmission
014 311 295 E	Synchronizer for transmission
014 919 361	Switch for back up light
016 141 181	Sleeve for clutch release bearing
019 941 521	Switch for back up light
020 911 023 N	Starter motor, New
020 945 415 A	Switch for back up light, 4 speed
021 129 620	Air filter insert
021 903 803 B	Voltage regulator
021 919 081 B	Oil pressure switch, 0.3 Bar
021 919 081 C	Oil pressure switch, 0.3 Bar, M10x1, brown
025 109 335	Push rod tube
025 121 113 A	Thermostat, 87°C
025 121 113 D	Thermostat, 87°C
025 121 113 E	Thermostat, 87°C
025 121 113 F	Thermostat, 87°C
025 121 142	Retaining spring for water flange
025 121 321 A	Radiator cap for expansion tank
025 121 321 B	Radiator cap for expansion tank
025 127 025	Fuel pump
025 127 025 A	Fuel pump
025 129 761	Carburettor flange
025 129 761 A	Carburettor flange
025 906 041 A	Temperature sensor, 2 pins, blue
026 103 051 A	Oil seal for crankshaft, 85x105x11 mm
026 103 085 F	Oil seal for crankshaft, 32x 47x10 mm
026 103 161 B	Cylinder block gasket, front
026 103 181 B	Cylinder block gasket
026 103 383 D	Cylinder head gasket
026 103 383 H	Cylinder head gasket
026 103 383 K	Cylinder head gasket
026 103 383 P	Cylinder head gasket
026 103 400 A	Stud for cylinder head cover
026 103 483 C	Gasket for valve, 8 mm hole
026 103 483 D	Gasket for valve, 8 mm hole
026 103 485	Oil filler cap
026 103 485 A	Oil filler cap
026 105 431	Bushing for connecting rod
026 109 175 A	Cover for toothed timing belt, lower
026 109 243	Tightener for timing belt
026 109 243 E	Tightener for timing belt
026 109 243 F	Tightener for timing belt
026 109 243.1	Tightener for timing belt
026 109 611 A	Exhaust valve, D=ø 33.2 mm d=ø 8 mm L=91.2 mm
026 109 675	Seal for valve stem, d=ø 7 mm
026 115 105	Oil pump
026 115 105 A	Oil pump

Email: sales@simply-vwaudi.com

Other manufacturers' numbers used for reference only

OE Ref (Orig)	DESCRIPTION
026 115 105 B	Oil pump
026 115 441 A	Gasket for oil filter bracket
026 121 005 A	Water pump
026 121 005 C	Water pump
026 121 005 E	Water pump
026 121 005 G	Water pump
026 121 005 H	Water pump
026 121 010 C	Water pump, complete
026 121 010 E	Water pump, complete
026 121 010 F	Water pump, complete
026 121 013	Water pump housing
026 121 031	Belt pulley for water pump
026 121 041	Gasket for water pump
026 121 041 A	Gasket for water pump
026 121 041 M	Gasket for water pump
026 121 041 P	Gasket for water pump
026 121 053 F	Radiator hose, water pump to cylinder
026 121 053 G	Radiator hose, water pump to cylinder
026 121 056 G	Radiator hose, carburettor pre-heat
026 121 058 D	Radiator hose, water pipe to oil cooler
026 121 062 C	Radiator hose for carburettor
026 121 063 B	Radiator hose, engine block to water pipe
026 121 063 M	Radiator hose, engine block to water pipe
026 121 063 N	Radiator hose, engine block to water pipe
026 121 144 A	Water flange
026 121 144 B	Water flange
026 121 144 E	Water flange
026 121 145 E	Water flange
026 121 145 F	Water flange
026 127 025	Fuel pump
026 127 025 A	Fuel pump
026 127 177 B	Vapour separator
026 129 220	Pull-open unit for carburettor
026 129 717	Gasket for air intake
026 129 717 D	Gasket for air intake
026 129 761 A	Carburettor flange
026 129 761 E	Carburettor flange
026 145 271	Fan belt for power steering, AVX10x735 mm
026 198 025 A	Valve cover gasket set, 8 mm hole
026 198 141 S	Clutch kit, 210 mm., NEW
026 198 141 SLUK	Clutch kit, 210 mm., NEW
026 198 151 A/4	Piston ring set, 81.0 mm, 1.5x3.55 mm, B3861.75x3.55 mm, 3.0x3.65 mm
026 198 151 B	Piston ring set, 81.0 mm, 1.5x3.55 mm, B3861.75x3.55 mm, 3.0x3.65 mm
026 198 151 B/4	Piston ring set, 81.0 mm, 1.5x3.55 mm, B3861.75x3.55 mm, 3.0x3.65 mm
026 198 421	Thrust washer for crankshaft
026 198 491	Main bearing set, standard size case, standard size crank
026 903 137 C	Fan belt for alternator, AVX10x950 mm
026 905 207	Distributor cap
026 905 225	Rotor
026 905 225 K	Rotor
026 906 161	Temperature sensor, 2 pins
026 911 023	Starter motor, New
027 105 271	Flywheel, 210 mm
027 105 271 R	Flywheel, 210 mm
027 105 273	Flywheel, 210 mm
027 109 120	Roller chain for camshaft, 455/44E
027 115 105	Oil pump, with plastic baffle
027 115 105 A	Oil pump, with plastic baffle
027 115 105 B	Oil pump, with plastic baffle
027 115 105 C	Oil pump, with plastic baffle
027 115 105 E	Oil pump, with plastic baffle

Email: sales@simply-vwaudi.com

Other manufacturers' numbers used for reference only

OE Ref (Orig)	DESCRIPTION
027 115 221	Plastic baffle for oil pump
027 115 221 A	Plastic baffle for oil pump
027 115 611 C	Oil level dipstick
027 121 031	Belt pulley for water pump
027 121 063	Radiator hose, water pump to cylinder
027 121 096 A	Radiator hose, water flange for oil cooler
027 121 133 E	Water flange
027 129 761	Carburettor flange
027 129 761 A	Carburettor flange
027 141 031	Clutch disc, 210 mm., NEW
027 141 032 C	Clutch disc, 210 mm., NEW
027 141 032 JV	Clutch disc, 210 mm., NEW
027 141 032 R	Clutch disc, 210 mm., NEW
027 141 033 S	Clutch disc, 210 mm., NEW
027 198 011 C	Cylinder block gasket set
027 198 141 A	Clutch kit, 210 mm., NEW
027 198 141 ALUK	Clutch kit, 210 mm., NEW
027 198 141 B	Clutch kit, 210 mm., NEW
027 198 141 BV	Clutch kit, 210 mm., NEW
027 903 137	Fan belt alternator, AVX10x630 mm
027 905 205 S	Distributor
027 905 207	Distributor cap
027 905 207 A	Distributor cap
027 905 447	Spark plug connector, saw tooth connection
027 919 501	Sender for water temperature gauge, 1 pin
028 103 171 B	Flange for crankshaft
028 103 601	Oil sump
028 103 609 A	Paper gasket for oil sump
028 105 263	Crankshaft gear for timing belt
028 105 263 E	Crankshaft gear for timing belt
028 109 101 G	Camshaft
028 115 105 D	Oil pump
028 115 105 G	Oil pump, with plastic baffle
028 115 105 J	Oil pump
028 115 561 B	Oil filter
028 115 561 E	Oil filter
028 117 021 B	Oil cooler
028 129 589 B	Gasket for exhaust manifold
028 141 035 G	Clutch disc, 175 mm., NEW
028 145 271 F	Fan belt for power steering, AVX11x900 mm
028 145 271 G	Fan belt for power steering, AVX11x730 mm
028 145 271 H	Fan belt for power steering, AVX11x787 mm, for cars with air conditioning
028 145 271 L	Fan belt for power steering, AVX11x787 mm, for cars with air conditioning
028 145 278	Tensioner roller for V-ribbed belt, M8x1.25, D=ø 78 mm d=ø 8 mm W=26 mm
028 145 278 A	Tensioner roller for V-ribbed belt, M8x1.25, D=ø 78 mm d=ø 8 mm W=26 mm
028 145 278 E	Tensioner roller for V-ribbed belt, M8x1.25, D=ø 78 mm d=ø 8 mm W=26 mm
028 903 803 A	Voltage regulator
028 903 803 C	Voltage regulator
028 903 803 D	Voltage regulator
028 919 081	Oil pressure switch, 0.3 Bar
028 919 081 E	Oil pressure switch, 0.25 Bar, M10x1, blue
030 103 085 A	Oil seal for crankshaft, 32x 47x10 mm
030 103 181	Cylinder block gasket
030 103 383 AH	Cylinder head gasket
030 103 485	Oil filler cap
030 109 101	Camshaft
030 115 125	Drive chain for oil pump
030 115 125 A	Drive chain for oil pump
030 115 561 AA	Oil filter
030 115 561 AB	Oil filter
030 115 561 E	Oil filter

Email: sales@simply-vwaudi.com

Other manufacturers' numbers used for reference only

OE Ref (Orig)	DESCRIPTION
030 115 561 K	Oil filter
030 121 113	Thermostat, 84°C
030 121 119	Gasket for thermostat housing, 42.5x3 mm
030 121 121 B	Water outlet for cooling system
030 127 025	Fuel pump
030 127 311	Gasket seal for fuel pump, 29.5x2.5 mm
030 129 220 A	Pull-open unit for carburettor
030 129 220 C	Pull-open unit for carburettor
030 129 765	Carburettor flange
030 129 765 C	Carburettor flange
030 141 032 F	Clutch disc, 190 mm., NEW
030 905 423 A	Connection bushing for ignition cable, 4 mm saw tooth connector
030 905 423 A	Connection bushing for ignition cable, 4 mm saw tooth connector
032 103 384	Bolt for cylinder head, M11x1.5 L=110 mm
032 121 110 B	Thermostat, 87-102°C
032 121 119 B	Seal ring for thermostat, 47x4 mm
032 121 121 B	Water outlet for cooling system
032 121 121 J	Water outlet for cooling system
032 121 142	Retaining spring for water flange
033 105 701/8	Rod bearing set, standard size
033 105 707/8	Rod bearing set, standard size, 0.25 oversize
033 105 719/8	Rod bearing set, standard size, 0.75 oversize
034 105 701/8	Rod bearing set, standard size, with oil hole
034 105 707/8	Rod bearing set, 0.25 oversize, with oil hole
034 105 713/8	Rod bearing set, standard size, 0.50 oversize, with oil hole
034 105 719/8	Rod bearing set, standard size, 0.75 oversize, with oil hole
034 109 119	Toothed timing belt, Z=120 W=18 mm
034 109 611 B	Exhaust valve, D=∅ 33.2 mm d=∅ 8 mm L=91.2 mm
034 115 561 A	Oil filter
034 121 004	Water pump
034 121 004 A	Water pump
034 121 004 AV	Water pump
034 121 004 AX	Water pump
034 121 004 V	Water pump
034 121 004 X	Water pump
034 121 005 DV	Water pump
034 121 005 DX	Water pump
034 198 011	Cylinder block gasket set
034 198 011 C	Cylinder block gasket set
034 260 849	Fan belf for air conditioning, AVX13x913 mm
034 903 137	Fan belt for alternator, AVX11x825 mm
034 903 137 A	Fan belt for alternator, AVX11x825 mm
034 905 207 B	Distributor cap
035 103 609	Gasket for oil sump
035 109 601 G	Inlet valve D=∅ 38 mm d=∅ 8 mm L=91.9 mm
035 109 601 H	Inlet valve D=∅ 38 mm d=∅ 8 mm L=91.9 mm
035 109 601 J	Inlet valve D=∅ 38 mm d=∅ 8 mm L=91.9 mm
035 109 601 K	Inlet valve D=∅ 38 mm d=∅ 8 mm L=91.9 mm
035 109 611 J	Exhaust valve, D=∅ 33.2 mm d=∅ 8 mm L=91.2 mm
035 109 675	Seal for valve stem, d=∅ 7 mm
035 121 004	Water pump
035 121 004 A	Water pump
035 121 004 AV	Water pump
035 121 004 AX	Water pump
035 121 004 X	Water pump
035 121 005 C	Water pump
035 121 005 EV	Water pump
035 121 005 K	Water pump
035 121 113 B	Thermostat, 87°C
035 129 589 E/F	Gasket for exhaust manifold
035 260 849 A	Fan belf for air conditioning, AVX13x913 mm

Email: sales@simply-vwaudi.com

Other manufacturers' numbers used for reference only

OE Ref (Orig)	DESCRIPTION
035 260 849 C	Fan belt for air conditioning, AVX13x990 mm
035 903 137 A	Fan belt for alternator, AVX10x800 mm
035 903 137 B	Fan belt for alternator, AVX10x800 mm
035 905 207 A	Distributor cap, 5 cyl.
035 905 225	Rotor
035 905 225 A	Rotor
035 905 225 B	Distributor rotor
035 905 225 C	Rotor
035 905 225 F	Rotor
035 911 023 L	Starter motor, reconditioned, 0.95 KW
035 919 369	Thermo switch for cooling system, double, M10x1, 40/30°C+65/55°C
035 919 369 A	Thermo switch for cooling system, double, M10x1, 40/30°C+65/55°C
035 919 369 B	Thermo switch for cooling system, M10x1, 40/30°C
035 919 369 C	Thermo switch for cooling system, M10x1, 55/65°C
035 919 369 D	Thermo switch for lambda probe, M10x1, 25/17°C
035 919 369 M	Thermo switch for cooling system, M14x1.5, 10/20/80°C
036 035 255 A	Spark plug connector with saw tooth connector, 5 K-ohm
036 035 255 E	Spark plug connector with saw tooth connector, 5 K-ohm
036 035 255 J	Spark plug connector with saw tooth connector, 5 K-ohm
036 035 281 A	Spark plug connector with saw tooth connector
036 121 113	Thermostat, 87°C
036 121 113 A	Thermostat, 92°C
036 121 113 B92	Thermostat, 92°C
036 905 295	Condenser
036 905 295 B	Condenser
036 905 423	Connection bushing for ignition cable, 4 mm saw tooth connector
036 905 423 B	Connection bushing for ignition cable, 4 mm saw tooth connector
036 998 051 A	Contact point set
037 103 419 B	Valve guide, D=ø 12 mm d=ø 6.8 mm L=37 mm
037 109 119 C	Toothed timing belt, Z=124
037 121 010	Water pump, complete
037 121 010 A	Water pump, complete
037 121 010 AV	Water pump, complete
037 121 010 V	Water pump, complete
037 121 013	Water pump housing
037 121 013 A	Water pump housing
037 121 057	Radiator hose, carburettor pre-heat
037 121 058 A	Radiator hose, water pipe to oil cooler
037 121 132 A	Water flange
037 121 132 B	Water flange
037 121 132 E	Water flange
037 121 132 G	Water flange
037 121 133 B	Water flange
037 121 133 C	Water flange
037 121 133 F	Water flange
037 121 133 K	Water flange
037 121 144 H	Water flange
037 121 144 J	Water flange
037 121 145	Water flange
037 121 145 G	Water flange
037 129 717 B	Gasket for air intake
037 129 761	Carburettor flange
037 133 035 C	Pressure regulator fuel distributor
037 145 271 E	Fan belt for power steering, AVX11x685 mm
037 145 271 F	Fan belt for power steering, AVX11x755 mm, for cars with air condition
037 198 011 C	Cylinder block gasket set
037 198 132 B	Water flange kit, Consisting of: Water flange, 3 plugs, 3 retaining rings and 3 O-rings
037 260 849	Ribbed V-belt for air condition, 21.18x1153 mm
037 260 849 C	Ribbed V-belt for air condition, 21.18x1153 mm
037 903 137 A	Ribbed V-belt for generator,21.36x894 mm, alternator 60-90 Amp
037 903 137 B	Ribbed V-belt for generator,21.36x894 mm, alternator 60-90 Amp

Email: sales@simply-vwaudi.com

Other manufacturers' numbers used for reference only

OE Ref (Orig)	DESCRIPTION
037 903 137 D	Ribbed V-belt for generator,21.36x894 mm, alternator 60-90 Amp
037 903 137 E	Ribbed V-belt for generator,21.36x894 mm, alternator 60-90 Amp
038 121 119 B	Seal ring for thermostat, 50x4 mm
043 903 803 G	Voltage regulator
043 906 091	Fuel pump
044 121 113	Thermostat, 87-102°C
046 103 385	Bolt for cylinder head, M12x1.75 L=115 mm
046 109 101 K	Camshaft
048 103 609 B	Rubber gasket for oil sump,single sealing lip
048 103 609 C	Rubber gasket for oil sump,single sealing lip
048 105 425	Bolt for connecting rod, M8x1 L=54 mm
048 129 717 A	Gasket for air intake
049 103 384 B	Bolt for cylinder head, with washer, M11x1.5 L=96 mm
049 103 385	Bolt for cylinder head, M11x1.5 L=98 mm
049 103 385 A	Bolt for cylinder head, with washer, M11x1.5 L=96 mm
049 103 485 F	Oil filler cap
049 103 491	Half-round seal for valve cover, rear
049 103 601	Oil sump
049 103 663	Guide for oil level dipstick
049 105 263 C	Crankshaft gear for timing belt
049 109 111 A	Camshaft timing gear for timing belt
049 109 111 B	Camshaft timing gear for timing belt
049 109 111 C	Camshaft timing gear for timing belt
049 109 243	Tightener for timing belt
049 109 633	Valve spring, inner
049 109 641 A	Concave washer for valve, upper
049 115 105 A	Oil pump, with plastic baffle
049 115 105 H	Oil pump
049 121 123 A	Radiator hose for thermo switch
049 127 311 A	Gasket seal for fuel pump, 36.0x2.5 mm
049 129 717 A	Gasket for air intake
049 129 761	Carburettor flange
049 129 761 C	Carburettor flange
049 198 001 C	Engine gasket set
049 198 011	Cylinder block gasket set
049 260 849 A	Ribbed V-belt for air condition, 13x825 mm
049 903 137 B	Fan belt for alternator, AVX10x950 mm
049 903 137 D	Fan belt for alternator, AVX10x950 mm
049 903 803 B	Voltage regulator
049 903 803 G	Voltage regulator, 14.5 Volt
049 919 501	Sender for water temperatuer gauge, 1 pin
049 919 501 B	Sender for water temperature,gauge, 2 pins
049 919 501 E	Sender for water temperature,gauge, 2 pins
050 103 384	Bolt for cylinder head, with washer, M11x1.5 L=96 mm
050 121 039 A	Fan belt for water pump, AVX10x913 mm
050 121 113 C	Thermostat, 87-102°C
050 121 132 A	Water flange
050 121 133 C	Water flange
050 129 761	Carburettor flange
050 129 761 A	Carburettor flange
050 129 761 B	Carburettor flange
050 129 761 C	Carburettor flange
050 129 761 D	Carburettor flange
050 129 761 E	Carburettor flange
050 129 761 F	Carburettor flange
050 129 761 H	Carburettor flange
050 903 137	Fan belt for alternator, AVX10x950 mm
051 103 152	Aluminium cover for crankshaft
051 103 172 A	Flange for crankshaft incl. Oil seal and mounting assistance
051 103 483 A	Gasket for valve cover
051 103 601	Oil sump

Email: sales@simply-vwaudi.com

Other manufacturers' numbers used for reference only

OE Ref (Orig)	DESCRIPTION
051 103 623	Plastic baffle for oil pump
051 129 761	Carburettor flange
052 035 281	Spark plug connector with saw tooth connector
052 103 181	Cylinder block gasket
052 121 113	Thermostat, 87°C
052 121 113 A	Thermostat, 92°C
052 121 119	Seal ring for thermostat, 44x4 mm
052 127 025 D	Fuel pump
052 127 025 F	Fuel pump
052 127 025 G	Fuel pump
052 127 025 J	Fuel pump
052 127 177 A	Vapour separator
052 127 311	Gasket seal for fuel pump, 38.5x2.5 mm
052 129 765 A	Carburettor flange
052 905 225 C	Rotor
052 905 295	Condenser
052 905 445	Spark plug connector, wood screw
052 998 031	Ignition cable set, 1 K-Ohm
053 103 173	Flange for crankshaft incl. Oil seal and mounting assistance
053 103 385	Bolt for cylinder head, M11x1.5 L=142 mm
053 103 663	Guide for oil level dipstick
053 105 431 A	Bushing for connecting rod
053 105 431 B	Bushing for connecting rod
053 109 611	Exhaust valve, D=ø 33.2 mm d=ø 8 mm L=91.2 mm
054 103 609	Gasket for oil sump
054 107 065	Piston set (5 pcs.) 82.51 mm, standard size, with piston rings
054 107 065 D	Piston set (5 pcs.) 82.51 mm, standard size, with piston rings
054 107 065 H	Piston set (5 pcs.) 82.51 mm, standard size, with piston rings
054 107 065/5	Piston set (5 pcs.) 82.51 mm, standard size, with piston rings
054 107 081	Piston set (5 pcs.) 83.01 mm, 0.50 mm oversize, with piston rings
054 107 081 D	Piston set (5 pcs.) 83.01 mm, 0.50 mm oversize, with piston rings
054 107 081 H	Piston set (5 pcs.) 83.01 mm, 0.50 mm oversize, with piston rings
054 107 081/5	Piston set (5 pcs.) 83.01 mm, 0.50 mm oversize, with piston rings
054 107 103 D	Piston set (5 pcs.) 82.51 mm, standard size, with piston rings
054 107 105 C	Piston set (5 pcs.) 83.01 mm, 0.50 mm oversize, with piston rings
054 109 119 A	Toothed timing belt, Z=147
054 109 119 G	Toothed timing belt, Z=147
054 121 004	Water pump
054 121 004 A	Water pump
054 121 004 AV	Water pump
054 121 004 AX	Water pump
054 121 004 V	Water pump
054 121 004 X	Water pump
055 115 105 D	Oil pump, with plastic baffle
055 121 063 A	Radiator hose, engine block to water pipe
055 121 121 F	Cooling water flange at thermostat housing
055 129 620 A	Air filter insert
055 141 031 B	Clutch disc, 190 mm., NEW
055 141 031 D	Clutch disc, 190 mm., NEW
055 141 031 M	Clutch disc, 200 mm., NEW
055 141 033	Clutch disc, 190 mm., NEW
055 141 033 3	Clutch disc, 200 mm., NEW
055 141 033 V	Clutch disc, 190 mm., NEW
055 903 137 G	Fan belt for alternator, AVX10x850 mm, for cars with air condition
055 905 207	Distributor cap
055 905 225 B	Distributor rotor
055 905 295	Condenser
055 911 023 C	Starter motor, reconditioned
055 911 023 K	Starter motor, reconditioned
056 103 051 D	Oil seal for crankshaft, 85x105x11 mm
056 103 419 A	Valve guide, D=ø 12 mm d=ø 7.8 mm L=36.5 mm

Email: sales@simply-vwaudi.com

Other manufacturers' numbers used for reference only

OE Ref (Orig)	DESCRIPTION
056 103 483 D	Gasket for valve, 8 mm hole
056 103 489 A	Sealing strip for valve cover, front
056 103 491	Half-round seal for valve cover, rear
056 103 493	Ventilation pipe for crank case
056 103 609	Paper gasket for oil sump
056 103 609 A	Paper gasket for oil sump
056 103 609 B	Paper gasket for oil sump
056 103 663	Guide for oil level dipstick
056 105 313 B	Needle bearing for flywheel, D=∅ 21 mm L=15 mm
056 105 313 C	Needle bearing for flywheel, D=∅ 21 mm L=15 mm
056 109 119 A	Toothed timing belt, Z=121 W=18 mm
056 109 243 A	Tightener for timing belt
056 109 243 D	Tightener for timing belt
056 109 623 A	Valve spring, outer
056 109 623 B	Valve spring, outer
056 109 633 A	Valve spring, inner
056 109 633 B	Valve spring, inner
056 109 675	Seal for valve stem, d=∅ 7 mm
056 115 105 A	Oil pump
056 115 561 A/B	Oil filter
056 115 561 C	Oil filter
056 115 561 G	Oil filter
056 121 053 B	Radiator hose, water pump to cylinder
056 121 113 A	Thermostat, 80°C
056 121 113 D	Thermostat, 87°C
056 121 113 D87	Thermostat, 87°C
056 127 025 C	Fuel pump
056 127 025.1	Fuel pump
056 129 589	Gasket for exhaust manifold
056 129 620	Air filter insert
056 198 025 A	Valve cover gasket set, 8 mm hole
056 198 453	Main bearing set, standard size, but 0.25 mm oversize
056 198 453 A	Main bearing set, standard size, but 0.25 mm oversize
056 198 455	Main bearing set, standard size, but 0.50 mm oversize
056 198 455 A	Main bearing set, standard size, but 0.50 mm oversize
056 198 457	Main bearing set, standard size, but 0.75 mm oversize
056 198 457 A	Main bearing set, standard size, but 0.75 mm oversize
056 919 081 C	Oil pressure switch, 0.3 Bar, M10x1, brown
056 919 081 E	Oil pressure switch, 1.8 Bar, M10x1, white
056 919 369 S	Thermo switch for cooling system, double, M10x1, 40/30°C+65/55°C
056 998 031	Ignition cable set, 1 K-Ohm
058 109 119 A	Toothed timing belt, Z=152
058 109 309 A	Cam follower for exhaust valve
058 109 309 E	Cam follower for exhaust valve
058 115 105 C	Oil pump
058 145 271	Fan belt for power steering, AVX11x528 mm
058 145 805 A	Intercooler, 240x175 mm, PL/ALU
058 903 133 B	Belt tensioning damper
058 903 133 D	Belt tensioning damper
059 121 119	Seal ring for thermostat, 50x4 mm
059 127 311 B	Gasket seal for fuel pump, 36.0x2.5 mm
059 998 051 B	Contact point set
060 905 295	Condenser
068 103 051 A	Oil seal for crankshaft, 85x105x11 mm
068 103 051 G	Oil seal for crankshaft, 85x105x11 mm
068 103 085 A	Oil seal for crankshaft, 32x 47x10 mm
068 103 085 Q	Oil seal for crankshaft, 32x 47x10 mm
068 103 171 F	Flange for crankshaft incl. Oil seal and mounting assistance
068 103 171 G	Flange for crankshaft incl. Oil seal and mounting assistance
068 103 265 AA	Cylinder head, hydraulic, complete with valves etc., NEW
068 103 265 C	Cylinder head, mechanical, complete with valves etc., NEW

Email: sales@simply-vwaudi.com

Other manufacturers' numbers used for reference only

OE Ref (Orig)	DESCRIPTION
068 103 351 2	Cylinder head, mechanical, bare, NEW
068 103 351 E	Cylinder head, mechanical, bare, NEW
068 103 351 F	Cylinder head, mechanical, bare, NEW
068 103 351 FK	Cylinder head, mechanical, complete with valves etc., NEW
068 103 384	Bolt for cylinder head, M12x1.75 L=115 mm
068 103 384 A	Bolt for cylinder head, M12x1.75 L=115 mm
068 105 263 C	Crankshaft gear for timing belt
068 107 065 C	Piston set (4 pcs.) 76.51 mm, standard size, turbo diesel, with piston rings
068 107 065 C/4	Piston set (4 pcs.) 76.51 mm, standard size, turbo diesel, with piston rings
068 107 065 D	Piston set (4 pcs.) 76.51 mm, standard size, turbo diesel, with piston rings
068 109 101	Camshaft, incl. turbo diesel
068 109 101 B	Camshaft, incl. turbo diesel
068 109 101 D	Camshaft, incl. turbo diesel
068 109 101.1	Camshaft, incl. turbo diesel
068 109 243	Tightener for timing belt
068 109 243 C	Tightener for timing belt
068 109 243 F	Tightener for timing belt
068 109 633	Valve spring, inner
068 115 105 AC	Oil pump
068 115 105 AD	Oil pump
068 115 105 AE	Oil pump, with plastic baffle
068 115 105 AG	Oil pump, with plastic baffle
068 115 105 AN	Oil pump, with plastic baffle
068 115 105 AP	Oil pump
068 115 105 AQ	Oil pump
068 115 105 AR	Oil pump
068 115 105 AT	Oil pump, with plastic baffle
068 115 105 BK	Oil pump, with plastic baffle
068 115 105 BL	Oil pump
068 115 105 BN	Oil pump, with plastic baffle
068 115 105 BP	Oil pump
068 115 105 D	Oil pump, with plastic baffle
068 115 105 H	Oil pump, with plastic baffle
068 115 105 J	Oil pump
068 115 105 N	Oil pump
068 115 105 P	Oil pump, with plastic baffle
068 115 105 Q	Oil pump, with plastic baffle
068 115 105 R	Oil pump
068 115 561	Oil filter
068 115 561 B	Oil filter
068 115 561 E	Oil filter
068 115 561.1	Oil filter
068 117 021 B	Oil cooler
068 121 005 A	Water pump
068 121 053 AE	Radiator hose, water pump to cylinder
068 121 053 E	Radiator hose, water pump to cylinder
068 121 053 M	Radiator hose, water pump to cylinder
068 121 053 P	Radiator hose, water pump to cylinder
068 121 063 M	Radiator hose, engine block to water pipe
068 121 113	Thermostat, 87-102°C
068 121 113 B	Thermostat, 87-102°C
068 121 113 H	Thermostat, 87-102°C
068 121 132	Water flange
068 121 132 A	Water flange
068 121 132 B	Water flange (for cars with air condition and power steering)
068 121 133 AB	Water flange
068 121 133 AE	Water flange
068 121 133 AF	Water flange (for cars with air condition and power steering)
068 121 133 E	Water flange
068 121 133 M	Water flange
068 127 177 B	Fuel filter for diesel

Email: sales@simply-vwaudi.com

Other manufacturers' numbers used for reference only

OE Ref (Orig)	DESCRIPTION
068 129 589 B	Gasket for exhaust manifold
068 141 037 F	Clutch disc, ventilated, 200 mm., NEW
068 145 271 C	Fan belt for power steering, AVX10x763 mm
068 198 011	Cylinder block gasket set
068 198 012 A	Cylinder head gasket set without head gasket
068 198 012 D	Cylinder head gasket set without head gasket
068 198 012 L	Cylinder head gasket set without head gasket
068 198 100	Cylinder liner set (4 pcs.), 76.5 mm
068 198 151	Piston ring set, 76.50 mm
068 198 151 A	Piston ring set, 76.50 mm
068 198 501	Rod bearing set, standard size
068 198 503	Rod bearing set, standard size, 0.25 oversize
068 198 507	Rod bearing set, standard size, 0.75 oversize
068 260 149 A	Ribbed V-belt for air condition, 13x825 mm
068 260 849 A	Fan belt for air condition, AVX13x950 mm
068 260 849 B	Fan belt for air condition, AVX13x950 mm
068 260 849 G	Fan belt for air condition, AVX13x950 mm
068 903 137	Fan belt for alternator, AVX10x735 mm
068 903 137 F	Fan belt for alternator, AVX10x735 mm
068 903 137 Q	Fan belt for alternator, AVX10x735 mm
068 903 803 /A	Voltage regulator, 14.5 Volt
068 903 803 B	Voltage regulator, 14.5 Volt
068 903 803 D	Voltage regulator, 14.5 Volt
068 919 081	Oil pressure switch, 1.4 Bar, M10x1, black
068 919 081 A	Oil pressure switch, 0.9 Bar, M10x1, grey
069 105 701 A/8	Rod bearing set, standard size
069 105 707 A/8	Rod bearing set, standard size, 0.25 oversize
069 105 719 A/8	Rod bearing set, standard size, 0.75 oversize
069 109 111	Camshaft timing gear for timing belt
069 115 561	Oil filter
069 121 004	Water pump
069 121 004 V	Water pump
069 121 004 X	Water pump
069 121 005 D	Water pump
069 121 005 DV	Water pump
069 121 005 DX	Water pump
069 121 113	Thermostat, 87°C
069 130 113 A	Toothed timing belt for camshaft/ injection pump, Z=75 W=20 mm
069 198 151	Piston ring, standard, 76.5 mm, chrome. For one piston only! 1.75x3.3 mm, 2.0x3.3 mm, 3.0x3.68 mm
069 198 151/1	Piston ring, standard, 76.5 mm, chrome. For one piston only! 1.75x3.3 mm, 2.0x3.3 mm, 3.0x3.68 mm
069 903 137 C	Fan belt for alternator, AVX10x800 mm
06A 109 479	Tension pulley for timing belt
06A 109 479 A	Tension pulley for timing belt
06A 115 561 B	Oil filter
06A 121 121 C	Cooling water flange at thermostat housing
06A 903 315 D	Tensioning damper for ribbed V-belt
06A 903 315 E	Tensioning damper for ribbed V-belt
06A 906 461	Air volume meter
06B 109 119 A	Toothed timing belt, Z=150
06B 109 119 B	Toothed timing belt, Z=150
070 109 335	Push rod tube
070 109 335 A	Push rod tube
070 115 561	Oil filter
070 127 025	Fuel pump
070 199 231	Rubber mount for engine support, rear, center
070 199 231 A	Rubber mount for engine support, rear, left/right
070 903 803 A	Voltage regulator
073 121 004	Water pump
073 121 004 V	Water pump

Email: sales@simply-vwaudi.com

Other manufacturers' numbers used for reference only

OE Ref (Orig)	DESCRIPTION
073 121 004 X	Water pump
073 121 005	Water pump
074 109 101 J	Camshaft
074 109 119	Toothed timing belt, Z=142
074 121 004	Water pump
074 121 004 A	Water pump
074 121 004 V	Water pump
074 121 004 X	Water pump
074 121 005 A	Water pump
074 121 096 D	Radiator hose, cylinder block to oil cooler
074 121 132	Water flange
075 121 113 A/C	Thermostat, 87°C
075 121 113 D	Thermostat, 80°C
077 109 120	Roller chain for camshaft, 455/44E
078 103 604 B	Oil sump (aluminium), lower part
078 103 604 H	Oil sump (aluminium), lower part
078 109 119 C	Toothed timing belt, Z=253
078 115 561 D	Oil filter
078 121 004	Water pump
078 121 004 A	Water pump
078 121 004 B	Water pump
078 121 004 C	Water pump
078 121 004 CV	Water pump
078 121 004 CX	Water pump
078 121 113	Thermostat, 87°C
078 121 113 C	Thermostat, 87°C
078 121 113 F	Thermostat, 87°C
078 903 133 AB	Belt tensioning damper
078 903 133 Q	Belt tensioning damper
078 903 137 P	Ribbed V-belt for generator, 21.36x2260 mm, for cars with air condition
078 903 341 J	Deflection pulley for V-belt, 90x28 mm
080 301 155.1	Bushing for starter, D=ø 13.6 mm d=ø 11 mm H=14 mm
084 311 113	Oil seal for main drive shaft, 4 speed, D=ø 35 mm d=ø 21.8 mm H=7 mm
084 941 521	Switch for back up light
085 311 113	Oil seal for main drive shaft, 4 speed, D=ø 35 mm d=ø 21.8 mm H=7 mm
088 141 165 A	Clutch release bearing
088 141 165 B	Clutch release bearing
091 141 165	Clutch release bearing
1 237 013 044	Contact point set
101 000 001 AD	Spark plug
101 000 003 AA	Spark plug
111 905 865 L	Ignition switch
111 905 865.1	Ignition switch
111 941 583	Relay for headlamps, with clip
111 951 113 B	Horn, 12 Volt, 335 HZ
111 953 227 D	Flasher relay, 4x21 W
113 109 651 A	Valve cotter, d=ø 8 mm
113 141 181 A	Sleeve for clutch release bearing
113 141 181 B	Sleeve for clutch release bearing
113 201 551 F	Fuel tank cap, without lock, metal
113 201 551 H	Fuel tank cap, lockable, metal
113 201 551 HP	Fuel tank cap, lockable, plastic
113 201 551.2	Fuel tank cap, without lock, metal
113 201 551.4	Fuel tank cap, lockable, metal
113 201 551.4P	Fuel tank cap, lockable, plastic
113 301 155	Bushing for starter, D=ø 13.6 mm d=ø 11 mm H=14 mm
113 501 331	C.V. joint, front, inner, left/right
113 598 103	C.V. joint kit, front, inner
113 919 081.2	Oil pressure switch, 0.3 Bar
113 945 515 G	Brake light switch, 3 pins
113 945 515 H	Brake light switch, 2 pins

Email: sales@simply-vwaudi.com

Other manufacturers' numbers used for reference only

OE Ref (Orig)	DESCRIPTION
113 945 515.1	Brake light switch, 3 pins
113 947 561 G	Contact switch for handake control
113 947 561 H	Contact switch for handake control
113 951 113 5	Horn, 12 Volt, 335 HZ
113 951 113 6	Horn, 12 Volt, 335 HZ
131 261 275 A	Fuel filter
141 951 253 B	Auxiliary relay, universal
155 905 851	Ignition switch housing
161 953 235 A	Emergency light switch
161 953 235 B	Emergency light switch
161 998 001	Wiperblade set, 400 mm
161 998 001 A	Wiperblade set, 400 mm
165 800 375	Complete lock kit
165 827 571 F	Rear flap lock with keys
165 898 081 B-K	Complete lock kit
165 898 165 A	Complete lock kit
165 898 571 A	Complete lock kit
165 906 381	Relay for fuel pump
165 945 111	Tail light, without socket, left
165 945 112	Tail light, without socket, right
165 953 503	Complete switch column
165 953 519	Wiper/washer switch
165 955 453	Washer tank
165 959 455 AB	Electric fan, 250/150 W, ø 280 mm
165 959 455 AC	Electric fan, 250/150 W, ø 280 mm
165 959 455 AM	Electric fan, 250/150 W, ø 280 mm
171 121 088 B	Radiator hose for heating
171 121 088 D	Radiator hose for heating
171 121 101 AB	Radiator hose for radiator, upper
171 121 101 AH	Radiator hose for radiator, upper
171 121 101 E	Radiator hose for radiator, upper
171 121 101 N	Radiator hose for radiator, upper
171 121 275	Rubber mount for radiator
171 121 275 E	Rubber mount for radiator
171 121 321 B	Radiator cap
171 121 321 D	Radiator cap
171 121 321 F	Radiator cap
171 121 407	Expansion tank for radiator
171 121 407 A	Expansion tank for radiator
171 121 407 C	Expansion tank for radiator
171 121 407 E	Expansion tank for radiator
171 199 214 G	Rubber mount for engine support, left,D=ø 74.5 mm d=ø 11 mm W=42.5 mm
171 253 115	Gasket for exhaust pipe, front
171 407 181	Rubber mount for wishbone, rear, D=ø 38 mm d=ø 16 mm H=55mm
171 407 181 A	Rubber mount for wishbone, rear, D=ø 38 mm d=ø 16 mm H=55mm
171 407 331 F	C.V. joint, front, inner, left/right
171 407 331 H	C.V. joint, front, inner, left/right
171 407 625	Wheel bearing, D=ø 64 mm d=ø 34 mm H=37 mm
171 407 625 A	Wheel bearing, D=ø 64 mm d=ø 34 mm H=37 mm
171 407 625 D	Wheel bearing, D=ø 64 mm d=ø 34 mm H=37 mm
171 407 643 A	Self-locking nut for wheel hub, M20x1.5 mm
171 411 313	Grommet for stabilizer, inner,d=ø 15 mm
171 411 314 A	Grommet for stabilizer, outer, d=ø 15 mm
171 412 329	Strut mounting for shock absorber, front, d=ø 14 mm
171 412 329 A	Strut mounting for shock absorber, front, d=ø 14 mm
171 419 804	Tie rod, adjustable
171 419 804 A	Tie rod, adjustable
171 419 811	Tie rod end, left/right, M14x1.5
171 419 811A	Tie rod end, left/right, M14x1.5
171 419 812	Tie rod end, left/right, M14x1.5
171 419 821	Tie rod inner, M14X1.5

Email: sales@simply-vwaudi.com

Other manufacturers' numbers used for reference only

OE Ref (Orig)	DESCRIPTION
171 419 831 B	Steering gear protection boot
171 419 831 C	Steering gear protection boot
171 498 099 C	C.V. joint kit, front, outer
171 498 103	C.V. joint kit, front, inner
171 498 103 C	C.V. joint kit, front, inner
171 501 615	Brake drum, rear,180x30 mm, 4/100
171 501 615 A	Brake drum, rear,180x30 mm, 4/100
171 501 615 B	Brake drum, rear,180x30 mm, 4/100
171 609 721 B	Hand brake cable
171 609 721 C	Hand brake cable
171 611 019 A	Brake master cylinder, 20.64 mm
171 611 019 D	Brake master cylinder, 20.64 mm
171 611 019 E	Brake master cylinder, 20.64 mm
171 611 019 N	Brake master cylinder, 20.64 mm
171 611 051 A	Wheel brake cylinder, 14.29 mm
171 611 051 B	Wheel brake cylinder, 14.29 mm
171 611 053	Wheel brake cylinder, 14.29 mm
171 611 701 A	Brake hose, front, M10x1x335 mm
171 611 701 G	Brake hose, front, M10x1x335 mm
171 611 701 L	Brake hose, front, M10x1x335 mm
171 615 123 B	Brake caliper, front, left
171 615 123 D	Brake caliper, front, left
171 615 123.12	Brake caliper, front, left
171 615 124 B	Brake caliper, front, right
171 615 124 D	Brake caliper, front, right
171 615 124.13	Brake caliper, front, right
171 698 051 C	Set brake shoe set with linings, 180x30 mm
171 698 151 E	Brake pad set, front, 15.25 mm
171 698 151 H	Brake pad set, front, 15.25 mm
171 698 525 A	Brake shoe set with linings, rear, 180x30 mm
171 698 525 B	Brake shoe set with linings, rear, 180x30 mm
171 721 335 E	Clutch cable
171 819 031 B/C	Heat exchanger
171 819 031 D	Heat exchanger
171 819 031 E	Heat exchanger
171 819 809 A	Heater valve for heat exchanger
171 819 809 E	Heater valve for heat exchanger
171 837 571 A	Window lift channel kit, incl. Moulding
171 857 803 E	Speedo cable
171 881 213 B	Guide piece for seat rail, outer
171 898 571 A	Window lift channel kit, incl. Moulding
171 906 383	Relay for intake manifold heating,40 Amp
171 911 261 A/D	Glowing relay
171 911 261 B	Glowing relay
171 911 261 E	Glowing relay
171 941 813 D	Relay plate/fuse box
171 941 821 B	Relay plate/fuse box
171 941 821 C	Relay plate/fuse box
171 941 821 D	Relay plate/fuse box
171 955 651	Washer pump for windshield washer
171 957 803 B	Speedo cable
171 957 803 D	Speedo cable
171 957 803 G	Speedo cable
171 957 803 H	Speedo cable
171 957 821 A	Drive gear for speedo cable, 16 teeth
171 957 821 B	Drive gear for speedo cable, 15 teeth, red
171 959 511	Switch for blower
171 998 031	Ignition cable set, 1 K-Ohm
172 957 803 B	Speedo cable
173 839 015 D	Door lock, rear, left
173 839 016 D	Door lock, rear, right

Email: sales@simply-vwaudi.com

Other manufacturers' numbers used for reference only

OE Ref (Orig)	DESCRIPTION
173 839 205 E	Rear outer door handle, left, black
173 839 205 G	Rear outer door handle, left, black
173 839 206 E	Rear door handle, right
173 839 206 G	Rear door handle, right
175 407 615	Wheel hub, 34 mm, 4/100
175 412 329 A	Strut mounting for shock absorber, front, d=ø 14 mm
175 419 804	Tie rod, adjustable
175 609 721	Hand brake cable
175 611 775	Brake hose, rear, M10x1x200 mm
175 819 031	Heat exchanger
175 919 501	Sender for water temperatuer gauge, 1 pin
176 199 402	Rubber mount for engine support, left, rear
176 253 147	Retaining ring for exhaust
176 412 303 A	Rubber buffer for shock absorber, front, H=84mm
176 412 329	Strut mounting for shock absorber, front, D=ø 132 mm d=ø 14 mm
176 412 329 A	Strut mounting for shock absorber, front, D=ø 132 mm d=ø 14 mm
176 819 030	Heat exchanger
191 035 503	Antenna, fender mounted, Including wire
191 035 503 A	Antenna, fender mounted, Including wire
191 121 101	Radiator hose for radiator, upper
191 121 101 B	Radiator hose for radiator, upper
191 121 101 F	Radiator hose for radiator, upper
191 121 101 G	Radiator hose for radiator, upper
191 121 101 P	Radiator hose for radiator, upper
191 121 101 Q	Radiator hose for radiator, upper
191 121 101 S	Radiator hose for radiator, upper
191 121 101 T	Radiator hose for radiator, upper
191 121 109	Radiator hose for expansion tank
191 121 109 E	Radiator hose for expansion tank
191 121 251 C	Radiator, 675x322 mm, PL/ALU
191 121 251 F	Radiator, 675x322 mm, PL/ALU
191 121 253 B	Radiator, 675x322 mm, PL/ALU
191 121 253 J	Radiator, 675x322 mm, PL/ALU
191 127 247 A	Valve for diesel filter
191 127 401	Fuel filter for diesel
191 127 401 A	Fuel filter for diesel
191 127 401 B	Fuel filter for diesel
191 127 401 C	Fuel filter for diesel
191 127 401 E	Fuel filter for diesel
191 129 620	Air filter insert
191 199 171	Front cross member
191 199 171 A	Front cross member
191 199 171 C	Front cross member
191 199 171 E	Front cross member
191 199 233	Rubber mount for engine support, D=ø 24 mm W=39.5 mm
191 199 262 A	Rubber mount for engine support, right, rear
191 199 273 C	Engine support bracket, front
191 199 279 E	Rubber mount for engine support, front
191 199 279 F	Rubber mount for engine support, front
191 199 381	Rubber mount for engine support, rear, left
191 199 381 A	Rubber mount for engine support, rear, left
191 199 402	Rubber mount for engine support, left, rear
191 199 402 A	Rubber mount for engine support, left, rear
191 199 402 B	Rubber mount for engine support, left, rear
191 199 402 C	Rubber mount for engine support, left, rear
191 201 256	Rubber mount for bracket fuel pump
191 201 511 A	Fuel filter
191 201 551	Fuel tank cap, lockable
191 201 551 A	Fuel tank cap, lockable
191 201 553 A	Fuel tank cap
191 253 115 A	Gasket for exhaust pipe, front

Email: sales@simply-vwaudi.com

Other manufacturers' numbers used for reference only

OE Ref (Orig)	DESCRIPTION
191 253 115 F	Gasket for exhaust pipe, front
191 253 147	Retaining ring for exhaust
191 253 147 A	Retaining ring for exhaust
191 253 147 B	Retaining ring for exhaust
191 407 151 B	Wishbone, front, with bushings
191 407 175	Lock plate for wishbone ball joint, M8x1.25
191 407 181 A	Rubber mount for wishbone, D=∅ 60 mm d=∅ 17 mm H=41 mm
191 407 181 B	Rubber mount for wishbone, D=∅ 60 mm d=∅ 17 mm H=41 mm
191 407 181 D	Rubber mount for wishbone, rear, D=∅ 60 mm d=∅ 17 mm W=41 mm
191 407 181 E	Rubber mount for wishbone, rear, D=∅ 60 mm d=∅ 17 mm W=41 mm
191 407 182	Rubber mount for wishbone, D=∅ 33 mm d=∅ 12 mm H=54 mm
191 407 255 D	Bearing housing, left
191 407 256 D	Bearing housing, right
191 407 285 C	Axle boot, hyttrell
191 407 285 G	Axle boot, hyttrell
191 407 365	Ball joint for wishbone, 17 mm
191 407 365 A	Ball joint for wishbone, 17 mm
191 407 615	Wheel hub, 35 mm, 4/100
191 407 625	Wheel bearing front height, D=∅ 66 mm d=∅ 35 mm H=37 mm
191 407 625 A	Wheel bearing front height, D=∅ 66 mm d=∅ 35 mm H=37 mm
191 411 314	Grommet for stabilizer, d=∅ 17 mm H=33 mm
191 411 315	Connecting link for stabilizer
191 411 315 B	Connecting link for stabilizer
191 411 329	Bearing ring for stabilizer
191 412 135	Protecting boot for shock absorber, front
191 412 303	Rubber buffer for shock absorber, front, H=84mm
191 412 303 A	Rubber buffer for shock absorber, front, H=84mm
191 412 329	Strut mounting for shock absorber, front, D=∅ 132 mm d=∅ 14 mm
191 412 341	Top strut mount plate
191 413 031	Shock absorber, front
191 413 031 H	Shock absorber, front
191 413 031 P	Shock absorber, front
191 419 063	Steering gear, not for power steering
191 419 063 B	Steering gear, not for power steering
191 419 063 C	Steering gear, not for power steering
191 419 523 C	Protection sleeve for steering gear, power steering
191 419 803	Tie rod, adjustable, left
191 419 803 A	Tie rod, adjustable, left
191 419 804	Tie rod, adjustable, right
191 419 804 A	Tie rod, adjustable, right
191 419 811	Tie rod end, left, M14x1.5
191 419 812	Tie rod end, right, M14x1.5
191 419 831	Steering gear protection boot
191 419 883	Rubber mount for steering gear, W=28 mm
191 498 099	C.V. joint kit, front, outer
191 498 099 F	C.V. joint kit, front, outer
191 498 103	C.V. joint kit, front, inner, left
191 498 104	C.V. joint kit, front, inner, right
191 498 153 S	Installation kit for wishbone
191 498 201 A	Axle boot kit, front, inner
191 501 117 A	Rear axle journal, complete, for disc brake, with ABS, left
191 501 117 B	Rear axle journal, complete, for disc brake, with ABS, left
191 501 117 D	Rear axle journal, complete, for disc brake, with ABS, left
191 501 117 E	Rear axle journal, complete, for disc brake, with ABS, left
191 501 118 A	Rear axle journal, complete, for disc brake, with ABS, right
191 501 118 B	Rear axle journal, complete, for disc brake, with ABS, right
191 501 118 C	Rear axle journal, complete, for disc brake, with ABS, right
191 501 118 D	Rear axle journal, complete, for disc brake, with ABS, right
191 501 541	Rubber mount for rear axle beam, D=∅ 44.5 mm d=∅ 12 mm H=90 mm
191 501 615	Brake drum, rear, 180x30 mm, 4/100
191 501 615 A	Brake drum, rear, 200x40 mm, 4/100

Email: sales@simply-vwaudi.com

Other manufacturers' numbers used for reference only

OE Ref (Orig)	DESCRIPTION
191 501 615 B	Brake drum, rear,180x30 mm, 4/100
191 511 115 A	Coil spring, rear
191 512 113	Spring seat for shock absorber, rear, upper
191 512 131	Rubber buffer for rear shock absorber, H=146 mm
191 512 131 B	Rubber buffer for rear shock absorber, H=146 mm
191 512 149	Support for spring seat, shock absorber, rear
191 512 333	Suspension strut mount, lower
191 512 335	Suspension strut mount, lower
191 513 033	Shock absorber, rear
191 513 425	Protective tube for shock absorber, rear, H=90 mm
191 611 019	Brake master cylinder, 20.64 mm
191 611 701	Brake hose, front, M10x1x335 mm
191 612 151	Brake pressure regulator
191 612 151 C	Brake pressure regulator
191 615 601	Rear brake disc, 226x10 mm
191 615 601 A	Rear brake disc, 226x10 mm
191 615 601 B	Rear brake disc, 226x10 mm
191 698 051	Set brake shoe set with linings, 180x30 mm
191 698 151 C	Brake pad set, front, 19.7 mm
191 698 151 H	Brake pad set, front, 19.7 mm
191 698 151 J	Brake pad set, front, 19.7 mm
191 711 173 B	Relay shaft for shifter
191 711 190	Bearing ring for selector shaft
191 711 190 A	Bearing ring for selector shaft
191 711 190 B	Bearing ring for selector shaft
191 711 199	Fitting screw for gear shift lever
191 711 574	Selecting rod, 5 speed, front, L=220 mm
191 711 590 A	Bushing
191 711 595	Selecting rod, 4 speed, L=86 mm
191 711 595 A	Selecting rod, 5 speed, L=74 mm
191 798 116	Repair kit for gear shift
191 798 116 A	Repair kit for gear shift
191 798 116 AS	Repair kit for gear shift
191 811 671	Rotary knob for seat lock rest
191 819 031 D/E	Heat exchanger
191 819 373	Radiator hose for heat exchanger
191 819 373 D	Radiator hose for heat exchanger
191 823 507	Engine hood lock, upper
191 823 509	Engine hood lock, lower
191 827 571 E	Rear flap lock with keys
191 837 015 C	Door lock, front, left
191 837 016 C	Door lock, front, right
191 837 205	Front door handle, outer, lockable, left
191 837 205 A	Front door handle, outer, lockable, left
191 837 206	Front door handle, outer, lockable, right
191 837 206 A	Front door handle, outer, lockable, right
191 837 207	Front door handle, without cylinder, left. Nylon version without key and locking mechanism.
191 837 208	Front door handle, without cylinder, right. Nylon version without key and locking mechanism.
191 837 401	Window lifter, front, left
191 837 401 B	Window lifter, front, left
191 837 401 C	Window lifter front, electric, with motor, left
191 837 402	Window lifter, front, right
191 837 402 B	Window lifter, front, right
191 837 461 A	Window lifter front, electric, left
191 837 461 S	Window lifter front, electric, with motor, left
191 837 462 A	Window lifter front, electric, with motor, right
191 837 571	Lift channel, door window, front
191 837 571 A	Lift channel, door window, front
191 837 581	Window winder handle, left/right

Email: sales@simply-vwaudi.com

Other manufacturers' numbers used for reference only

OE Ref (Orig)	DESCRIPTION
191 881 213	Guide piece for seat rail, inner
191 881 595	Rotary knob back rest
191 898 081	Complete lock kit
191 898 461 S	Electric window lifter kit
191 898 571 A	Lift channel, door window, front
191 905 351 B	Ignition module
191 906 091 E	Fuel pump
191 906 091 L	Fuel pump
191 906 092 /C	Fuel pump
191 906 092 A/M	Fuel pump
191 906 092 G	Fuel pump
191 906 383	Relay for intake manifold heating,40 Amp
191 906 383 C	Relay for intake manifold heating,40 Amp
191 911 261 C	Glowing relay
191 919 383	Trim for heater control
191 919 823	Switch for back up light
191 941 531 A	Switch for head lamps with rheostat for dashboard lightning
191 941 531 H	Switch for head lamps with rheostat for dashboard lightning
191 941 531 k	Switch for head lamps with rheostat for dashboard lightning
191 941 535	Switch for fog lamp
191 941 535 B	Switch for fog lamp
191 945 515	Brake light switch, 2 pins
191 945 515 A	Brake light switch, 2 pins
191 945 515 B	Brake light switch, 2 pins
191 951 113 A	Horn, 12 Volt, 335 HZ
191 951 113 B	Horn, 12 Volt, 335 HZ
191 951 113 D	Horn, 12 Volt, 335 HZ
191 951 221	Horn, 12 Volt, low tone, 420 HZ
191 951 223	Horn, 12 Volt, high tone, 510 HZ
191 953 227	Flasher relay, 4x21 W
191 953 227 A	Flasher relay, 4x21 W
191 953 235	Emergency light switch
191 953 513	Turn signal switch (not cruise control)
191 953 513 01C	Turn signal switch (not cruise control)
191 953 513 B	Turn signal switch (not cruise control)
191 953 519	Wiper/washer switch (not on board computer)
191 953 519 01C	Wiper/washer switch (not on board computer)
191 953 519 01C	Wiper/washer switch (not on board computer)
191 953 519 A	Wiper/washer switch (not on board computer)
191 955 023 L	Window wiper mechanism
191 955 113 A	Wiper motor, 12 Volt
191 955 215	Wiper bracket with bearing
191 955 453	Washer tank
191 955 529	Relay/timer for rear wiper/washer
191 955 531	Relay for wiper/washer, front
191 955 651	Washer pump for windshield washer
191 955 985 A	Washer jet, windshield washer, front
191 957 803 A	Speedo cable
191 957 803 D	Speedo cable
191 957 803 H	Speedo cable
191 959 101	Blower motor
191 959 455 AF	Electric fan, 250/150 W, ø 305 mm
191 959 455 AK	Electric fan, 100/60 W, ø 305 mm
191 959 455 AM	Electric fan, 250/150 W, ø 305 mm
191 959 455 AT	Electric fan, 100/60 W, ø 305 mm
191 959 455 BB	Electric fan, 250/150 W, ø 305 mm
191 959 455 F	Electric fan, 250/150 W, ø 280 mm
191 959 455 G	Electric fan, 250/150 W, ø 280 mm
191 959 455 T	Electric fan, 250/150 W, ø 280 mm
191 959 481 B	Thermo switch for fan, 95/84°C 2 pins
191 959 481 C	Thermo switch for fan, 95/84°C 3 pins

Email: sales@simply-vwaudi.com

Other manufacturers' numbers used for reference only

OE Ref (Orig)	DESCRIPTION
191 959 481 C80	Thermo switch for fan, 85/80°C 3 pins
191 959 481 C84	Thermo switch for fan, 95/84°C 3 pins
191 959 511A	Switch for blower, cars with air condition
191 959 621	Switch for rear window defogger
191 959 621 B	Switch for rear window defogger
191 959 855	Switch for electric window lifter
191 998 031	Ignition cable set
191 998 031 A	Ignition cable set
191 998 031 B	Ignition cable set
192 611 019	Brake master cylinder, 20.64 mm
193 839 015 A/C	Door lock, rear, left
193 839 016 A/C	Door lock, rear, right
193 839 205	Rear outer door handle, left, black
193 839 206	Rear door handle, right
193 839 401	Window lifter, rear, left
193 839 402	Window lifter, rear, right
1H0 121 321 A	Radiator cap
1H0 121 321 B	Radiator cap
1H0 121 321 C	Radiator cap
1H0 121 687 A	O-ring, 28.5x3.8 mm
1H0 127 401 C	Fuel filter for diesel
1H0 127 401 C	Fuel filter for diesel
1H0 199 233 A	Rubber mount for engine support, D=ø 24 mm W=39.5 mm
1H0 199 262 A	Rubber mount for engine support, right, rear
1H0 199 262 B	Rubber mount for engine support, right, rear
1H0 199 262 D	Rubber mount for engine support, right, rear
1H0 199 262 E	Rubber mount for engine support, right, rear
1H0 199 262 F	Rubber mount for engine support, right, rear
1H0 199 262 G	Rubber mount for engine support, right, rear
1H0 199 262 H	Rubber mount for engine support, right, rear
1H0 199 262 K	Rubber mount for engine support, right, rear
1H0 199 609 B	Rubber mount for engine support, front
1H0 199 609 D	Rubber mount for engine support, front
1H0 199 609 E	Rubber mount for engine support, front
1H0 199 609 F	Rubber mount for engine support, front
1H0 199 609 G	Rubber mount for engine support, front
1H0 199 609 H	Rubber mount for engine support, front
1H0 199 609 J	Rubber mount for engine support, front
1H0 199 609 K	Rubber mount for engine support, front
1H0 201 511	Fuel filter
1H0 201 511 A	Fuel filter
1H0 201 553 B	Fuel tank cap
1H0 253 147 B	Retaining ring for exhaust
1H0 253 147 C	Retaining ring for exhaust
1H0 407 151	Wishbone, front, with bushings
1H0 407 285 A	Axle boot for front C.V. Joint
1H0 407 285 B	Axle boot for front C.V. Joint
1H0 407 625	Wheel bearing, D=ø 72 mm d=ø 40 mm H=37 mm
1H0 413 031	Shock absorber, front
1H0 413 031 C	Shock absorber, front
1H0 498 099 A	C.V. joint kit, front, outer
1H0 501 541	Rubber mount for rear axle beam, D=ø 56 mm d=ø 12 mm H=90 mm
1H0 501 541 A	Rubber mount for rear axle beam, D=ø 56 mm d=ø 12 mm H=90 mm
1H0 501 615 A	Brake drum, rear, 200x40 mm, 4/100
1H0 512 149	Support for spring seat, shock absorber, rear
1H0 513 031	Shock absorber, rear
1H0 615 301	Front brake disc, ventilated, 280x22 mm
1H0 615 301 A	Front brake disc, ventilated, 280x22 mm
1H0 698 151	Brake pad set, front, 19.7 mm
1H0 698 525	Brake shoe set with linings, rear, 200x40 mm
1H0 698 525 V	Brake shoe set with linings, rear, 200x40 mm

Email: sales@simply-vwaudi.com

Other manufacturers' numbers used for reference only

OE Ref (Orig)	DESCRIPTION
1H0 698 525 X	Brake shoe set with linings, rear, 200x40 mm
1H0 711 173	Relay shaft for shifter
1H0 721 173	Pedal pad
1H0 837 461	Window lifter front, electric, with motor, left
1H0 837 461A	Window lifter front, electric, with motor, left
1H0 837 462	Window lifter front, electric, with motor, right
1H0 837 462 A	Window lifter front, electric, with motor, right
1H0 837 581	Window winder handle, left/right
1H0 837 581 B	Window winder handle, left/right
1H0 837 581 D	Window winder handle, left/right
1H0 905 855	Ignition lock cylinder with keys (not immobilizer)
1H0 905 855 A	Ignition lock cylinder with keys (not immobilizer)
1H0 906 091 D	Fuel pump with plastic housing
1H0 919 051	Fuel pump with plastic housing, 3 Bar
1H0 919 051 AJ	Fuel pump, complete with sender
1H0 919 651 H	Fuel pump, complete with sender
1H0 919 651 N	Fuel pump, complete with sender
1H0 919 651 P	Fuel pump with plastic housing, 3 Bar
1H0 953 227	Flasher relay, 4x21 W
1H0 953 503 T	Combination switch
1H0 953 513	Turn signal switch (not cruise control)
1H0 953 513 C	Turn signal switch (not cruise control)
1H0 953 519	Wiper/washer switch (not on board computer)
1H0 953 519 01C	Wiper/washer switch (not on board computer)
1H0 959 455	Electric fan, 100/60 W, ø 305 mm
1H0 959 455 A	Electric fan, 100/60 W, ø 305 mm
1H0 959 455 AB	Electric fan, 250/80 W, ø 303 mm
1H0 959 455 AH	Electric fan, 350/250/80 W, ø 303 mm
1H0 959 455 B	Electric fan, 250/150 W, ø 305 mm
1H0 959 455 C	Electric fan, 250/150 W, ø 305 mm
1H0 959 455 D	Electric fan, 250/150 W, ø 305 mm
1H0 959 455 E	Electric fan, 250/150 W, ø 305 mm
1H0 959 455 G	Electric fan, 350/250 W, ø 305 mm
1H0 959 455 J	Electric fan, 250/80 W, ø 303 mm
1H0 959 455 K	Electric fan, 250/80 W, ø 303 mm
1H0 959 455 N	Electric fan, 100/60 W, ø 305 mm
1H0 959 455 P	Electric fan, 100/60 W, ø 305 mm
1H0 959 455 T	Electric fan, 350/250/80 W, ø 303 mm
1H0 959 481 B	Thermo switch for fan, 95/84°C 3 pins, dual switch
1H0 959 481 C	Thermo switch for fan, 95/84°C 3 pins, dual switch
1H0 959 565	Electric mirror switch
1H0 998 031	Ignition cable set
1H1 611 019 A	Brake master cylinder, 20.64x16/18 mm, not ABS
1H1 611 019 C	Brake master cylinder, 20.64x16/18 mm, not ABS
1H1 819 021	Blower motor for heater
1H1 819 031 A	Heat exchanger
1H1 820 021	Blower motor for heater
1H2 819 031 A	Heat exchanger
1H5 955 651	Washer pump for windshield washer
1H6 953 503 AB	Combination switch
1H6 953 503 T	Combination switch
1H6 955 651	Washer pump for windshield washer
1H9 501 541	Rubber mount for rear axle beam, D=ø 56 mm d=ø 12 mm H=50 mm
1J0 127 401	Fuel filter for diesel
1J0 199 262 BE	Rubber mount for engine support
1J0 199 262 BF	Rubber mount for engine support, right
1J0 199 262 BK	Rubber mount for engine support
1J0 199 555 AH	Rubber mount for engine support, left
1J0 199 555 AJ	Rubber mount for engine support, left
1J0 199 555 AK	Rubber mount for engine support, left
1J0 199 555 AL	Rubber mount for engine support, left

Email: sales@simply-vwaudi.com

Other manufacturers' numbers used for reference only

OE Ref (Orig)	DESCRIPTION
1J0 199 851 AA	Support rear, manual gearbox
1J0 199 851 M	Support rear, manual gearbox
1J0 407 181	Rubber mount for wishbone, rear, D=ø 60 mm d=ø 13 mm H=41mm
1J0 411 314 G	Grommet for stabilizer
1J0 411 315	Connecting link, H=105 mm
1J0 411 315 B	Connecting link, H=105 mm
1J0 411 315 C	Connecting link, H=105 mm
1J0 412 249	Ball bearing for strut bearing
1J0 412 331 C	Strut mounting for shock absorber, upper, without bearing, D=ø 83 mm d=ø 26 mm H=54 mm
1J0 498 099	C.V. joint kit, front, outer
1J0 501 541 C	Rubber mount for rear axle beam, D=ø 72 mm H=90 mm
1J0 512 131	Rubber buffer for rear shock absorber
1J0 512 149 B	Support for spring seat, shock absorber, rear
1J0 513 353 A	Support for rear shock absorber
1J0 513 353 B	Support for rear shock absorber
1J0 513 353 C	Support for rear shock absorber
1J0 513 425	Protective tube for shock absorber, rear
1J0 615 301 C	Front brake disc, ventilated, 288x25 mm
1J0 615 301 D	Front brake disc, ventilated, 14", 256x22 mm
1J0 615 301 E	Front brake disc, ventilated, 15", 280x22 mm
1J0 927 803	ABS sensor, front, left
1J0 927 804	ABS sensor, front, right
1J0 955 119	Wiper motor, 12 Volt
1J0 959 455	Electric fan, 100/60 W, ø 345 mm
1J0 959 455 B	Electric fan, 100/60 W, ø 345 mm
1J0 959 455 D	Electric fan, 250/60 W, ø 345 mm
1J0 959 455 F	Electric fan, 250/60 W, ø 345 mm
1J0 959 455 K	Electric fan, 220/60 W, ø 290 mm
1J0 959 455 M	Electric fan, 220/60 W, ø 290 mm
1J5 955 651	Washer pump for windshield washer
1J6 955 651	Washer pump for windshield washer
1L0 413 031 C	Shock absorber, front
211 405 645	Rear wheel bearing, D=ø 45 mm d=ø 29 mm H=15 mm
211 405 645 D	Rear wheel bearing, D=ø 45 mm d=ø 29 mm H=15 mm
211 501 221 A	Axle nut, M30x1.5 mm
211 501 221.1	Axle nut, M30x1.5 mm
211 819 809	Heater valve for heat exchanger
211 905 115 D	Ignition coil
211 905 351	Ignition module
211 905 351 A	Ignition module
211 905 351 D	Ignition module
211 953 231 G	Flasher relay, 4+2x21 W
241 236 804	Spark plug
251 201 511 A	Fuel filter
251 201 511 C	Fuel filter
251 201 511 G	Fuel filter
251 201 511 H	Fuel filter
251 407 077	Rubber mount for wishbone, upper
251 407 077 B	Rubber mount for wishbone, upper
251 407 183	Rubber mount for wishbone, lower, left, D=ø 43.5 mm d=ø 12 mm H=85 mm
251 407 183 B	Rubber mount for wishbone, lower, left, D=ø 43.5 mm d=ø 12 mm H=85 mm
251 411 041 C	Grommet for stabilizer, inner,d=ø 21 mm
251 419 811	Tie rod end, left/right, M14x1.5
251 819 015	Blower motor for heater
251 905 115 A	Ignition coil
251 906 091	Fuel pump
251 919 369	Thermo switch for cooling system, 20 mm, 65/55°C
251 919 369 B	Thermo switch for intake manifold heating, 20 mm, 55/65°C
251 919 372	Level switch for coolant
251 919 372 A	Level switch for coolant, standard connector

Email: sales@simply-vwaudi.com

Other manufacturers' numbers used for reference only

OE Ref (Orig)	DESCRIPTION
251 919 501	Sender for temperature gauge, 2 pins
251 919 501 A	Sender for temperature gauge, 2 pins, black-green
251 919 501 D	Sender for temperature gauge, 2 pins, black-green
251 953 503 N	Switch assembly including wiper arm
251 955 119	Wiper motor, 12 Volt
2D0 127 399	Fuel filter for diesel
305 501 615.1	Brake drum, rear,180x30 mm, 4/100
305 941 531 A	Switch for headlamps with rheostat for dashboard lightning
311 405 625 B	Wheel bearing, D=ø 50 mm d=ø 29 mm H=15 mm
311 405 625 C	Wheel bearing, D=ø 50 mm d=ø 29 mm H=15 mm
311 405 625 E	Wheel bearing, D=ø 50 mm d=ø 29 mm H=15 mm
311 405 625.1	Wheel bearing, D=ø 50 mm d=ø 29 mm H=15 mm
311 405 645	Rear wheel bearing, D=ø 40 mm d=ø 17 mm H=15 mm
311 405 645.1	Rear wheel bearing, D=ø 40 mm d=ø 17 mm H=15 mm
311 998 063	Contact point set
321 121 191 D	Radiator hose for expanon tank
321 121 191 E	Radiator hose for expanon tank
321 121 251 A	Radiator, 700x322 mm, PL/ALU
321 121 251 AJ	Radiator, 700x322 mm, PL/ALU
321 121 251 AL	Radiator, 700x322 mm, PL/ALU
321 121 251 BL	Radiator, 700x322 mm, PL/ALU
321 121 253 AJ	Radiator, 700x322 mm, PL/ALU
321 201 551 G	Fuel tank cap, without lock, metal
321 201 551 H	Fuel tank cap, lockable, metal
321 201 551 HP	Fuel tank cap, lockable, plastic
321 407 283 A	Axle boot for front C.V. Joint, inner, left
321 407 285 B	Axle boot for front C.V. joint, outer
321 407 285 D	Axle boot for front C.V. joint, outer
321 407 331	C.V. joint, front, inner, left/right
321 498 099 C	C.V. joint kit, front, outer
321 498 103	C.V. joint kit, front, inner
321 498 201	Axle boot kit, front, inner
321 498 201 A	Axle boot kit, front, inner
321 498 201 D	Axle boot kit, front, inner
321 498 625 A	Wheel bearing kit, for one front wheel
321 498 625 B	Wheel bearing kit, for one front wheel
321 498 625 C	Wheel bearing kit, for one front wheel
321 498 625 D	Wheel bearing kit, for one front wheel
321 498 625 E	Wheel bearing kit, for one front wheel
321 501 117	Rear axle journal, complete, for drum brake, without ABS
321 501 541	Rubber mount for rear axle beam, D=ø 44.5 mm d=ø 12 mm H=40 mm
321 513 031 H	Shock absorber, rear
321 601 139 C	Wheel bolt for steel wheels, M12x1.5x23.5
321 615 123 A	Brake caliper, front, left
321 615 124 A	Brake caliper, front, right
321 615 301	Front brake disc, 13", 239x12 mm
321 615 301 A	Front brake disc, ventilated, 13", 239x20 mm
321 615 301 B	Front brake disc, ventilated, 13", 239x20 mm
321 615 301 C	Front brake disc, ventilated, 13", 239x20 mm
321 819 015	Blower motor for heater
321 819 371 F	Radiator hose for heating
321 819 375 D	Radiator hose for heating
321 831 403	Door hinge
321 837 015	Door lock, front, left
321 837 016	Door lock, front, right
321 837 034 B	Door pin
321 837 034 C	Door pin
321 837 205 C	Front door handle, outer, lockable, left
321 837 206	Front door handle, outer, lockable, right
321 837 399	Window lifter, front, left
321 837 400	Window lifter, front, right

Email: sales@simply-vwaudi.com

Other manufacturers' numbers used for reference only

OE Ref (Orig)	DESCRIPTION
321 853 050 L	Turn signal, front, yellow, right
321 853 601	Emblem for radiator grille
321 905 851 D	Ignition switch housing
321 906 059 C	Relay for fuel pump, 10 Amp
321 906 059 H	Relay for fuel pump
321 919 051 T	Sender for fuel gauge
321 941 531 G	Switch for headlamps with rheostat for dashboard lightning
321 941 531 H	Switch for headlamps with rheostat for dashboard lightning
321 941 531 K	Switch for headlamps with rheostat for dashboard lightning
321 953 055 A	Turn signal, front, yellow, left
321 953 056 A	Turn signal, front, yellow, right
321 953 156 F	Turn signal, front, yellow, right
321 953 513	Turn signal switch (not cruise control)
321 953 519	Wiper/washer switch (not on board computer)
321 953 519 A	Wiper/washer switch (not on board computer)
321 953 519 B	Wiper/washer switch (not on board computer)
321 953 519 D	Wiper/washer switch (not on board computer)
321 955 531 A	Relay for wiper/washer, front
321 957 803 AE	Speedo cable
321 957 803 AF	Speedo cable
321 959 455 N	Electric fan, 250/150 W, ø 280 mm
321 959 481 D	Thermo switch for fan, 95/84°C 3 pins
321 959 481 D80	Thermo switch for fan, 85/80°C 3 pins
321 959 481 D84	Thermo switch for fan, 95/84°C 3 pins
321 959 481 E	Thermo switch for fan, 95/84°C 2 pins
321 959 511 A	Switch for blower, cars with air condition
321 959 621 B	Switch for rear window defogger
323 501 615	Brake drum, rear, 200x40 mm, 4/100
323 959 455	Electric fan, 150/80 W, ø 280 mm
323 959 455 B	Electric fan, 150/80 W, ø 280 mm
325 199 415.1	Rubber mount for engine support, front, D=ø 39 mm d=ø 10 mm H=46 mm
325 905 207 A	Distributor cap
327 837 015	Door lock, front, left
327 837 015 B	Door lock, front, left
327 837 016	Door lock, front, right
327 837 016 B	Door lock, front, right
327 839 015 A	Door lock, rear, left
327 839 015 B	Door lock, rear, left
327 839 016 A	Door lock, rear, right
327 839 016 B	Door lock, rear, right
327 959 455	Electric fan, 150/80 W, ø 280 mm
327 959 455 A	Electric fan, 150/80 W, ø 280 mm
331 513 031 H	Shock absorber, rear
331 611 051 A	Wheel brake cylinder, 17.46 mm
331 611 053	Wheel brake cylinder, 17.46 mm
331 611 053 A	Wheel brake cylinder, 17.46 mm
331 698 525	Brake shoe set with linings, rear, 200x40 mm
331 953 519 A	Wiper/washer switch (not on board computer)
331 998 063.1	Contact point set
333 501 117	Rear axle journal, complete, for disc brake, with ABS, left
333 501 117 A	Rear axle journal, complete, for disc brake, with ABS, left
333 501 118	Rear axle journal, complete, for disc brake, with ABS, right
333 501 118 A	Rear axle journal, complete, for disc brake, with ABS, right
333 501 541	Rubber mount for rear axle beam, D=ø 56 mm d=ø 12 mm H=50 mm
333 955 651	Washer pump for windshield washer
343 941 583	Relay for headlamps, with clip
343 941 583	Relay for headlamps, with clip
353 959 455 B	Electric fan, 150/80 W, ø 280 mm
353 959 455 C	Electric fan, 150/80 W, ø 280 mm
357 121 321	Radiator cap
357 121 140	Plug for water flange

Email: sales@simply-vwaudi.com

Other manufacturers' numbers used for reference only

OE Ref (Orig)	DESCRIPTION
357 121 321 A	Radiator cap
357 121 321 C	Radiator cap
357 198 140 S	Seal water flange
357 199 262 A	Rubber mount for engine support, right, rear
357 199 262 D	Rubber mount for engine support, right, rear
357 199 279	Rubber mount for engine support, front
357 199 279 B	Rubber mount for engine support, front
357 199 381 A	Rubber mount for engine support
357 199 381 C	Rubber mount for engine support
357 199 402	Rubber mount for engine support, left, rear
357 199 402 A	Rubber mount for engine support, left, rear
357 199 402 B	Rubber mount for engine support, left, rear
357 199 402 C	Rubber mount for engine support, left, rear
357 199 609	Rubber mount for engine support, front
357 407 181	Rubber mount for wishbone, rear, D=ø 60 mm d=ø 17 mm W=41 mm
357 407 182	Rubber mount for wishbone, D=ø 33 mm d=ø 12 mm H=54 mm
357 407 365	Ball joint for wishbone, 19 mm
357 407 615 A	Wheel hub, 40 mm, 4/100
357 407 625 A	Wheel bearing, D=ø 72 mm d=ø 40 mm H=37 mm
357 411 313	Grommet for stabilizer, inner, left, d=ø 21 mm
357 411 313 A	Grommet for stabilizer, left, d=ø 22.7 mm
357 411 314	Grommet for stabilizer, inner, right, d=ø 21 mm
357 411 314 A	Grommet for stabilizer, inner, right
357 411 315	Connecting link, M10x1.5
357 411 315 A	Connecting link, M10x1.5
357 411 315 C	Connecting link, M10x1.5
357 411 315 D	Connecting link, M10x1.5
357 411 329	Bearing ring for stabilizer
357 412 135	Protecting boot for shock absorber, front
357 412 249	Ball bearing for strut bearing
357 412 249 A	Ball bearing for strut bearing
357 412 303 E	Rubber buffer for shock absorber, front, H=84mm
357 412 329	Strut mounting for shock absorber, front, D=ø 126 mm d=ø 14 mm
357 412 331 A	Strut mounting for shock absorber, front, upper, without bearing
357 412 341 A	Spring seat for strut mount
357 413 031 Q	Complete strut assembly, front
357 413 031 R	Complete strut assembly, front
357 413 175 A	Boot for shock absorber, front
357 422 831 B	Power steering gear protection boot
357 498 099 E	C.V. joint kit, front, outer
357 501 117	Rear axle journal, complete, for drum brake, without ABS
357 501 117 A	Rear axle journal, complete, for drum brake, without ABS
357 501 541	Rubber mount for rear axle beam, D=ø 56 mm d=ø 12 mm H=50 mm
357 501 541 A	Rubber mount for rear axle beam, D=ø 56 mm d=ø 12 mm H=50 mm
357 501 615	Brake drum, rear, 230x40 mm, 4/100
357 513 031	Shock absorber, rear
357 611 019	Brake master cylinder, 20.64 mm
357 611 019 A	Brake master cylinder, 22.2x16/18 mm
357 611 019 B	Brake master cylinder, 22.2x16/18 mm
357 611 053	Wheel brake cylinder, 20.64 mm
357 611 053 B	Wheel brake cylinder, 20.64 mm
357 611 349	Plastic cap with sensor for brake fluid reservoir
357 612 151	Brake pressure regulator
357 615 123 A	Brake caliper, front, left
357 615 124 A	Brake caliper, front, right
357 615 301	Front brake disc, 14", 256x13 mm
357 615 601	Rear brake disc, 226x10 mm
357 615 601 B	Rear brake disc, 226x10 mm
357 698 151 A	Brake pad set, front, 16.25 mm
357 698 525	Brake shoe set with linings, rear, 200x40 mm
357 819 371 E	Radiator hose for heating

Email: sales@simply-vwaudi.com

Other manufacturers' numbers used for reference only

OE Ref (Orig)	DESCRIPTION
357 820 021	Blower motor for heater
357 837 034	Door pin
357 837 205 B	Door handle, front, without central lock, left
357 837 205 D	Door handle, front, without central lock, left
357 837 205 F	Door handle, front, without central lock, left
357 837 206 B	Door handle, front, right
357 837 219 A	Key blank
357 839 205	Rear door handle, left
357 839 206	Rear door handle, right
357 881 671	Rotary knob back rest
357 905 851	Ignition switch housing
357 905 851 D	Ignition switch housing
357 905 865	Ignition switch
357 906 092 C	Fuel pump
357 906 381	Relay for fuel pump
357 906 381 A	Relay for fuel pump
357 919 369 F	Thermo switch for cooling system, 20 mm, 112°C
357 919 506 A	Electric fan control unit, for trailer operation/with taxi equipment
357 919 506 C	Electric fan control unit, for trailer operation/with taxi equipment
357 941 531	Switch for headlamp with rheostat dashboard lightning
357 953 513	Turn signal switch
357 953 513 F	Turn signal switch
357 953 519	Wiper/washer switch (not on board computer)
357 959 455 F	Electric fan, 250/80 W, ø 303 mm
357 998 001 D	Wiperblade set, 530 mm
3A0 121 367	Rubber mount for radiator
3A0 199 402	Rubber mount for engine support, left, rear
3A0 501 541	Rubber mount for rear axle beam, D=ø 56 mm d=ø 12 mm H=50 mm
3A0 601 139	Wheel bolt for steel wheels, M12x1.5x23.5
3A0 611 053	Wheel brake cylinder, 20.64 mm
3A0 615 301	Front brake disc, ventilated, 15", 280x25 mm
3A0 615 301 A	Front brake disc, ventilated, 15", 280x25 mm
3A0 837 205 B	Door handle, without central lock, left
3A0 837 205 D	Door handle, without central lock, left
3A0 837 206 B	Door handle, without central lock, right
3A0 837 206 D	Door handle, without central lock, right
3A0 839 205 A	Rear door handle, left
3A0 839 206 A	Rear door handle, right
3A0 959 455	Electric fan, 250/80 W, ø 345 mm
3A0 959 455 B	Electric fan, 250/80 W, ø 345 mm
3A0 959 455 J	Electric fan, 100/60 W, ø 305 mm
3B0 413 031	Shock absorber, front
3B0 413 031 A	Shock absorber, front
3B5 513 031 B	Shock absorber, rear, gascharged
431 498 099 A	C.V. joint kit, front, outer, not ABS
431 121 273	Rubber mount for radiator, D=ø 40 mm H=15 mm M8x1.5
431 121 273 A	Rubber mount for radiator, D=ø 27 mm H=11.5 mm
431 121 407 C	Expansion tank for radiator
431 133 511	Fuel filter
431 133 511 A	Fuel filter
431 253 115 A	Gasket for exhaust pipe, front
431 253 149 A	Rubber stop for muffler
431 399 151 D	Rubber mount for gear box
431 399 415 B	Rubber mount for gear box, front, D=ø 46 mm d=ø 12 mm H=51 mm
431 407 181 F	Rubber mount for wishbone
431 407 183 A	Rubber mount for wishbone, D=ø 46.5 mm d=ø 12 mm H=58 mm
431 412 175 D	Boot for shock absorber, front
431 412 377 C	Strut mounting for shock absorber, front
431 412 377 D	Strut mounting for shock absorber, front
431 498 103 C	C.V. Join kit, front, inner, left
431 498 201	Axle boot kit, front, inner

Email: sales@simply-vwaudi.com

Other manufacturers' numbers used for reference only

OE Ref (Orig)	DESCRIPTION
431 501 615	Brake drum, rear, 230x40 mm, 4/108
431 505 172	Rubber mount for suspension brace
431 511 247 C	Rubber mount for rear axle beam, D=ø 56 mm d=ø 12 mm H=43 mm
431 601 139 A	Wheel bolt for steel wheels, M12x1.5x23.5
431 611 707	Brake hose, front, M10x1x385 mm
431 615 301	Front brake disc, 256x13 mm
431 615 301 A	Front brake disc, ventilated, 256x22 mm
431 721 401	Master cylinder for hydraulic clutch
431 721 401 A	Master cylinder for hydraulic clutch
431 951 253 B	Auxiliary relay, universal
431 951 253 H	Auxiliary relay, universal
431 953 231	Flasher relay, 4+2x21 W
431 955 531	Relay for wiper/washer, front
431 955 651	Washer pump for windshield washer
431 959 455 K	Electric fan, 250 W, ø 305 mm
431 998 001	Wiper blade set, 450 mm
431 998 001 A	Wiper blade set, 450 mm
433 253 115 A	Gasket for exhaust pipe, front
433 611 775 A	Brake hose, rear, M10x1x200 mm
433 862 117	Valve for vacuum system
435 881 203 A	Guide piece for seat rail, front
437 407 151 A	Control arm, front, with bushings, left, D=ø 18 mm
437 407 152 A	Control arm, front, right, with bushings, right, D=ø 18 mm
441 201 511 A	Fuel filter
441 201 511 B	Fuel filter
441 201 511 C	Fuel filter
441 412 249 A	Ball bearing, D=ø 102mm d=ø 81 mm H=15 mm
441 905 851	Ignition switch housing
443 121 251 D	Radiator, 615x303 mm, PL/CU
443 121 251 N	Radiator, 615x303 mm, PL/CU
443 121 273 E	Rubber mount for radiator, D=ø 27 mm H=11.5 mm
443 121 321	Radiator cap
443 121 403	Expansion tank for radiator
443 133 511	Fuel filter
443 133 741 A	Rubber mount, D=ø 20mm d=ø 6 mm H=40 mm h=B32410 mm
443 199 379	Rubber mount for engine support
443 199 379 D	Rubber mount for engine support
443 199 379 E	Rubber mount for engine support
443 199 381	Rubber mount for engine support
443 199 381 C	Rubber mount for engine support
443 199 382	Rubber mount for engine support, right
443 201 551 F	Fuel tank cap, lockable
443 201 551 G	Fuel tank cap, lockable
443 201 551 L	Fuel tank cap, lockable
443 201 551 S	Fuel tank cap, lockable
443 253 115 A	Gasket for exhaust pipe, front
443 253 147 A	Retaining ring for exhaust
443 253 609 G/N	Muffler, rear
443 253 609 S	Muffler, rear
443 399 415	Rubber mount for gear box
443 399 415 A	Rubber mount for gear box, front, D=ø 46 mm d=ø 12 mm H=51 mm
443 399 419 A	Rubber mount for gear box, rear, D=ø 53 mm d=ø 12 mm H=51 mm
443 407 283 A	Axle boot for front C.V. joint, inner, left
443 407 615 A	Wheel hub, 42 mm, 4/108
443 412 131 A	Rubber buffer for shock absorber, front
443 412 377	Strut mounting for shock absorber, front
443 413 031	Shock absorber, front
443 413 031 E	Shock absorber, front
443 419 063 B	Steering gear, not for power steering
443 419 811 A	Tie rod end, left, M14x1.5
443 419 811 B	Tie rod end, left, M16x1.5

Email: sales@simply-vwaudi.com

Other manufacturers' numbers used for reference only

OE Ref (Orig)	DESCRIPTION
443 419 811 C	Tie rod end, left, M14x1.5
443 419 811 D	Tie rod end, left, M16x1.5
443 419 812 A	Tie rod end, right, M14x1.5
443 419 812 B	Tie rod end, right, M16x1.5
443 419 812 C	Tie rod end, right, M14x1.5
443 419 812 D	Tie rod end, right, M16x1.5
443 498 201	Axle boot kit, front, inner
443 501 615	Brake drum, rear, 230x40 mm, 4/108
443 501 615 A	Brake drum, rear, 230x40 mm, 4/108
443 511 523 B	Rubber mount for rear axle beam
443 512 129	Rubber buffer for rear shock absorber
443 512 131	Rubber buffer for rear shock absorber
443 512 331	Suspension strut mount for rear-axle, d=ø 10 mm H=40 mm
443 513 031	Shock absorber, rear
443 513 031 D	Shock absorber, rear
443 513 031 N	Shock absorber, rear
443 601 139 A	Wheel bolt for steel wheels, M12x1.5x23.5
443 601 139 C	Wheel bolt for steel wheels, M12x1.5x23.5
443 609 721	Hand brake cable
443 609 721 F	Hand brake cable
443 609 721 K	Hand brake cable
443 611 021	Brake master cylinder
443 611 775 A	Brake hose, rear, M10x1x200 mm
443 615 123	Brake caliper, front, left
443 615 123 A	Brake caliper, front, left
443 615 124	Brake caliper, front, right
443 615 124 A	Brake caliper, front, right
443 615 301	Front brake disc, 256x13 mm
443 615 301 A	Front brake disc, ventilated, 256x22 mm
443 615 301 B	Front brake disc, ventilated, 256x22 mm
443 615 601 E	Rear brake disc, 245x10 mm, 14" wheels
443 698 525	Brake shoe set with linings, rear, 200x40 mm
443 721 401 A	Master cylinder for hydraulic clutch
443 819 030	Heat exchanger
443 819 031 C	Heat exchanger
443 827 539	Rear flap lock with keys (not for central lock system)
443 837 205 B	Front door handle, outer, lockable, left
443 837 205 C	Front door handle, outer, lockable, left
443 837 205 F	Front door handle, outer, lockable, left
443 837 206 B	Front door handle, outer, lockable, right
443 837 206 C	Front door handle, outer, lockable, right
443 837 206 F	Front door handle, outer, lockable, right
443 837 220 C	Key blank
443 837 397 B	Window lifter, front, electric, left
443 837 397 D	Window lifter, front, electric, left
443 837 398 B	Window lifter, front, electric, right
443 837 398 D	Window lifter, front, electric, right
443 839 205 B	Rear door handle, left
443 839 205 C	Rear door handle, left
443 839 206 B	Rear door handle, right
443 839 206 C	Door handle, rear, right
443 839 207 B	Rear door handle, left
443 839 208 B	Door handle, rear, right
443 839 397 B	Window lifter, rear, electric, left
443 839 397 D	Window lifter, rear, electric, left
443 839 398 B	Window lifter, rear, electric, right
443 839 398 D	Window lifter, rear, electric, right
443 905 849	Ignition switch
443 905 849 A	Ignition switch
443 906 087 BE	Fuel pump
443 906 091 D	Fuel pump with plastic housing

Email: sales@simply-vwaudi.com

Other manufacturers' numbers used for reference only

OE Ref (Orig)	DESCRIPTION
443 907 385 C	Relay for fuel pump
443 907 385 F	Relay for fuel pump
443 941 822 A	Relay plate/fuse box
443 941 822 B	Relay plate/fuse box
443 945 515	Brake light switch, 2 pins
443 951 253 K	Relay for intake manifold heating
443 953 503 D	Wiper/washer switch
443 953 513 H	Turn signal switch (not cruise control)
443 953 513 L	Turn signal switch (not cruise control)
443 959 101	Blower motor
443 959 101 A	Blower motor
443 959 455	Electric fan, 500 W, ø 350 mm
443 959 455 E	Electric fan, 500 W, ø 350 mm
443 959 455 N	Electric fan, 500 W, ø 350 mm
445 953 503 E	Wiper/washer switch
447 133 511	Fuel filter
447 906 091	Fuel pump, fuel gauge sender
477 141 181	Sleeve for clutch release bearing
4A0 119 351	Rubber mount for engine support, left
4A0 121 273 A	Rubber mount for radiator
4A0 121 403	Expansion tank for radiator
4A0 199 339	Rubber mount for engine support
4A0 199 351 A	Rubber mount for engine support, left
4A0 199 351 B	Rubber mount for engine support, left
4A0 199 352	Rubber mount for engine support, right
4A0 199 352 A	Rubber mount for engine support, right
4A0 199 352 B	Rubber mount for engine support, left
4A0 199 379 G	Rubber mount for engine support
4A0 253 147 A	Retaining ring for exhaust
4A0 399 151 C	Rubber mount for gear box, automatic
4A0 399 151 D	Rubber mount for gear box, manual
4A0 399 151 K	Rubber mount for gear box, manual
4A0 399 415	Rubber mount for gear box, front
4A0 399 415 B	Rubber mount for gear box, front
4A0 399 419 C	Rubber mount for gear box, rear, left
4A0 399 419 D	Rubber mount for gear box, rear, left
4A0 399 419 E	Rubber mount for gear box, rear, left
4A0 399 420 C	Rubber mount for gear box, rear, right
4A0 399 420 D	Rubber mount for gear box, rear, right
4A0 399 420 E	Rubber mount for gear box, rear, right
4A0 407 151	Control arm, front, with bushings, left, D=ø 19 mm d=ø 15 mm
4A0 407 152	Control arm, front, with bushings, right, D=ø 19 mm d=ø 15 mm
4A0 407 181 A	Rubber mount for wishbone
4A0 407 183 C	Rubber mount for wishbone, left, D=ø 54.5 mm d=ø 15 mm H=48 mm
4A0 407 183 D	Rubber mount for wishbone, left, D=ø 54.5 mm d=ø 15 mm H=48 mm
4A0 411 327 A	Grommet for stabilizer, d=ø 25 mm
4A0 412 249	Ball bearing, D=ø 112 mm d=ø 91 mm H=15 mm
4A0 412 337 A	Strut mounting for shock absorber, front
4A0 412 377 B	Strut mounting for shock absorber, front
4A0 412 377 C	Strut mounting for shock absorber, front
4A0 498 099 A	C.V. joint kit, front, outer
4A0 498 099 B	C.V. joint kit, front, outer
4A0 498 099 C	C.V. joint kit, front, outer
4A0 511 247	Rubber mount for rear axle beam
4A0 511 247 B	Rubber mount for rear axle beam, D=ø 48 mm d=ø 14 mm H=25 mm
4A0 611 707	Brake hose, front, M10x1x313 mm
4A0 615 301 B	Front brake disc, 288x15 mm
4A0 615 301 C	Front brake disc, ventilated, 15", 288x25 mm
4A0 615 601 A	Rear brake disc, 245x10 mm
4A0 721 261	Slave cylinder for hydraulic clutch
4A0 721 401	Master cylinder for hydraulic clutch

Email: sales@simply-vwaudi.com

Other manufacturers' numbers used for reference only

OE Ref (Orig)	DESCRIPTION
4A0 905 849	Ignition switch
4A0 905 849 B	Ignition switch
4A0 955 651	Washer pump for windshield washer
4A0 955 651 A	Washer pump for windshield washer
4A0 955 651 B	Washer pump for windshield washer
4A0 959 455 A	Electric fan, 180 W, ø 280 mm
4A0 959 455 B	Electric fan, 300 W, ø 280 mm
4A0 959 455 C	Electric fan, 180 W, ø 280 mm
4A0 959 455 D	Electric fan, 300 W, ø 280 mm
4A0 959 455 E	Electric fan, 300 W, ø 280 mm
4A0 998 001	Wiperblade set, 550 mm
4A1 819 371 B	Radiator hose for heat exchanger
4D0 407 151 A	Control arm, front, with bushings
4D0 407 151 B	Control arm, front, with bushings
4D0 407 151 C	Control arm, front, with bushings
4D0 407 151 E	Control arm, front, with bushings
4D0 407 151 G	Control arm, front, with bushings, left, D=ø 18 mm
4D0 407 151 H	Control arm, front, with bushings, left, D=ø 18 mm
4D0 407 151 J	Control arm, front, with bushings
4D0 407 151 P	Control arm, front, with bushings, left, D=ø 18 mm
4D0 407 181 F	Rubber mount for wishbone, D=ø 40 mm d=ø 12 mm H=50 mm
4D0 407 181 H	Rubber mount for wishbone, D=ø 40 mm d=ø 12 mm H=50 mm
4D0 407 182 E	Rubber mount for wishbone, lower, inner, D=ø 50 mm d=ø 12 mm H=60 mm
4D0 407 183 M	Rubber mount for wishbone, rear, D=ø 65 mm d=ø 12 mm H=80 mm
4D0 407 183 N	Rubber mount for wishbone, rear, D=ø 65 mm d=ø 12 mm H=80 mm
4D0 407 183 P	Rubber mount for wishbone, rear, D=ø 65 mm d=ø 12 mm H=80 mm
4D0 407 505 B	Control arm, front, upper, left/right
4D0 407 505 D	Control arm, front, upper, left/right
4D0 407 505 F	Control arm, front, upper, left/right
4D0 407 509 B	Control arm, rear, with rubber mount upper, left
4D0 407 509 D	Control arm, rear, with rubber mount upper, left
4D0 407 693 E	Control arm, front, with bushings, left
4D0 407 693 H	Control arm, front, with bushings, left
4D0 407 693 K	Control arm, front, with bushings, left
4D0 407 693 M	Control arm, front, with bushings, left
4D0 407 693 N	Control arm, front, with bushings, left
4D0 407 694 E	Control arm, front, with bushings, right
4D0 407 694 K	Control arm, front, with bushings, right
4D0 407 694 M	Control arm, front, with bushings, right
4D0 407 694 N	Control arm, front, with bushings, right
4D0 411 317 J>L	Connecting link, left
4D0 411 317 J>R	Connecting link, right
4D0 411 327 E	Grommet for stabilizer, d=ø 27 mm H=44 mm
4D0 411 327 F	Grommet for stabilizer
4D0 411 327 G	Grommet for stabilizer, d=ø 27 mm H=44 mm
4D0 411 327 H	Grommet for stabilizer
4D0 412 377 F	Strut mounting for shock absorber, front
4D0 498 099	C.V. joint kit, front, outer
4D0 511 523 A	Rubber mount for rear axle beam
4D0 511 523 B	Rubber mount for rear axle beam
4D0 511 523 C	Rubber mount for rear axle beam
50 011 746	Piston ring set, 76.50 mm
50 011 749	Piston ring set, 81.0 mm, 1.5x3.55 mm, B3861.75x3.55 mm, 3.0x3.65 mm
511 945 513	Brake light switch, 2 pins
531 698 051	Set brake shoe set with linings, 180x30 mm
533 121 101 F	Radiator hose for radiator, upper
533 201 551 F	Fuel tank cap, lockable
533 253 115	Gasket for exhaust pipe, front
533 698 151	Brake pad set, front, 16.25 mm
533 698 151 A	Brake pad set, front, 16.25 mm
535 199 262	Rubber mount for engine support

Email: sales@simply-vwaudi.com

Other manufacturers' numbers used for reference only

OE Ref (Orig)	DESCRIPTION
535 905 855	Ignition lock cylinder with keys (not immobilizer)
535 953 519 A	Wiper/washer switch (not on board computer)
535 955 453	Washer tank
553 201 553 A	Fuel tank cap
621 0147 16	Clutch kit, 210 mm., NEW
621 0188 06	Clutch kit, 210 mm., NEW
6K0 513 031 M	Shock absorber, rear
6K0 959 455 F	Electric fan, 250/80 W, ø 303 mm
6N0 127 401 C	Fuel filter for diesel
6N0 199 262 A	Rubber mount for engine support
6N0 199 262 L	Rubber mount for engine support
6N0 199 555 E	Rubber mount for engine support
6N0 199 555 G	Rubber mount for engine support
6N0 199 851	Support rear, manual gearbox
6N0 199 851 AG	Support rear, manual gearbox
6N0 199 851 H	Support rear, manual gearbox
6N0 199 851 S	Support rear, manual gearbox
6N0 253 144	Bracket for exhaust
6N0 407 181	Rubber mount for wishbone, D=ø 61 mm d=ø 17 mm H=46 mm
6N0 407 365	Ball joint for wishbone, left
6N0 407 365 A	Ball joint for wishbone, right
6N0 407 625	Wheel bearing front height, D=ø 66 mm d=ø 35 mm H=37 mm
6N0 411 315	Connecting link, d=ø 18 mm
6N0 419 811	Tie rod end, left
6N0 419 812	Tie rod end, right, not power steering
6N0 419 831	Steering gear protection boot
6N0 498 099	C.V. joint kit, front, outer
6N0 501 541 D	Rubber mount for rear axle beam, D=ø 58 mm d=ø 10 mm H=58 mm
6N0 953 513	Turn signal switch
6N0 953 513 01C	Turn signal switch
6N0 959 455 C	Electric fan, 100/60 W, ø 345 mm
6N0 959 455 D	Electric fan, 200/60 W, ø 345 mm
6N0 959 455 E	Electric fan, 200/60 W, ø 345 mm
6N0 959 455 F	Electric fan, 250/60 W, ø 345 mm
6X0 959 455 A	Electric fan, 250/60 W, ø 345 mm
701 407 077	Rubber mount for wishbone, front, upper, D=ø 39 mm d=ø 12 mm H=60 mm
701 407 087	Rubber mount for wishbone, rear, upper, D=ø 35 mm d=ø 12 mm H=60 mm
701 407 140 B	Rubber mount for wishbone, rear, lower, D=ø 50 mm d=ø 14 mm H=60 mm
701 407 140 C	Rubber mount for wishbone, rear, lower, D=ø 50 mm d=ø 14 mm H=60 mm
701 407 183	Rubber mount for wishbone, front lower, D=ø 35 mm d=ø 14 mm H=60 mm
701 407 183 C	Rubber mount for wishbone, front, D=ø 41 mm d=ø 14 mm H=60mm
701 411 041	Grommet for stabilizer, d=ø 23 mm
701 411 045	Grommet for stabilizer, for connecting link, d=ø 27 mm
701 819 031 A	Heat exchanger
701 819 032	Heat exchanger
701 919 369	Thermo switch for cooling system, 20 mm, 55/65°C
701 919 369 D	Thermo switch for cooling system, 20 mm, 100/95°C
701 919 369 E	Thermo switch for cooling system, 20 mm, 105/112°C
701 998 031	Ignition cable set
701 998 031 A	Ignition cable set
7D0 407 140	Rubber mount for wishbone, rear, lower, D=ø 50 mm d=ø 14 mm H=60 mm
7D0 407 183	Rubber mount for wishbone, front, D=ø 41 mm d=ø 14 mm H=60mm
7D0 411 045	Grommet for stabilizer, for connecting link, d=ø 27 mm
7M0 422 817 A	Tie rod end, left
7M0 422 817 B	Tie rod end, left
7M0 422 818 A	Tie rod end, right
7M0 422 818 B	Tie rod end, right
803 201 511 C	Fuel filter
811 119 137	Fan belt for tandem-fan wheel, 2x40x836 mm
811 121 109 K	Radiator hose for expansion tank
811 133 511	Fuel filter

Email: sales@simply-vwaudi.com

Other manufacturers' numbers used for reference only

OE Ref (Orig)	DESCRIPTION
811 133 511 A	Fuel filter
811 133 511 B	Fuel filter
811 133 511 D	Fuel filter
811 199 339 A	Rubber mount for engine support, D=∅ 63 mm d=∅ 25 mm L=47 mm
811 199 339 B	Rubber mount for engine support, D=∅ 63 mm d=∅ 25 mm L=47 mm
811 199 415 A	Rubber mount for engine support, front, D=∅ 39 mm d=∅ 10 mm H=46 mm
811 199 419 A	Rubber mount for engine support, rear, D=∅ 40.5 mm d=∅ 10 mm H=36 mm
811 199 419 B	Rubber mount for engine support, rear, D=∅ 38.3 mm d=∅ 10.2 mm H=42 mm
811 199 419 C	Rubber mount for engine support, rear, D=∅ 38.3 mm d=∅ 10.2 mm H=42 mm
811 399 151	Rubber mount for gear box, left
811 399 151 A	Rubber mount for gear box, left
811 399 151 B	Rubber mount for gear box, left
811 407 147	Wishbone, front, with bushings
811 407 147 A	Wishbone, front, with bushings
811 407 147 B	Wishbone, front, with bushings
811 407 181	Rubber mount for wishbone, D=∅ 38 mm d=∅ 10 mm H=44 mm
811 407 181 A	Rubber mount for wishbone, D=∅ 38 mm d=∅ 10 mm H=44 mm
811 407 285	Axle boot for front C.V. Joint
811 407 311	C.V. joint, front, outer
811 407 625 A/B	Wheel bearing, D=∅ 68 mm d=∅ 39 mm H=37 mm
811 407 625 D	Wheel bearing, D=∅ 68 mm d=∅ 39 mm H=37 mm
811 411 327 A	Grommet for stabilizer, inner,d=∅ 20 mm
811 412 131 A	Tower rubber buffer for shock Absorber, front
811 412 131 B	Tower rubber buffer for shock Absorber, front
811 412 135 A	Protecting boot for shock absorber, front
811 412 135 B	Protecting boot for shock absorber, front
811 412 323 D	Strut mounting for shock absorber, front, upper, new implementation,d=∅ 14 mm H=37 mm
811 413 503	Shock absorber, front
811 413 503 D	Shock absorber, front
811 413 503 D/E	Shock absorber, front
811 413 503 F	Shock absorber, front
811 413 503 G	Shock absorber, front
811 413 503 G/H	Shock absorber, front
811 419 063 F	Steering gear, not for power steering
811 419 802 J	Tie rod, adjustable, right
811 419 812	Tie rod end, M14x1.5
811 419 812 A	Tie rod end, M14x1.5
811 419 831 B	Steering gear protection boot, L=150 mm
811 501 615 B	Brake drum, rear, 200x40 mm, 4/108
811 511 247	Rubber mount for rear axle beam
811 513 031 /B	Shock absorber, rear
811 513 031 D	Shock absorber, rear
811 513 031 E	Shock absorber, rear
811 615 301	Front brake disc, 239x10 mm
811 698 525 A	Brake shoe set with linings, rear, 200x40 mm
811 819 031	Heat exchanger
811 957 801 K	Speedo cable
811 959 455 A	Electric fan, 250/150 W, ∅ 280 mm
811 959 455 D	Electric fan, 250/150 W, ∅ 280 mm
811 959 455 E	Electric fan, 150/80 W, ∅ 280 mm
811 959 455 L	Electric fan, 250 W, ∅ 280 mm
811 959 455 M	Electric fan, 250/150 W, ∅ 280 mm
811 959 455 P	Electric fan, 150/80 W, ∅ 280 mm
811 959 455 R	Electric fan, 250 W, ∅ 280 mm
812 957 801 H	Speedo cable
823 199 339 A	Rubber mount for engine support, D=∅ 63 mm d=∅ 25 mm L=47 mm
823 199 381 B	Rubber mount for engine support
823 199 381 C	Rubber mount for engine support, right
823 199 415 B	Rubber mount for engine support, front, D=∅ 39 mm d=∅ 10 mm H=46 mm
823 199 419	Rubber mount for engine support, rear, D=∅ 40.5 mm d=∅ 10 mm H=36 mm

Email: sales@simply-vwaudi.com

Other manufacturers' numbers used for reference only

OE Ref (Orig)	DESCRIPTION
823 407 365 A	Ball joint for wishbone, 15 mm
823 407 365 C	Ball joint for wishbone, 15 mm
823 407 615 A	Wheel hub, 39 mm, 4/100
823 407 625 B	Wheel bearing, D=ø 68 mm d=ø 39 mm H=37 mm
823 411 313 A	Grommet for stabilizer, outer, d=ø 12.5 mm
823 411 327 B	Grommet for stabilizer, inner
823 615 301	Front brake disc, 239x10 mm
823 959 481 A	Thermo switch for fan, 92/75°C 2 pins
823 959 481 A/70	Thermo switch for fan, 75/70°C 2 pins
823 959 481 F	Thermo switch for fan, 92/75°C 2 pins
823 959 481 F/70	Thermo switch for fan, 75/70°C 2 pins
823 959 481 F/75	Thermo switch for fan, 82/75°C 2 pins
823 959 481 F/87	Thermo switch for fan, 92/75°C 2 pins
823 959 481 G	Thermo switch for fan, 95/90°C 2 pins
823 959 481 G/80	Thermo switch for fan, 85/80°C 2 pins
823 959 481 G/90	Thermo switch for fan, 95/90°C 2 pins
823 959 481 L	Thermo switch for fan, 92/75°C 2 pins
823 959 481 L/70	Thermo switch for fan, 75/70°C 2 pins
827 199 381	Rubber mount for engine support, left
841 501 615 A	Brake drum, rear, 200x40 mm, 4/100
841 615 301	Front brake disc, ventilated, 13", 239x20 mm
855 121 101	Radiator hose for radiator, upper
855 121 101 C	Radiator hose for radiator, upper
855 121 101 F	Radiator hose for radiator, upper
855 121 101 J	Radiator hose for radiator, upper
857 407 147 A	Wishbone, front, with bushings, power steering, left
857 407 181	Rubber mount for wishbone
857 407 181	Rubber mount for wishbone, D=ø 37.5 mm d=ø 10 mm H=44 mm
857 407 473 A	Grommet for stabilizer
857 945 515 A	Brake light switch, 2 pins
857 951 253	Relay for intake manifold heating,40 Amp
859 129 620	Air filter insert
861 407 615 A	Wheel hub, 34 mm, 4/100
861 419 812	Tie rod end, M14x1.5
861 611 053 A	Wheel brake cylinder, 15.87 mm
861 698 151	Brake pad set, front, 15.25 mm
861 698 151 A	Brake pad set, front, 15.25 mm
867 698 525	Brake shoe set with linings, rear, 180x30 mm
867 827 500	Rubber buffer for engine hood
867 827 500 A	Rubber buffer for engine hood
867 898 571	Window lift channel kit, incl. Moulding
867 905 351	Ignition modul
867 906 381	Auxiliary relay, universal
867 959 481	Thermo switch for fan, 95/84°C 2 pins
87 200 600	Rod bearing set, standard size, with oil hole
87 200 610	Rod bearing set, 0.25 oversize, with oil hole
87 200 620	Rod bearing set, standard size, 0.50 oversize, with oil hole
87 200 630	Rod bearing set, standard size, 0.75 oversize, with oil hole
87 464 600	Rod bearing set, standard size
87 464 610	Rod bearing set, standard size, 0.25 oversize
87 464 630	Rod bearing set, standard size, 0.75 oversize
87 722 610	Main bearing set, standard size, but 0.25 mm oversize
87 722 620	Main bearing set, standard size, but 0.50 mm oversize
87 722 630	Main bearing set, standard size, but 0.75 mm oversize
871 412 323 A	Strut mounting for shock absorber front, D=ø 77 mm d=ø 12 mm H=41 mm
893 121 251	Radiator, 600x306 mm, PL/CU
893 121 403	Expansion tank for radiator
893 133 511	Fuel filter
893 199 339	Rubber mount for engine support, front, D=ø 68 mm d=ø 26 mm L=46 mm
893 199 339 D	Rubber mount for engine support, front, D=ø 70 mm d=ø 26 mm L=47 mm
893 199 381 B	Rubber mount for engine support

Email: sales@simply-vwaudi.com

Other manufacturers' numbers used for reference only

OE Ref (Orig)	DESCRIPTION
893 199 381 C	Rubber mount for engine support, right
893 199 381 D	Rubber mount for engine support, left
893 199 415	Rubber mount for engine support, front, D=ø 39 mm d=ø 10 mm H=46 mm
893 199 419	Rubber mount for engine support, rear, D=ø 38.3 mm d=ø 10.2 mm H=42 mm
893 253 137 E	Gasket for catalytic converter, 65x51x16 mm
893 399 151 A	Rubber mount for gear box, left
893 399 151 F	Rubber mount for gear box, manual
893 407 147 C	Wishbone, front, with bushings, power steering, left
893 407 147 G	Wishbone, front, with bushings
893 407 181	Rubber mount for wishbone, D=ø 44 mm d=ø 10 mm H=44 mm
893 407 311	C.V. joint, front, outer
893 407 365 B	Ball joint for wishbone, left, 19 mm
893 407 366 B	Ball joint for wishbone, right, 19 mm
893 411 327 E	Grommet for stabilizer, d=ø 25 mm
893 412 131 B	Tower rubber buffer for shock Absorber, front
893 413 503 F	Shock absorber, front
893 413 503 Q	Shock absorber, front
893 498 099	C.V. joint kit, front, outer
893 498 099 B	C.V. joint kit, front, outer
893 498 099 F	C.V. joint kit, front, outer
893 498 099 G	C.V. joint kit, front, outer, ABS
893 498 099 H	C.V. joint kit, front, outer
893 498 099 M	C.V. joint kit, front, outer, ABS
893 501 615	Brake drum, rear, 200x40 mm, 4/108
893 601 147	Wheel cover
893 611 019 A	Brake master cylinder, 22.2 mm
893 611 021 B	Brake master cylinder, 22.2 mm
893 721 261	Slave cylinder for hydraulic clutch
893 721 261 A	Slave cylinder for hydraulic clutch
893 819 030 A	Heat exchanger
893 819 030 B	Heat exchanger
893 819 371 A	Radiator hose for heat exchanger
893 827 539	Rear flap lock with keys (not for central lock system)
893 837 207	Front door handle, outer, lockable, left
893 837 208	Front door handle, outer, lockable, right
893 862 055	Rear flap lock with keys (for central lock system)
893 905 849	Ignition switch
893 905 855 A	Ignition lock cylinder
893 955 985	Washer jet, windshield washer, front
893 959 455 B	Electric fan, 250 W, ø 280 mm
893 959 455 D	Electric fan, 250 W, ø 280 mm
893 959 455 F	Electric fan, 180 W, ø 280 mm
893 959 455 G	Electric fan, 180 W, ø 280 mm
893 959 455 J	Electric fan, 250 W, ø 280 mm
893 998 031 B	Ignition cable set
895 407 305 B	C.V. joint, front, outer (ABS)
895 407 365	Ball joint for wishbone, left, 19 mm
895 407 366	Ball joint for wishbone, right, 19 mm
895 498 099 A	C.V. joint kit, front, outer, ABS
895 615 301	Front brake disc, 256x13 mm
895 615 301 B	Front brake disc, ventilated, 276x25 mm
895 615 301 B	Front brake disc
895 615 301 B/D	Front brake disc, ventilated, 276x25 mm
895 615 301 D	Front brake disc, ventilated, 276x25 mm
8A0 121 403 A	Expansion tank for radiator
8A0 133 511	Fuel filter
8A0 199 379 B	Rubber mount for engine support, M10x1.5
8A0 199 379 E	Rubber mount for engine support, M10x1.5
8A0 199 381 A	Rubber mount for engine support, left
8A0 199 381 B	Rubber mount for engine support, right
8A0 199 382 A	Rubber mount for engine support, right

Email: sales@simply-vwaudi.com

Other manufacturers' numbers used for reference only

OE Ref (Orig)	DESCRIPTION
8A0 199 382 B	Rubber mount for engine support, right
8A0 199 415 B	Rubber mount for engine support, front, D=ø 39 mm B402d=ø 12 mm H=46 mm
8A0 199 415 C	Rubber mount for engine support, front, D=ø 39 mm B402d=ø 12 mm H=46 mm
8A0 407 181	Rubber mount for wishbone
8A0 407 365	Ball joint for wishbone, left, 19 mm
8A0 407 366	Ball joint for wishbone, right, 19 mm
8A0 412 323 B	Strut mounting for shock absorber, front, upper, new implementation,d=ø 14 mm H=37 mm
8A0 412 323 D	Strut mounting for shock absorber, front, upper, new implementation,d=ø 14 mm H=37 mm
8A0 413 503 B	Shock absorber, front
8A0 615 301	Front brake disc, 280x13 mm
8A0 615 301 A	Front brake disc, ventilated, 280x22 mm
8A0 615 301 C	Front brake disc
8A0 615 301 E	Front brake disc, ventilated, 280x22 mm
8A0 819 439	Cabin air filter, 150x390 mm
8A0 819 439 A	Cabin air filter, 150x390 mm
8A0 906 091 G	Fuel pump
8A0 941 301 A	Rheostat for headlamp
8A0 959 455	Electric fan, 300 W, ø 280 mm
8A0 959 455 A	Electric fan, 300 W, ø 280 mm
8D0 121 275	Rubber mount for radiator, left
8D0 199 339 F	Rubber mount for engine support, front, D=ø 68 mm d=ø 26 mm L=46 mm
8D0 199 379 A	Rubber mount for engine support, left, M8x1.5
8D0 199 379 G	Rubber mount for engine support, left, M8x1.5
8D0 199 379 J	Rubber mount for engine support, left, M8x1.5
8D0 199 379 K	Rubber mount for engine support
8D0 199 379 S	Rubber mount for engine support, left, M8x1.5
8D0 199 382 E	Rubber mount for engine support, right
8D0 199 382 J	Rubber mount for engine support, right
8D0 199 382 L	Rubber mount for engine support, right
8D0 253 144	Bracket for exhaust
8D0 253 144 K	Bracket for exhaust
8D0 253 144 R	Bracket for exhaust
8D0 253 144 S	Bracket for exhaust
8D0 399 151 H	Rubber mount for gear box, manual
8D0 399 151 J	Rubber mount for gear box, manual
8D0 399 151 M	Rubber mount for gear box, manual
8D0 399 415 D	Rubber mount for gear box
8D0 399 415 E	Rubber mount for gear box
8D0 399 419 C	Rubber mount for gear box
8D0 407 505 B	Control arm, front, with bushings, left, upper
8D0 407 505 F	Control arm, front, with bushings, left, upper
8D0 407 505 H	Control arm, front, with bushings, left, upper
8D0 407 505 K	Control arm, front, with bushings, left, upper
8D0 407 506 B	Control arm, front, with bushings, right, upper
8D0 407 506 F	Control arm, front, with bushings, right, upper
8D0 407 506 H	Control arm, front, with bushings, right, upper
8D0 407 506 K	Control arm, front, with bushings, right, upper
8D0 411 317 D	Connecting link, left
8D0 411 318 D	Connecting link, right
8D0 498 201	Axle boot kit, front, inner
8D0 501 117 C	Rear axle journal, complete, for disc
8D0 501 541 D	Rubber mount for rear axle beam
8D0 601 139 A	Wheel bolt for steel wheels, M14x1.5x27
8D0 601 139 D	Wheel bolt for steel wheels, M14x1.5x27
8D0 601 147	Wheel cover
8D0 611 707	Brake hose, front, M10x1x295 mm
8D0 611 707 B	Brake hose, front, M10x1x295 mm
8D0 615 301 A	Front brake disc, 280x13 mm
8D0 955 987	Washer jet, windshield washer, front

Email: sales@simply-vwaudi.com

Other manufacturers' numbers used for reference only

OE Ref (Orig)	DESCRIPTION
8D0 959 455 C	Electric fan, 300 W, ø 280 mm
8D1 819 030 A	Heat exchanger
8D1 819 030 B	Heat exchanger
8E0 513 353 B	Support for rear shock absorber
8E0 513 353 C	Support for rear shock absorber
8E0 615 301 A	Front brake disc, ventilated, 282.5x25 mm, ATE system
8E0 615 301 B	Front brake disc, ventilated, 280x22 mm, LUCAS system
8E0 615 301 D	Front brake disc, ventilated, 280x22 mm, LUCAS system
90 732 600	Piston set (4 pcs.) 76.51 mm, standard size, turbo diesel, with piston rings
Audi 100 LT	Toothed timing belt for camshaft/ injection pump, Z=75 W=20 mm
BAT 947 561 G	Contact switch for handake control
Dc686900	Piston ring, standard, 76.5 mm, chrome. For one piston only! 1.75x3.3 mm, 2.0x3.3 mm, 3.0x3.68 mm
E-018	Radiator, 615x303 mm, PL/CU
E-030	Radiator, 600x306 mm, PL/CU
E-986	Radiator, 700x322 mm, PL/ALU
F6DTC	Spark plug
G 000 601	Grease, 90g for axle boot
G 000 602	Grease, 90g for axle boot
N 017 121 2	Fuse, 8 Amp.
N 017 121 4	Fuse, 16 Amp.
N 017 121 5	Fuse, 25 Amp.
N 017 131 5	Plug-in fuse, 10 Amp.
N 017 131 6	Plug-in fuse, 15 Amp.
N 017 131 7	Plug-in fuse, 20 Amp.
N 017 131 8	Plug-in fuse, 25 Amp.
N 017 131 9	Plug-in fuse, 30 Amp.
N 017 705 3	Headlight bulb, 12 Volt, 45/40 W
N 017 717 2	Side lamp bulb, 12 Volt, 4 W
N 017 718 2	Tail light bulb, 12 Volt, 5 W
N 017 719 3	Number plate lamp bulb, 12 Volt, 10 W
N 017 722 2	Panel light bulb, 12 Volt, 2 W
N 017 723 2	Interior light bulb, 12 Volt, 10 W
N 017 732 08	Flasher bulb, 12 Volt, 21 W, yellow
N 017 732 2	Flasher/stop lamp bulb, 12 Volt, 21 W
N 017 732 4	Flasher/stop lamp bulb, 12 Volt, 21 W
N 017 732 6	Flasher/stop lamp bulb, 12 Volt, 21 W
N 017 738 2	Stop and tail light bulb, 12 Volt, 21/5 W
N 017 738 3	Stop and tail light bulb, 12 Volt, 21/5 W
N 017 751 2	Panel bulb, 12 Volt, 1.2 W
N 017 752 2	Panel bulb, 12 Volt, 3 W
N 017 761 2Z	H1 headlight bulb, 12 Volt, 55 W
N 017 762 2Z	H3 headlight bulb, 12 Volt, 55 W
N 017 763 2	H4 pirate headlight bulb, 12 Volt, 60/55 W
N 101 401 01	Glow plug, two coils, 11 Volt, 10x1.7 secretary, 89.5 mm
N 101 401 03	Glow plug, two coils, 11 Volt, 10x1.7 secretary, 89.5 mm
N 101 401 04	Glow plug, two coils, 11 Volt, 10x1.7 secretary, 89.5 mm
N 101 401 05	Glow plug, two coils, 11 Volt, 10x1.7 secretary, 89.5 mm
N 901 496 01	Axle nut, M30x1.5 mm
N 902 954 01	Gasket for flange/engine block, 29.2x3.0 mm
N 903 168 02	O-ring, 19.6x3.65 mm
W7DC	Spark plug
W7DTC	Spark plug
W8DTC	Spark plug
Z 046 011	Tail light bulb, 12 Volt, 5 W
Z 046 013	Number plate lamp bulb, 12 Volt, 10 W
Z 046 015	Side lamp bulb, 12 Volt, 4 W
Z 046 018	Panel light bulb, 12 Volt, 2 W
Z 046 020	Interior light bulb, 12 Volt, 10 W
Z 046 027	Flasher/stop lamp bulb, 12 Volt, 21 W
Z 046 032	Stop and tail light bulb, 12 Volt, 21/5 W

Email: sales@simply-vwaudi.com

Other manufacturers' numbers used for reference only

OE Ref (Orig)	DESCRIPTION
Z 046 036	Panel bulb, 12 Volt, 1.2 W
Z 046 037	Panel bulb, 12 Volt, 3 W
Z 046 041	H3 headlight bulb, 12 Volt, 55 W
Z 046 042	H4 pirate headlight bulb, 12 Volt, 60/55 W
ZBA 407 285	Axle boot for front C.V. joint, outer
ZBA 407 365	Ball joint for wishbone, 15 mm
ZBA 411 313 A	Grommet for stabilizer, outer, d=ø 12.5 mm
ZBA 615 301	Front brake disc, 13", 239x12 mm
ZBC 407 625	Wheel bearing, D=ø 68 mm d=ø 39 mm H=37 mm
ZBC 411 327 A	Grommet for stabilizer, inner,d=ø 20 mm
ZBC 411 327 B	Grommet for stabilizer, inner
ZBC 953 235 05	Emergency light switch
ZVW 898 198 A	Complete lock kit