

DESCRIPTION	OE Ref
ABS sensor, front, left	1J0 927 803
ABS sensor, front, right	1J0 927 804
Air filter insert	021 129 620
Air filter insert	055 129 620 A
Air filter insert	056 129 620
Air filter insert	191 129 620
Air filter insert	859 129 620
Air volume meter	06A 906 461
Aluminium cover for crankshaft	051 103 152
Antenna, fender mounted, Including wire	191 035 503
Antenna, fender mounted, Including wire	191 035 503 A
Auxiliary relay, universal	141 951 253 B
Auxiliary relay, universal	431 951 253 B
Auxiliary relay, universal	431 951 253 H
Auxiliary relay, universal	867 906 381
Axle boot for front C.V. Joint	1H0 407 285 A
Axle boot for front C.V. Joint	1H0 407 285 B
Axle boot for front C.V. Joint	811 407 285
Axle boot for front C.V. Joint, inner, left	321 407 283 A
Axle boot for front C.V. joint, inner, left	443 407 283 A
Axle boot for front C.V. joint, outer	321 407 285 B
Axle boot for front C.V. joint, outer	321 407 285 D
Axle boot for front C.V. joint, outer	ZBA 407 285
Axle boot kit, front, inner	431 498 201
Axle boot kit, front, inner	443 498 201
Axle boot kit, front, inner	8D0 498 201
Axle boot kit, front, inner	191 498 201 A
Axle boot kit, front, inner	321 498 201
Axle boot kit, front, inner	321 498 201 A
Axle boot kit, front, inner	321 498 201 D
Axle boot, hytrell	191 407 285 C
Axle boot, hytrell	191 407 285 G
Axle nut, M30x1.5 mm	211 501 221 A
Axle nut, M30x1.5 mm	211 501 221.1
Axle nut, M30x1.5 mm	N 901 496 01
Ball bearing for strut bearing	1J0 412 249
Ball bearing for strut bearing	357 412 249
Ball bearing for strut bearing	357 412 249 A
Ball bearing, D=ø 102mm d=ø 81 mm H=15 mm	441 412 249 A
Ball bearing, D=ø 112 mm d=ø 91 mm H=15 mm	4A0 412 249
Ball joint for wishbone, 15 mm	823 407 365 A
Ball joint for wishbone, 15 mm	823 407 365 C
Ball joint for wishbone, 15 mm	ZBA 407 365
Ball joint for wishbone, 17 mm	191 407 365
Ball joint for wishbone, 17 mm	191 407 365 A
Ball joint for wishbone, 19 mm	357 407 365
Ball joint for wishbone, left	6N0 407 365
Ball joint for wishbone, left, 19 mm	893 407 365 B
Ball joint for wishbone, left, 19 mm	895 407 365
Ball joint for wishbone, left, 19 mm	8A0 407 365
Ball joint for wishbone, right	6N0 407 365 A
Ball joint for wishbone, right, 19 mm	893 407 366 B
Ball joint for wishbone, right, 19 mm	895 407 366
Ball joint for wishbone, right, 19 mm	8A0 407 366
Bearing housing, left	191 407 255 D
Bearing housing, right	191 407 256 D
Bearing ring for selector shaft	191 711 190
Bearing ring for selector shaft	191 711 190 A
Bearing ring for selector shaft	191 711 190 B
Bearing ring for stabilizer	191 411 329
Bearing ring for stabilizer	357 411 329
Belt pulley for water pump	026 121 031
Belt pulley for water pump	027 121 031

Email: [sales@simply-vwaudi.com](mailto:sales@simply-vwaudi.com)

Other manufacturers' numbers used for reference only

DESCRIPTION	OE Ref
Belt tensioning damper	058 903 133 B
Belt tensioning damper	058 903 133 D
Belt tensioning damper	078 903 133 AB
Belt tensioning damper	078 903 133 Q
Blower motor	191 959 101
Blower motor	443 959 101
Blower motor	443 959 101 A
Blower motor for heater	1H1 819 021
Blower motor for heater	1H1 820 021
Blower motor for heater	357 820 021
Blower motor for heater	251 819 015
Blower motor for heater	321 819 015
Bolt for connecting rod, M8x1 L=54 mm	048 105 425
Bolt for cylinder head, M11x1.5 L=110 mm	032 103 384
Bolt for cylinder head, M11x1.5 L=142 mm	053 103 385
Bolt for cylinder head, M11x1.5 L=98 mm	049 103 385
Bolt for cylinder head, M12x1.75 L=115 mm	046 103 385
Bolt for cylinder head, M12x1.75 L=115 mm	068 103 384
Bolt for cylinder head, M12x1.75 L=115 mm	068 103 384 A
Bolt for cylinder head, with washer, M11x1.5 L=96 mm	049 103 384 B
Bolt for cylinder head, with washer, M11x1.5 L=96 mm	049 103 385 A
Bolt for cylinder head, with washer, M11x1.5 L=96 mm	050 103 384
Boot for shock absorber, front	357 413 175 A
Boot for shock absorber, front	431 412 175 D
Bracket for exhaust	6N0 253 144
Bracket for exhaust	8D0 253 144
Bracket for exhaust	8D0 253 144 K
Bracket for exhaust	8D0 253 144 R
Bracket for exhaust	8D0 253 144 S
Brake caliper, front, left	357 615 123 A
Brake caliper, front, left	443 615 123
Brake caliper, front, left	443 615 123 A
Brake caliper, front, left	171 615 123 B
Brake caliper, front, left	171 615 123 D
Brake caliper, front, left	171 615 123.12
Brake caliper, front, left	321 615 123 A
Brake caliper, front, right	171 615 124 B
Brake caliper, front, right	171 615 124 D
Brake caliper, front, right	171 615 124.13
Brake caliper, front, right	321 615 124 A
Brake caliper, front, right	357 615 124 A
Brake caliper, front, right	443 615 124
Brake caliper, front, right	443 615 124 A
Brake drum, rear, 200x40 mm, 4/100	191 501 615 A
Brake drum, rear, 200x40 mm, 4/100	1H0 501 615 A
Brake drum, rear, 200x40 mm, 4/100	323 501 615
Brake drum, rear, 200x40 mm, 4/100	841 501 615 A
Brake drum, rear, 200x40 mm, 4/108	811 501 615 B
Brake drum, rear, 200x40 mm, 4/108	893 501 615
Brake drum, rear, 230x40 mm, 4/100	357 501 615
Brake drum, rear, 230x40 mm, 4/108	431 501 615
Brake drum, rear, 230x40 mm, 4/108	443 501 615
Brake drum, rear, 230x40 mm, 4/108	443 501 615 A
Brake drum, rear, 180x30 mm, 4/100	171 501 615
Brake drum, rear, 180x30 mm, 4/100	171 501 615 A
Brake drum, rear, 180x30 mm, 4/100	171 501 615 B
Brake drum, rear, 180x30 mm, 4/100	191 501 615
Brake drum, rear, 180x30 mm, 4/100	191 501 615 B
Brake drum, rear, 180x30 mm, 4/100	305 501 615.1
Brake hose, front, M10x1x295 mm	8D0 611 707
Brake hose, front, M10x1x295 mm	8D0 611 707 B
Brake hose, front, M10x1x313 mm	4A0 611 707
Brake hose, front, M10x1x335 mm	171 611 701 A

DESCRIPTION	OE Ref
Brake hose, front, M10x1x335 mm	171 611 701 G
Brake hose, front, M10x1x335 mm	171 611 701 L
Brake hose, front, M10x1x335 mm	191 611 701
Brake hose, front, M10x1x385 mm	431 611 707
Brake hose, rear, M10x1x200 mm	175 611 775
Brake hose, rear, M10x1x200 mm	433 611 775 A
Brake hose, rear, M10x1x200 mm	443 611 775 A
Brake light switch, 2 pins	113 945 515 H
Brake light switch, 2 pins	191 945 515
Brake light switch, 2 pins	191 945 515 A
Brake light switch, 2 pins	191 945 515 B
Brake light switch, 2 pins	443 945 515
Brake light switch, 2 pins	511 945 513
Brake light switch, 2 pins	857 945 515 A
Brake light switch, 3 pins	113 945 515 G
Brake light switch, 3 pins	113 945 515.1
Brake master cylinder	443 611 021
Brake master cylinder, 20.64 mm	171 611 019 A
Brake master cylinder, 20.64 mm	171 611 019 D
Brake master cylinder, 20.64 mm	171 611 019 E
Brake master cylinder, 20.64 mm	171 611 019 N
Brake master cylinder, 20.64 mm	191 611 019
Brake master cylinder, 20.64 mm	192 611 019
Brake master cylinder, 20.64 mm	357 611 019
Brake master cylinder, 20.64x16/18 mm, not ABS	1H1 611 019 A
Brake master cylinder, 20.64x16/18 mm, not ABS	1H1 611 019 C
Brake master cylinder, 22.2 mm	893 611 019 A
Brake master cylinder, 22.2 mm	893 611 021 B
Brake master cylinder, 22.2x16/18 mm	357 611 019 A
Brake master cylinder, 22.2x16/18 mm	357 611 019 B
Brake pad set, front, 15.25 mm	171 698 151 E
Brake pad set, front, 15.25 mm	171 698 151 H
Brake pad set, front, 15.25 mm	861 698 151
Brake pad set, front, 15.25 mm	861 698 151 A
Brake pad set, front, 16.25 mm	357 698 151 A
Brake pad set, front, 16.25 mm	533 698 151
Brake pad set, front, 16.25 mm	533 698 151 A
Brake pad set, front, 19.7 mm	191 698 151 C
Brake pad set, front, 19.7 mm	191 698 151 H
Brake pad set, front, 19.7 mm	191 698 151 J
Brake pad set, front, 19.7 mm	1H0 698 151
Brake pressure regulator	191 612 151
Brake pressure regulator	191 612 151 C
Brake pressure regulator	357 612 151
Brake shoe set with linings, rear, 180x30 mm	171 698 525 A
Brake shoe set with linings, rear, 180x30 mm	171 698 525 B
Brake shoe set with linings, rear, 180x30 mm	867 698 525
Brake shoe set with linings, rear, 200x40 mm	331 698 525
Brake shoe set with linings, rear, 200x40 mm	443 698 525
Brake shoe set with linings, rear, 200x40 mm	811 698 525 A
Brake shoe set with linings, rear, 200x40 mm	1H0 698 525
Brake shoe set with linings, rear, 200x40 mm	1H0 698 525 V
Brake shoe set with linings, rear, 200x40 mm	1H0 698 525 X
Brake shoe set with linings, rear, 200x40 mm	357 698 525
Bushing	191 711 590 A
Bushing for connecting rod	026 105 431
Bushing for connecting rod	053 105 431 A
Bushing for connecting rod	053 105 431 B
Bushing for starter, D=ø 13.6 mm d=ø 11 mm H=14 mm	080 301 155.1
Bushing for starter, D=ø 13.6 mm d=ø 11 mm H=14 mm	113 301 155
Bushing for starter, D=ø 14.1 mm d=ø 12.1 mm H=14 mm	014 301 155
Bushing for starter, D=ø 14.1 mm d=ø 12.1 mm H=14 mm	014 301 155 A
C.V. Join kit, front, inner, left	431 498 103 C

Email: [sales@simply-vwaudi.com](mailto:sales@simply-vwaudi.com)

Other manufacturers' numbers used for reference only

DESCRIPTION	OE Ref
C.V. joint kit, front, inner	113 598 103
C.V. joint kit, front, inner	171 498 103
C.V. joint kit, front, inner	171 498 103 C
C.V. joint kit, front, inner	321 498 103
C.V. joint kit, front, inner, left	191 498 103
C.V. joint kit, front, inner, right	191 498 104
C.V. joint kit, front, outer	171 498 099 C
C.V. joint kit, front, outer	191 498 099
C.V. joint kit, front, outer	191 498 099 F
C.V. joint kit, front, outer	1H0 498 099 A
C.V. joint kit, front, outer	1J0 498 099
C.V. joint kit, front, outer	321 498 099 C
C.V. joint kit, front, outer	357 498 099 E
C.V. joint kit, front, outer	4A0 498 099 A
C.V. joint kit, front, outer	4A0 498 099 B
C.V. joint kit, front, outer	4A0 498 099 C
C.V. joint kit, front, outer	4D0 498 099
C.V. joint kit, front, outer	6N0 498 099
C.V. joint kit, front, outer	893 498 099
C.V. joint kit, front, outer	893 498 099 B
C.V. joint kit, front, outer	893 498 099 F
C.V. joint kit, front, outer	893 498 099 H
C.V. joint kit, front, outer, ABS	893 498 099 G
C.V. joint kit, front, outer, ABS	893 498 099 M
C.V. joint kit, front, outer, ABS	895 498 099 A
C.V. joint kit, front, outer, not ABS	431 498 099 A
C.V. joint, front, inner, left/right	113 501 331
C.V. joint, front, inner, left/right	171 407 331 F
C.V. joint, front, inner, left/right	171 407 331 H
C.V. joint, front, inner, left/right	321 407 331
C.V. joint, front, outer	811 407 311
C.V. joint, front, outer	893 407 311
C.V. joint, front, outer (ABS)	895 407 305 B
Cabin air filter, 150x390 mm	8A0 819 439
Cabin air filter, 150x390 mm	8A0 819 439 A
Cam follower for exhaust valve	058 109 309 A
Cam follower for exhaust valve	058 109 309 E
Camshaft	028 109 101 G
Camshaft	030 109 101
Camshaft	046 109 101 K
Camshaft	074 109 101 J
Camshaft timing gear for timing belt	069 109 111
Camshaft timing gear for timing belt	049 109 111 A
Camshaft timing gear for timing belt	049 109 111 B
Camshaft timing gear for timing belt	049 109 111 C
Camshaft, incl. turbo diesel	068 109 101
Camshaft, incl. turbo diesel	068 109 101 B
Camshaft, incl. turbo diesel	068 109 101 D
Camshaft, incl. turbo diesel	068 109 101.1
Carburetor flange	026 129 761 A
Carburetor flange	026 129 761 E
Carburetor flange	027 129 761
Carburetor flange	027 129 761 A
Carburetor flange	037 129 761
Carburetor flange	049 129 761
Carburetor flange	049 129 761 C
Carburetor flange	050 129 761
Carburetor flange	050 129 761 A
Carburetor flange	050 129 761 B
Carburetor flange	050 129 761 C
Carburetor flange	050 129 761 D
Carburetor flange	050 129 761 E
Carburetor flange	050 129 761 F

Email: [sales@simply-vwaudi.com](mailto:sales@simply-vwaudi.com)

Other manufacturers' numbers used for reference only

DESCRIPTION	OE Ref
Carburetor flange	050 129 761 H
Carburetor flange	051 129 761
Carburetor flange	025 129 761
Carburetor flange	025 129 761 A
Carburetor flange	030 129 765
Carburetor flange	030 129 765 C
Carburetor flange	052 129 765 A
Clutch cable	171 721 335 E
Clutch disc, 175 mm., NEW	028 141 035 G
Clutch disc, 190 mm., NEW	030 141 032 F
Clutch disc, 190 mm., NEW	055 141 031 B
Clutch disc, 190 mm., NEW	055 141 031 D
Clutch disc, 190 mm., NEW	055 141 033
Clutch disc, 190 mm., NEW	055 141 033 V
Clutch disc, 200 mm., NEW	055 141 031 M
Clutch disc, 200 mm., NEW	055 141 033 3
Clutch disc, 210 mm., NEW	027 141 031
Clutch disc, 210 mm., NEW	027 141 032 C
Clutch disc, 210 mm., NEW	027 141 032 JV
Clutch disc, 210 mm., NEW	027 141 032 R
Clutch disc, 210 mm., NEW	027 141 033 S
Clutch disc, ventilated, 200 mm., NEW	068 141 037 F
Clutch kit, 210 mm., NEW	026 198 141 S
Clutch kit, 210 mm., NEW	026 198 141 SLUK
Clutch kit, 210 mm., NEW	027 198 141 A
Clutch kit, 210 mm., NEW	027 198 141 ALUK
Clutch kit, 210 mm., NEW	027 198 141 B
Clutch kit, 210 mm., NEW	027 198 141 BV
Clutch kit, 210 mm., NEW	621 0147 16
Clutch kit, 210 mm., NEW	621 0188 06
Clutch release bearing	088 141 165 A
Clutch release bearing	088 141 165 B
Clutch release bearing	091 141 165
Coil spring, rear	191 511 115 A
Combination switch	1H0 953 503 T
Combination switch	1H6 953 503 AB
Combination switch	1H6 953 503 T
Complete lock kit	191 898 081
Complete lock kit	165 800 375
Complete lock kit	165 898 081 B-K
Complete lock kit	165 898 165 A
Complete lock kit	165 898 571 A
Complete lock kit	ZVW 898 198 A
Complete strut assembly, front	357 413 031 Q
Complete strut assembly, front	357 413 031 R
Complete switch column	165 953 503
Concave washer for valve, upper	049 109 641 A
Condenser	036 905 295
Condenser	036 905 295 B
Condenser	052 905 295
Condenser	055 905 295
Condenser	060 905 295
Connecting link for stabilizer	191 411 315 B
Connecting link for stabilizer	191 411 315
Connecting link, d=ø 18 mm	6N0 411 315
Connecting link, H=105 mm	1J0 411 315
Connecting link, H=105 mm	1J0 411 315 B
Connecting link, H=105 mm	1J0 411 315 C
Connecting link, left	4D0 411 317 J>L
Connecting link, left	8D0 411 317 D
Connecting link, M10x1.5	357 411 315
Connecting link, M10x1.5	357 411 315 A
Connecting link, M10x1.5	357 411 315 C

Email: [sales@simply-vwaudi.com](mailto:sales@simply-vwaudi.com)

Other manufacturers' numbers used for reference only

DESCRIPTION	OE Ref
Connecting link, M10x1.5	357 411 315 D
Connecting link, right	4D0 411 317 J>R
Connecting link, right	8D0 411 318 D
Connection bushing for ignition cable, 4 mm saw tooth connector	030 905 423 A
Connection bushing for ignition cable, 4 mm saw tooth connector	030 905 423 A
Connection bushing for ignition cable, 4 mm saw tooth connector	036 905 423
Connection bushing for ignition cable, 4 mm saw tooth connector	036 905 423 B
Contact point set	059 998 051 B
Contact point set	1 237 013 044
Contact point set	311 998 063
Contact point set	331 998 063.1
Contact point set	036 998 051 A
Contact switch for handake control	113 947 561 G
Contact switch for handake control	113 947 561 H
Contact switch for handake control	BAT 947 561 G
Control arm, front, right, with bushings, right, D=ø 18 mm	437 407 152 A
Control arm, front, upper, left/right	4D0 407 505 B
Control arm, front, upper, left/right	4D0 407 505 D
Control arm, front, upper, left/right	4D0 407 505 F
Control arm, front, with bushings	4D0 407 151 A
Control arm, front, with bushings	4D0 407 151 B
Control arm, front, with bushings	4D0 407 151 C
Control arm, front, with bushings	4D0 407 151 E
Control arm, front, with bushings	4D0 407 151 J
Control arm, front, with bushings, left	4D0 407 693 E
Control arm, front, with bushings, left	4D0 407 693 H
Control arm, front, with bushings, left	4D0 407 693 K
Control arm, front, with bushings, left	4D0 407 693 M
Control arm, front, with bushings, left	4D0 407 693 N
Control arm, front, with bushings, left, D=ø 18 mm	437 407 151 A
Control arm, front, with bushings, left, D=ø 18 mm	4D0 407 151 G
Control arm, front, with bushings, left, D=ø 18 mm	4D0 407 151 H
Control arm, front, with bushings, left, D=ø 18 mm	4D0 407 151 P
Control arm, front, with bushings, left, D=ø 19 mm d=ø 15 mm	4A0 407 151
Control arm, front, with bushings, left, upper	8D0 407 505 B
Control arm, front, with bushings, left, upper	8D0 407 505 F
Control arm, front, with bushings, left, upper	8D0 407 505 H
Control arm, front, with bushings, left, upper	8D0 407 505 K
Control arm, front, with bushings, right	4D0 407 694 E
Control arm, front, with bushings, right	4D0 407 694 K
Control arm, front, with bushings, right	4D0 407 694 M
Control arm, front, with bushings, right	4D0 407 694 N
Control arm, front, with bushings, right, D=ø 19 mm d=ø 15 mm	4A0 407 152
Control arm, front, with bushings, right, upper	8D0 407 506 B
Control arm, front, with bushings, right, upper	8D0 407 506 F
Control arm, front, with bushings, right, upper	8D0 407 506 H
Control arm, front, with bushings, right, upper	8D0 407 506 K
Control arm, rear, with rubber mount upper, left	4D0 407 509 B
Control arm, rear, with rubber mount upper, left	4D0 407 509 D
Cooling water flange at thermostat housing	055 121 121 F
Cooling water flange at thermostat housing	06A 121 121 C
Cover for toothed timing belt, lower	026 109 175 A
Crankshaft gear for timing belt	028 105 263
Crankshaft gear for timing belt	028 105 263 E
Crankshaft gear for timing belt	068 105 263 C
Crankshaft gear for timing belt	049 105 263 C
Cylinder block gasket	026 103 181 B
Cylinder block gasket	030 103 181
Cylinder block gasket	052 103 181
Cylinder block gasket set	034 198 011
Cylinder block gasket set	034 198 011 C
Cylinder block gasket set	027 198 011 C
Cylinder block gasket set	037 198 011 C

Email: [sales@simply-vwaudi.com](mailto:sales@simply-vwaudi.com)

Other manufacturers' numbers used for reference only

DESCRIPTION	OE Ref
Cylinder block gasket set	049 198 011
Cylinder block gasket set	068 198 011
Cylinder block gasket, front	026 103 161 B
Cylinder head gasket	026 103 383 D
Cylinder head gasket	026 103 383 H
Cylinder head gasket	026 103 383 K
Cylinder head gasket	026 103 383 P
Cylinder head gasket	030 103 383 AH
Cylinder head gasket set without head gasket	068 198 012 A
Cylinder head gasket set without head gasket	068 198 012 D
Cylinder head gasket set without head gasket	068 198 012 L
Cylinder head, hydraulic, complete with valves etc., NEW	068 103 265 AA
Cylinder head, mechanical, bare, NEW	068 103 351 2
Cylinder head, mechanical, bare, NEW	068 103 351 E
Cylinder head, mechanical, bare, NEW	068 103 351 F
Cylinder head, mechanical, complete with valves etc., NEW	068 103 265 C
Cylinder head, mechanical, complete with valves etc., NEW	068 103 351 FK
Cylinder liner set (4 pcs.), 76.5 mm	068 198 100
Deflection pulley for V-belt, 90x28 mm	078 903 341 J
Distance sensor	012 409 191 D
Distributor	027 905 205 S
Distributor cap	026 905 207
Distributor cap	027 905 207
Distributor cap	034 905 207 B
Distributor cap	055 905 207
Distributor cap	325 905 207 A
Distributor cap	027 905 207 A
Distributor cap, 5 cyl.	035 905 207 A
Distributor rotor	035 905 225 B
Distributor rotor	055 905 225 B
Door handle, front, right	357 837 206 B
Door handle, front, without central lock, left	357 837 205 B
Door handle, front, without central lock, left	357 837 205 D
Door handle, front, without central lock, left	357 837 205 F
Door handle, rear, right	443 839 206 C
Door handle, rear, right	443 839 208 B
Door handle, without central lock, left	3A0 837 205 B
Door handle, without central lock, left	3A0 837 205 D
Door handle, without central lock, right	3A0 837 206 B
Door handle, without central lock, right	3A0 837 206 D
Door hinge	321 831 403
Door lock, front, left	191 837 015 C
Door lock, front, left	321 837 015
Door lock, front, left	327 837 015
Door lock, front, left	327 837 015 B
Door lock, front, right	191 837 016 C
Door lock, front, right	321 837 016
Door lock, front, right	327 837 016
Door lock, front, right	327 837 016 B
Door lock, rear, left	173 839 015 D
Door lock, rear, left	193 839 015 A/C
Door lock, rear, left	327 839 015 A
Door lock, rear, left	327 839 015 B
Door lock, rear, right	173 839 016 D
Door lock, rear, right	193 839 016 A/C
Door lock, rear, right	327 839 016 A
Door lock, rear, right	327 839 016 B
Door pin	321 837 034 B
Door pin	321 837 034 C
Door pin	357 837 034
Drive chain for oil pump	030 115 125
Drive chain for oil pump	030 115 125 A
Drive gear for speedo cable, 15 teeth, red	171 957 821 B

**Email: [sales@simply-vwaudi.com](mailto:sales@simply-vwaudi.com)**

Other manufacturers' numbers used for reference only

DESCRIPTION	OE Ref
Drive gear for speedo cable, 16 teeth	171 957 821 A
Electric fan control unit, for trailer operation/with taxi equipment	357 919 506 A
Electric fan control unit, for trailer operation/with taxi equipment	357 919 506 C
Electric fan, 100/60 W, ø 305 mm	191 959 455 AK
Electric fan, 100/60 W, ø 305 mm	191 959 455 AT
Electric fan, 100/60 W, ø 305 mm	1H0 959 455
Electric fan, 100/60 W, ø 305 mm	1H0 959 455 A
Electric fan, 100/60 W, ø 305 mm	1H0 959 455 N
Electric fan, 100/60 W, ø 305 mm	1H0 959 455 P
Electric fan, 100/60 W, ø 305 mm	3A0 959 455 J
Electric fan, 100/60 W, ø 345 mm	1J0 959 455
Electric fan, 100/60 W, ø 345 mm	1J0 959 455 B
Electric fan, 100/60 W, ø 345 mm	6N0 959 455 C
Electric fan, 150/80 W, ø 280 mm	323 959 455
Electric fan, 150/80 W, ø 280 mm	323 959 455 B
Electric fan, 150/80 W, ø 280 mm	327 959 455
Electric fan, 150/80 W, ø 280 mm	327 959 455 A
Electric fan, 150/80 W, ø 280 mm	353 959 455 B
Electric fan, 150/80 W, ø 280 mm	353 959 455 C
Electric fan, 150/80 W, ø 280 mm	811 959 455 E
Electric fan, 150/80 W, ø 280 mm	811 959 455 P
Electric fan, 180 W, ø 280 mm	4A0 959 455 A
Electric fan, 180 W, ø 280 mm	4A0 959 455 C
Electric fan, 180 W, ø 280 mm	893 959 455 F
Electric fan, 180 W, ø 280 mm	893 959 455 G
Electric fan, 200/60 W, ø 345 mm	6N0 959 455 D
Electric fan, 200/60 W, ø 345 mm	6N0 959 455 E
Electric fan, 220/60 W, ø 290 mm	1J0 959 455 K
Electric fan, 220/60 W, ø 290 mm	1J0 959 455 M
Electric fan, 250 W, ø 280 mm	811 959 455 L
Electric fan, 250 W, ø 280 mm	811 959 455 R
Electric fan, 250 W, ø 280 mm	893 959 455 B
Electric fan, 250 W, ø 280 mm	893 959 455 D
Electric fan, 250 W, ø 280 mm	893 959 455 J
Electric fan, 250 W, ø 305 mm	431 959 455 K
Electric fan, 250/150 W, ø 280 mm	165 959 455 AB
Electric fan, 250/150 W, ø 280 mm	165 959 455 AC
Electric fan, 250/150 W, ø 280 mm	165 959 455 AM
Electric fan, 250/150 W, ø 280 mm	191 959 455 F
Electric fan, 250/150 W, ø 280 mm	191 959 455 G
Electric fan, 250/150 W, ø 280 mm	191 959 455 T
Electric fan, 250/150 W, ø 280 mm	321 959 455 N
Electric fan, 250/150 W, ø 280 mm	811 959 455 A
Electric fan, 250/150 W, ø 280 mm	811 959 455 D
Electric fan, 250/150 W, ø 280 mm	811 959 455 M
Electric fan, 250/150 W, ø 305 mm	191 959 455 AF
Electric fan, 250/150 W, ø 305 mm	191 959 455 AM
Electric fan, 250/150 W, ø 305 mm	191 959 455 BB
Electric fan, 250/150 W, ø 305 mm	1H0 959 455 B
Electric fan, 250/150 W, ø 305 mm	1H0 959 455 C
Electric fan, 250/150 W, ø 305 mm	1H0 959 455 D
Electric fan, 250/150 W, ø 305 mm	1H0 959 455 E
Electric fan, 250/60 W, ø 345 mm	1J0 959 455 D
Electric fan, 250/60 W, ø 345 mm	1J0 959 455 F
Electric fan, 250/60 W, ø 345 mm	6N0 959 455 F
Electric fan, 250/60 W, ø 345 mm	6X0 959 455 A
Electric fan, 250/80 W, ø 303 mm	1H0 959 455 AB
Electric fan, 250/80 W, ø 303 mm	1H0 959 455 J
Electric fan, 250/80 W, ø 303 mm	1H0 959 455 K
Electric fan, 250/80 W, ø 303 mm	357 959 455 F
Electric fan, 250/80 W, ø 303 mm	6K0 959 455 F
Electric fan, 250/80 W, ø 345 mm	3A0 959 455
Electric fan, 250/80 W, ø 345 mm	3A0 959 455 B

DESCRIPTION	OE Ref
Electric fan, 300 W, ø 280 mm	4A0 959 455 B
Electric fan, 300 W, ø 280 mm	4A0 959 455 D
Electric fan, 300 W, ø 280 mm	4A0 959 455 E
Electric fan, 300 W, ø 280 mm	8A0 959 455
Electric fan, 300 W, ø 280 mm	8A0 959 455 A
Electric fan, 300 W, ø 280 mm	8D0 959 455 C
Electric fan, 350/250 W, ø 305 mm	1H0 959 455 G
Electric fan, 350/250/80 W, ø 303 mm	1H0 959 455 AH
Electric fan, 350/250/80 W, ø 303 mm	1H0 959 455 T
Electric fan, 500 W, ø 350 mm	443 959 455
Electric fan, 500 W, ø 350 mm	443 959 455 E
Electric fan, 500 W, ø 350 mm	443 959 455 N
Electric mirror switch	1H0 959 565
Electric window lifter kit	191 898 461 S
Emblem for radiator grille	321 853 601
Emergency light switch	161 953 235 A
Emergency light switch	161 953 235 B
Emergency light switch	ZBC 953 235 05
Emergency light switch	191 953 235
Engine gasket set	049 198 001 C
Engine hood lock, lower	191 823 509
Engine hood lock, upper	191 823 507
Engine support bracket, front	191 199 273 C
Exhaust valve, D=ø 33.2 mm d=ø 8 mm L=91.2 mm	026 109 611 A
Exhaust valve, D=ø 33.2 mm d=ø 8 mm L=91.2 mm	034 109 611 B
Exhaust valve, D=ø 33.2 mm d=ø 8 mm L=91.2 mm	035 109 611 J
Exhaust valve, D=ø 33.2 mm d=ø 8 mm L=91.2 mm	053 109 611
Expansion tank for radiator	171 121 407
Expansion tank for radiator	171 121 407 A
Expansion tank for radiator	171 121 407 C
Expansion tank for radiator	171 121 407 E
Expansion tank for radiator	431 121 407 C
Expansion tank for radiator	443 121 403
Expansion tank for radiator	4A0 121 403
Expansion tank for radiator	893 121 403
Expansion tank for radiator	8A0 121 403 A
Fan belf for air condition, AVX13x913 mm	034 260 849
Fan belf for air condition, AVX13x913 mm	035 260 849 A
Fan belt alternator, AVX10x630 mm	027 903 137
Fan belt for air condition, AVX13x950 mm	068 260 849 A
Fan belt for air condition, AVX13x950 mm	068 260 849 B
Fan belt for air condition, AVX13x950 mm	068 260 849 G
Fan belt for air condition, AVX13x990 mm	035 260 849 C
Fan belt for alternator, AVX10x735 mm	068 903 137
Fan belt for alternator, AVX10x735 mm	068 903 137 F
Fan belt for alternator, AVX10x735 mm	068 903 137 Q
Fan belt for alternator, AVX10x800 mm	035 903 137 A
Fan belt for alternator, AVX10x800 mm	035 903 137 B
Fan belt for alternator, AVX10x800 mm	069 903 137 C
Fan belt for alternator, AVX10x850 mm, for cars with air condition	055 903 137 G
Fan belt for alternator, AVX10x950 mm	026 903 137 C
Fan belt for alternator, AVX10x950 mm	049 903 137 B
Fan belt for alternator, AVX10x950 mm	049 903 137 D
Fan belt for alternator, AVX10x950 mm	050 903 137
Fan belt for alternator, AVX11x825 mm	034 903 137
Fan belt for alternator, AVX11x825 mm	034 903 137 A
Fan belt for power steering, AVX10x735 mm	026 145 271
Fan belt for power steering, AVX10x763 mm	068 145 271 C
Fan belt for power steering, AVX11x528 mm	058 145 271
Fan belt for power steering, AVX11x685 mm	037 145 271 E
Fan belt for power steering, AVX11x730 mm	028 145 271 G
Fan belt for power steering, AVX11x755 mm, for cars with air condition	037 145 271 F
Fan belt for power steering, AVX11x787 mm, for cars with air condition	028 145 271 H

Email: [sales@simply-vwaudi.com](mailto:sales@simply-vwaudi.com)

Other manufacturers' numbers used for reference only

DESCRIPTION	OE Ref
Fan belt for power steering, AVX11x787 mm, for cars with air condition	028 145 271 L
Fan belt for power steering, AVX11x900 mm	028 145 271 F
Fan belt for tandem-fan wheel, 2x40x836 mm	811 119 137
Fan belt for water pump, AVX10x913 mm	050 121 039 A
Fitting screw for gear shift lever	191 711 199
Flange for crankshaft	028 103 171 B
Flange for crankshaft incl. Oil seal and mounting assistance	051 103 172 A
Flange for crankshaft incl. Oil seal and mounting assistance	053 103 173
Flange for crankshaft incl. Oil seal and mounting assistance	068 103 171 F
Flange for crankshaft incl. Oil seal and mounting assistance	068 103 171 G
Flasher bulb, 12 Volt, 21 W, yellow	N 017 732 08
Flasher relay, 4+2x21 W	000 055 206
Flasher relay, 4+2x21 W	211 953 231 G
Flasher relay, 4+2x21 W	431 953 231
Flasher relay, 4x21 W	111 953 227 D
Flasher relay, 4x21 W	191 953 227
Flasher relay, 4x21 W	191 953 227 A
Flasher relay, 4x21 W	1H0 953 227
Flasher/stop lamp bulb, 12 Volt, 21 W	N 017 732 2
Flasher/stop lamp bulb, 12 Volt, 21 W	N 017 732 4
Flasher/stop lamp bulb, 12 Volt, 21 W	N 017 732 6
Flasher/stop lamp bulb, 12 Volt, 21 W	Z 046 027
Flywheel, 210 mm	027 105 271
Flywheel, 210 mm	027 105 271 R
Flywheel, 210 mm	027 105 273
Front brake disc	895 615 301 B
Front brake disc	8A0 615 301 C
Front brake disc, 13", 239x12 mm	321 615 301
Front brake disc, 13", 239x12 mm	ZBA 615 301
Front brake disc, 14", 256x13 mm	357 615 301
Front brake disc, 239x10 mm	811 615 301
Front brake disc, 239x10 mm	823 615 301
Front brake disc, 256x13 mm	431 615 301
Front brake disc, 256x13 mm	443 615 301
Front brake disc, 256x13 mm	895 615 301
Front brake disc, 280x13 mm	8A0 615 301
Front brake disc, 280x13 mm	8D0 615 301 A
Front brake disc, 288x15 mm	4A0 615 301 B
Front brake disc, ventilated, 13", 239x20 mm	321 615 301 A
Front brake disc, ventilated, 13", 239x20 mm	321 615 301 B
Front brake disc, ventilated, 13", 239x20 mm	321 615 301 C
Front brake disc, ventilated, 13", 239x20 mm	841 615 301
Front brake disc, ventilated, 14", 256x22 mm	1J0 615 301 D
Front brake disc, ventilated, 15", 280x22 mm	1J0 615 301 E
Front brake disc, ventilated, 15", 280x25 mm	3A0 615 301
Front brake disc, ventilated, 15", 280x25 mm	3A0 615 301 A
Front brake disc, ventilated, 15", 288x25 mm	4A0 615 301 C
Front brake disc, ventilated, 256x22 mm	431 615 301 A
Front brake disc, ventilated, 256x22 mm	443 615 301 A
Front brake disc, ventilated, 256x22 mm	443 615 301 B
Front brake disc, ventilated, 276x25 mm	895 615 301 B
Front brake disc, ventilated, 276x25 mm	895 615 301 B/D
Front brake disc, ventilated, 276x25 mm	895 615 301 D
Front brake disc, ventilated, 280x22 mm	1H0 615 301
Front brake disc, ventilated, 280x22 mm	1H0 615 301 A
Front brake disc, ventilated, 280x22 mm	8A0 615 301 A
Front brake disc, ventilated, 280x22 mm	8A0 615 301 E
Front brake disc, ventilated, 280x22 mm, LUCAS system	8E0 615 301 B
Front brake disc, ventilated, 280x22 mm, LUCAS system	8E0 615 301 D
Front brake disc, ventilated, 282.5x25 mm, ATE system	8E0 615 301 A
Front brake disc, ventilated, 288x25 mm	1J0 615 301 C
Front cross member	191 199 171
Front cross member	191 199 171 A

Email: [sales@simply-vwaudi.com](mailto:sales@simply-vwaudi.com)

Other manufacturers' numbers used for reference only

DESCRIPTION	OE Ref
Front cross member	191 199 171 C
Front cross member	191 199 171 E
Front door handle, outer, lockable, left	191 837 205
Front door handle, outer, lockable, left	191 837 205 A
Front door handle, outer, lockable, left	321 837 205 C
Front door handle, outer, lockable, left	443 837 205 B
Front door handle, outer, lockable, left	443 837 205 C
Front door handle, outer, lockable, left	443 837 205 F
Front door handle, outer, lockable, left	893 837 207
Front door handle, outer, lockable, right	443 837 206 B
Front door handle, outer, lockable, right	443 837 206 C
Front door handle, outer, lockable, right	443 837 206 F
Front door handle, outer, lockable, right	893 837 208
Front door handle, outer, lockable, right	191 837 206
Front door handle, outer, lockable, right	191 837 206 A
Front door handle, outer, lockable, right	321 837 206
Front door handle, without cylinder, left. Nylon version without key and locking mechanism.	191 837 207
Front door handle, without cylinder, right. Nylon version without key and locking mechanism.	191 837 208
Fuel filter	131 261 275 A
Fuel filter	191 201 511 A
Fuel filter	1H0 201 511
Fuel filter	1H0 201 511 A
Fuel filter	251 201 511 A
Fuel filter	251 201 511 C
Fuel filter	251 201 511 G
Fuel filter	251 201 511 H
Fuel filter	803 201 511 C
Fuel filter	431 133 511
Fuel filter	431 133 511 A
Fuel filter	441 201 511 A
Fuel filter	441 201 511 B
Fuel filter	441 201 511 C
Fuel filter	443 133 511
Fuel filter	447 133 511
Fuel filter	811 133 511
Fuel filter	811 133 511 A
Fuel filter	811 133 511 B
Fuel filter	811 133 511 D
Fuel filter	893 133 511
Fuel filter	8A0 133 511
Fuel filter for diesel	068 127 177 B
Fuel filter for diesel	191 127 401 A
Fuel filter for diesel	191 127 401 B
Fuel filter for diesel	191 127 401 E
Fuel filter for diesel	1H0 127 401 C
Fuel filter for diesel	1H0 127 401 C
Fuel filter for diesel	1J0 127 401
Fuel filter for diesel	2D0 127 399
Fuel filter for diesel	6N0 127 401 C
Fuel filter for diesel	191 127 401
Fuel filter for diesel	191 127 401 C
Fuel pump	043 906 091
Fuel pump	191 906 091 E
Fuel pump	191 906 091 L
Fuel pump	251 906 091
Fuel pump	443 906 087 BE
Fuel pump	8A0 906 091 G
Fuel pump	025 127 025
Fuel pump	025 127 025 A
Fuel pump	026 127 025
Fuel pump	026 127 025 A
Fuel pump	030 127 025
Fuel pump	052 127 025 D

Email: [sales@simply-vwaudi.com](mailto:sales@simply-vwaudi.com)

Other manufacturers' numbers used for reference only

DESCRIPTION	OE Ref
Fuel pump	052 127 025 F
Fuel pump	052 127 025 G
Fuel pump	052 127 025 J
Fuel pump	056 127 025 C
Fuel pump	056 127 025.1
Fuel pump	070 127 025
Fuel pump	191 906 092 /C
Fuel pump	191 906 092 A/M
Fuel pump	191 906 092 G
Fuel pump	357 906 092 C
Fuel pump with plastic housing	443 906 091 D
Fuel pump with plastic housing	1H0 906 091 D
Fuel pump with plastic housing, 3 Bar	1H0 919 051
Fuel pump with plastic housing, 3 Bar	1H0 919 651 P
Fuel pump, complete with sender	1H0 919 051 AJ
Fuel pump, complete with sender	1H0 919 651 H
Fuel pump, complete with sender	1H0 919 651 N
Fuel pump, fuel gauge sender	447 906 091
Fuel tank cap	191 201 553 A
Fuel tank cap	1H0 201 553 B
Fuel tank cap	553 201 553 A
Fuel tank cap, lockable	191 201 551
Fuel tank cap, lockable	191 201 551 A
Fuel tank cap, lockable	533 201 551 F
Fuel tank cap, lockable	443 201 551 F
Fuel tank cap, lockable	443 201 551 G
Fuel tank cap, lockable	443 201 551 L
Fuel tank cap, lockable	443 201 551 S
Fuel tank cap, lockable, metal	113 201 551 H
Fuel tank cap, lockable, metal	113 201 551.4
Fuel tank cap, lockable, metal	321 201 551 H
Fuel tank cap, lockable, plastic	113 201 551 HP
Fuel tank cap, lockable, plastic	113 201 551.4P
Fuel tank cap, lockable, plastic	321 201 551 HP
Fuel tank cap, without lock, metal	113 201 551 F
Fuel tank cap, without lock, metal	113 201 551.2
Fuel tank cap, without lock, metal	321 201 551 G
Fuse, 16 Amp.	N 017 121 4
Fuse, 25 Amp.	N 017 121 5
Fuse, 8 Amp.	N 017 121 2
Gasket for air intake	026 129 717
Gasket for air intake	026 129 717 D
Gasket for air intake	037 129 717 B
Gasket for air intake	048 129 717 A
Gasket for air intake	049 129 717 A
Gasket for catalytic converter, 65x51x16 mm	893 253 137 E
Gasket for exhaust manifold	028 129 589 B
Gasket for exhaust manifold	035 129 589 E/F
Gasket for exhaust manifold	056 129 589
Gasket for exhaust manifold	068 129 589 B
Gasket for exhaust pipe, front	171 253 115
Gasket for exhaust pipe, front	191 253 115 A
Gasket for exhaust pipe, front	191 253 115 F
Gasket for exhaust pipe, front	431 253 115 A
Gasket for exhaust pipe, front	433 253 115 A
Gasket for exhaust pipe, front	443 253 115 A
Gasket for exhaust pipe, front	533 253 115
Gasket for flange/engine block, 29.2x3.0 mm	N 902 954 01
Gasket for oil filter bracket	026 115 441 A
Gasket for oil sump	035 103 609
Gasket for oil sump	054 103 609
Gasket for thermostat housing, 42.5x3 mm	030 121 119
Gasket for valve cover	051 103 483 A

**Email: [sales@simply-vwaudi.com](mailto:sales@simply-vwaudi.com)**

Other manufacturers' numbers used for reference only

DESCRIPTION	OE Ref
Gasket for valve, 8 mm hole	026 103 483 C
Gasket for valve, 8 mm hole	026 103 483 D
Gasket for valve, 8 mm hole	056 103 483 D
Gasket for water pump	026 121 041
Gasket for water pump	026 121 041 A
Gasket for water pump	026 121 041 M
Gasket for water pump	026 121 041 P
Gasket seal for fuel pump, 29.5x2.5 mm	030 127 311
Gasket seal for fuel pump, 36.0x2.5 mm	049 127 311 A
Gasket seal for fuel pump, 36.0x2.5 mm	059 127 311 B
Gasket seal for fuel pump, 38.5x2.5 mm	052 127 311
Glow plug, two coils, 11 Volt, 10x1.7 secretary, 89.5 mm	N 101 401 01
Glow plug, two coils, 11 Volt, 10x1.7 secretary, 89.5 mm	N 101 401 03
Glow plug, two coils, 11 Volt, 10x1.7 secretary, 89.5 mm	N 101 401 04
Glow plug, two coils, 11 Volt, 10x1.7 secretary, 89.5 mm	N 101 401 05
Glowing relay	171 911 261 A/D
Glowing relay	171 911 261 B
Glowing relay	171 911 261 E
Glowing relay	191 911 261 C
Grease, 90g for axle boot	G 000 601
Grease, 90g for axle boot	G 000 602
Grommet for stabilizer	1J0 411 314 G
Grommet for stabilizer	4D0 411 327 F
Grommet for stabilizer	4D0 411 327 H
Grommet for stabilizer	857 407 473 A
Grommet for stabilizer, d=ø 17 mm H=33 mm	191 411 314
Grommet for stabilizer, d=ø 23 mm	701 411 041
Grommet for stabilizer, d=ø 25 mm	4A0 411 327 A
Grommet for stabilizer, d=ø 25 mm	893 411 327 E
Grommet for stabilizer, d=ø 27 mm H=44 mm	4D0 411 327 E
Grommet for stabilizer, d=ø 27 mm H=44 mm	4D0 411 327 G
Grommet for stabilizer, for connecting link, d=ø 27 mm	701 411 045
Grommet for stabilizer, for connecting link, d=ø 27 mm	7D0 411 045
Grommet for stabilizer, inner	823 411 327 B
Grommet for stabilizer, inner	ZBC 411 327 B
Grommet for stabilizer, inner, left, d=ø 21 mm	357 411 313
Grommet for stabilizer, inner, right	357 411 314 A
Grommet for stabilizer, inner, right, d=ø 21 mm	357 411 314
Grommet for stabilizer, inner,d=ø 15 mm	171 411 313
Grommet for stabilizer, inner,d=ø 20 mm	811 411 327 A
Grommet for stabilizer, inner,d=ø 20 mm	ZBC 411 327 A
Grommet for stabilizer, inner,d=ø 21 mm	251 411 041 C
Grommet for stabilizer, left, d=ø 22.7 mm	357 411 313 A
Grommet for stabilizer, outer, d=ø 12.5 mm	823 411 313 A
Grommet for stabilizer, outer, d=ø 12.5 mm	ZBA 411 313 A
Grommet for stabilizer, outer, d=ø 15 mm	171 411 314 A
Guide for oil level dipstick	049 103 663
Guide for oil level dipstick	053 103 663
Guide for oil level dipstick	056 103 663
Guide piece for seat rail, front	435 881 203 A
Guide piece for seat rail, inner	191 881 213
Guide piece for seat rail, outer	171 881 213 B
H1 headlight bulb, 12 Volt, 55 W	N 017 761 2Z
H3 headlight bulb, 12 Volt, 55 W	N 017 762 2Z
H3 headlight bulb, 12 Volt, 55 W	Z 046 041
H4 pirate headlight bulb, 12 Volt, 60/55 W	N 017 763 2
H4 pirate headlight bulb, 12 Volt, 60/55 W	Z 046 042
Half-round seal for valve cover, rear	049 103 491
Half-round seal for valve cover, rear	056 103 491
Hand brake cable	171 609 721 B
Hand brake cable	171 609 721 C
Hand brake cable	175 609 721
Hand brake cable	443 609 721

DESCRIPTION	OE Ref
Hand brake cable	443 609 721 F
Hand brake cable	443 609 721 K
Headlight bulb, 12 Volt, 45/40 W	N 017 705 3
Heat exchanger	171 819 031 B/C
Heat exchanger	171 819 031 D
Heat exchanger	171 819 031 E
Heat exchanger	175 819 031
Heat exchanger	176 819 030
Heat exchanger	191 819 031 D/E
Heat exchanger	1H1 819 031 A
Heat exchanger	1H2 819 031 A
Heat exchanger	443 819 030
Heat exchanger	443 819 031 C
Heat exchanger	701 819 031 A
Heat exchanger	701 819 032
Heat exchanger	811 819 031
Heat exchanger	893 819 030 A
Heat exchanger	893 819 030 B
Heat exchanger	8D1 819 030 A
Heat exchanger	8D1 819 030 B
Heater valve for heat exchanger	171 819 809 A
Heater valve for heat exchanger	171 819 809 E
Heater valve for heat exchanger	211 819 809
Horn, 12 Volt, 335 HZ	111 951 113 B
Horn, 12 Volt, 335 HZ	113 951 113 5
Horn, 12 Volt, 335 HZ	113 951 113 6
Horn, 12 Volt, 335 HZ	191 951 113 A
Horn, 12 Volt, 335 HZ	191 951 113 B
Horn, 12 Volt, 335 HZ	191 951 113 D
Horn, 12 Volt, high tone, 510 HZ	191 951 223
Horn, 12 Volt, low tone, 420 HZ	191 951 221
Ignition cable set	191 998 031
Ignition cable set	191 998 031 A
Ignition cable set	191 998 031 B
Ignition cable set	1H0 998 031
Ignition cable set	701 998 031
Ignition cable set	701 998 031 A
Ignition cable set	893 998 031 B
Ignition cable set, 1 K-Ohm	052 998 031
Ignition cable set, 1 K-Ohm	056 998 031
Ignition cable set, 1 K-Ohm	171 998 031
Ignition coil	211 905 115 D
Ignition coil	251 905 115 A
Ignition lock cylinder	893 905 855 A
Ignition lock cylinder with keys (not immobilizer)	1H0 905 855
Ignition lock cylinder with keys (not immobilizer)	1H0 905 855 A
Ignition lock cylinder with keys (not immobilizer)	535 905 855
Ignition modul	867 905 351
Ignition modul	191 905 351 B
Ignition modul	211 905 351
Ignition modul	211 905 351 A
Ignition modul	211 905 351 D
Ignition switch	443 905 849
Ignition switch	443 905 849 A
Ignition switch	111 905 865 L
Ignition switch	111 905 865.1
Ignition switch	357 905 865
Ignition switch	4A0 905 849
Ignition switch	4A0 905 849 B
Ignition switch	893 905 849
Ignition switch housing	155 905 851
Ignition switch housing	321 905 851 D
Ignition switch housing	441 905 851

**Email: [sales@simply-vwaudi.com](mailto:sales@simply-vwaudi.com)**

Other manufacturers' numbers used for reference only

DESCRIPTION	OE Ref
Ignition switch housing	357 905 851
Ignition switch housing	357 905 851 D
Inlet valve D=ø 38 mm d=ø 8 mm L=91.9 mm	035 109 601 G
Inlet valve D=ø 38 mm d=ø 8 mm L=91.9 mm	035 109 601 H
Inlet valve D=ø 38 mm d=ø 8 mm L=91.9 mm	035 109 601 J
Inlet valve D=ø 38 mm d=ø 8 mm L=91.9 mm	035 109 601 K
Installation kit for wishbone	191 498 153 S
Intercooler, 240x175 mm, PL/ALU	058 145 805 A
Interior light bulb, 12 Volt, 10 W	000 045 208 B
Interior light bulb, 12 Volt, 10 W	N 017 723 2
Interior light bulb, 12 Volt, 10 W	Z 046 020
Key blank	357 837 219 A
Key blank	443 837 220 C
Level switch for coolant	251 919 372
Level switch for coolant, standard connector	251 919 372 A
Lift channel, door window, front	191 837 571
Lift channel, door window, front	191 837 571 A
Lift channel, door window, front	191 898 571 A
Lock plate for wishbone ball joint, M8x1.25	191 407 175
Main bearing set, standard size case, standard size crank	026 198 491
Main bearing set, standard size, but 0.25 mm oversize	056 198 453
Main bearing set, standard size, but 0.25 mm oversize	056 198 453 A
Main bearing set, standard size, but 0.25 mm oversize	87 722 610
Main bearing set, standard size, but 0.50 mm oversize	056 198 455
Main bearing set, standard size, but 0.50 mm oversize	056 198 455 A
Main bearing set, standard size, but 0.50 mm oversize	87 722 620
Main bearing set, standard size, but 0.75 mm oversize	056 198 457
Main bearing set, standard size, but 0.75 mm oversize	056 198 457 A
Main bearing set, standard size, but 0.75 mm oversize	87 722 630
Master cylinder for hydraulic clutch	431 721 401
Master cylinder for hydraulic clutch	431 721 401 A
Master cylinder for hydraulic clutch	443 721 401 A
Master cylinder for hydraulic clutch	4A0 721 401
Muffler, rear	443 253 609 G/N
Muffler, rear	443 253 609 S
Needle bearing for flywheel, D=ø 21 mm L=15 mm	056 105 313 B
Needle bearing for flywheel, D=ø 21 mm L=15 mm	056 105 313 C
Number plate lamp bulb, 12 Volt, 10 W	000 045 204 B
Number plate lamp bulb, 12 Volt, 10 W	N 017 719 3
Number plate lamp bulb, 12 Volt, 10 W	Z 046 013
Oil cooler	028 117 021 B
Oil cooler	068 117 021 B
Oil filler cap	026 103 485
Oil filler cap	026 103 485 A
Oil filler cap	030 103 485
Oil filler cap	049 103 485 F
Oil filter	028 115 561 B
Oil filter	028 115 561 E
Oil filter	030 115 561 AA
Oil filter	030 115 561 AB
Oil filter	030 115 561 E
Oil filter	030 115 561 K
Oil filter	034 115 561 A
Oil filter	056 115 561 A/B
Oil filter	056 115 561 C
Oil filter	056 115 561 G
Oil filter	068 115 561
Oil filter	068 115 561 B
Oil filter	068 115 561 E
Oil filter	068 115 561.1
Oil filter	069 115 561
Oil filter	06A 115 561 B
Oil filter	070 115 561

Email: [sales@simply-vwaudi.com](mailto:sales@simply-vwaudi.com)

Other manufacturers' numbers used for reference only

DESCRIPTION	OE Ref
Oil filter	078 115 561 D
Oil level dipstick	027 115 611 C
Oil pressure switch, 0.25 Bar, M10x1, blue	028 919 081 E
Oil pressure switch, 0.3 Bar	021 919 081 B
Oil pressure switch, 0.3 Bar	028 919 081
Oil pressure switch, 0.3 Bar	113 919 081.2
Oil pressure switch, 0.3 Bar, M10x1, brown	021 919 081 C
Oil pressure switch, 0.3 Bar, M10x1, brown	056 919 081 C
Oil pressure switch, 0.9 Bar, M10x1, grey	068 919 081 A
Oil pressure switch, 1.4 Bar, M10x1, black	068 919 081
Oil pressure switch, 1.8 Bar, M10x1, white	056 919 081 E
Oil pump	028 115 105 D
Oil pump	028 115 105 J
Oil pump	058 115 105 C
Oil pump	068 115 105 AQ
Oil pump	068 115 105 AR
Oil pump	068 115 105 BL
Oil pump	068 115 105 BP
Oil pump	068 115 105 J
Oil pump	026 115 105
Oil pump	026 115 105 A
Oil pump	026 115 105 B
Oil pump	049 115 105 H
Oil pump	056 115 105 A
Oil pump	068 115 105 AC
Oil pump	068 115 105 AD
Oil pump	068 115 105 AP
Oil pump	068 115 105 N
Oil pump	068 115 105 R
Oil pump, with plastic baffle	027 115 105
Oil pump, with plastic baffle	027 115 105 A
Oil pump, with plastic baffle	027 115 105 B
Oil pump, with plastic baffle	027 115 105 C
Oil pump, with plastic baffle	027 115 105 E
Oil pump, with plastic baffle	028 115 105 G
Oil pump, with plastic baffle	049 115 105 A
Oil pump, with plastic baffle	055 115 105 D
Oil pump, with plastic baffle	068 115 105 AE
Oil pump, with plastic baffle	068 115 105 AG
Oil pump, with plastic baffle	068 115 105 AN
Oil pump, with plastic baffle	068 115 105 AT
Oil pump, with plastic baffle	068 115 105 BK
Oil pump, with plastic baffle	068 115 105 BN
Oil pump, with plastic baffle	068 115 105 D
Oil pump, with plastic baffle	068 115 105 H
Oil pump, with plastic baffle	068 115 105 P
Oil pump, with plastic baffle	068 115 105 Q
Oil seal for crankshaft, 32x 47x10 mm	026 103 085 F
Oil seal for crankshaft, 32x 47x10 mm	030 103 085 A
Oil seal for crankshaft, 32x 47x10 mm	068 103 085 A
Oil seal for crankshaft, 32x 47x10 mm	068 103 085 Q
Oil seal for crankshaft, 85x105x11 mm	026 103 051 A
Oil seal for crankshaft, 85x105x11 mm	056 103 051 D
Oil seal for crankshaft, 85x105x11 mm	068 103 051 A
Oil seal for crankshaft, 85x105x11 mm	068 103 051 G
Oil seal for main drive shaft, 4 speed, D=ø 35 mm d=ø 21.8 mm H=7 mm	084 311 113
Oil seal for main drive shaft, 4 speed, D=ø 35 mm d=ø 21.8 mm H=7 mm	085 311 113
Oil sump	028 103 601
Oil sump	049 103 601
Oil sump	051 103 601
Oil sump (aluminium), lower part	078 103 604 B
Oil sump (aluminium), lower part	078 103 604 H
Operating shaft for clutch	014 141 701 D

Email: [sales@simply-vwaudi.com](mailto:sales@simply-vwaudi.com)

Other manufacturers' numbers used for reference only

DESCRIPTION	OE Ref
Operating shaft for clutch	014 141 701 E
O-ring, 19.6x3.65 mm	N 903 168 02
O-ring, 28.5x3.8 mm	1H0 121 687 A
Panel bulb, 12 Volt, 1.2 W	000 045 225 B
Panel bulb, 12 Volt, 1.2 W	N 017 751 2
Panel bulb, 12 Volt, 1.2 W	Z 046 036
Panel bulb, 12 Volt, 3 W	000 045 226 B
Panel bulb, 12 Volt, 3 W	N 017 752 2
Panel bulb, 12 Volt, 3 W	Z 046 037
Panel light bulb, 12 Volt, 2 W	000 045 207 B
Panel light bulb, 12 Volt, 2 W	N 017 722 2
Panel light bulb, 12 Volt, 2 W	Z 046 018
Paper gasket for oil sump	028 103 609 A
Paper gasket for oil sump	056 103 609
Paper gasket for oil sump	056 103 609 A
Paper gasket for oil sump	056 103 609 B
Pedal pad	1H0 721 173
Piston ring set, 76.50 mm	068 198 151
Piston ring set, 76.50 mm	068 198 151 A
Piston ring set, 76.50 mm	50 011 746
Piston ring set, 81.0 mm, 1.5x3.55 mm, B3861.75x3.55 mm, 3.0x3.65 mm	026 198 151 A/4
Piston ring set, 81.0 mm, 1.5x3.55 mm, B3861.75x3.55 mm, 3.0x3.65 mm	026 198 151 B
Piston ring set, 81.0 mm, 1.5x3.55 mm, B3861.75x3.55 mm, 3.0x3.65 mm	026 198 151 B/4
Piston ring set, 81.0 mm, 1.5x3.55 mm, B3861.75x3.55 mm, 3.0x3.65 mm	50 011 749
Piston ring, standard, 76.5 mm, chrome. For one piston only! 1.75x3.3 mm, 2.0x3.3 mm, 3.0x3.68 mm	069 198 151
Piston ring, standard, 76.5 mm, chrome. For one piston only! 1.75x3.3 mm, 2.0x3.3 mm, 3.0x3.68 mm	069 198 151/1
Piston ring, standard, 76.5 mm, chrome. For one piston only! 1.75x3.3 mm, 2.0x3.3 mm, 3.0x3.68 mm	Dc686900
Piston set (4 pcs.) 76.51 mm, standard size, turbo diesel, with piston rings	068 107 065 C
Piston set (4 pcs.) 76.51 mm, standard size, turbo diesel, with piston rings	068 107 065 C/4
Piston set (4 pcs.) 76.51 mm, standard size, turbo diesel, with piston rings	068 107 065 D
Piston set (4 pcs.) 76.51 mm, standard size, turbo diesel, with piston rings	90 732 600
Piston set (5 pcs.) 82.51 mm, standard size, with piston rings	054 107 065
Piston set (5 pcs.) 82.51 mm, standard size, with piston rings	054 107 065 D
Piston set (5 pcs.) 82.51 mm, standard size, with piston rings	054 107 065 H
Piston set (5 pcs.) 82.51 mm, standard size, with piston rings	054 107 065/5
Piston set (5 pcs.) 82.51 mm, standard size, with piston rings	054 107 103 D
Piston set (5 pcs.) 83.01 mm, 0.50 mm oversize, with piston rings	054 107 081
Piston set (5 pcs.) 83.01 mm, 0.50 mm oversize, with piston rings	054 107 081 D
Piston set (5 pcs.) 83.01 mm, 0.50 mm oversize, with piston rings	054 107 081 H
Piston set (5 pcs.) 83.01 mm, 0.50 mm oversize, with piston rings	054 107 081/5
Piston set (5 pcs.) 83.01 mm, 0.50 mm oversize, with piston rings	054 107 105 C
Plastic baffle for oil pump	027 115 221
Plastic baffle for oil pump	027 115 221 A
Plastic baffle for oil pump	051 103 623
Plastic cap with sensor for brake fluid reservoir	357 611 349
Plug for water flange	357 121 140
Plug-in fuse, 10 Amp.	N 017 131 5
Plug-in fuse, 15 Amp.	N 017 131 6
Plug-in fuse, 20 Amp.	N 017 131 7
Plug-in fuse, 25 Amp.	N 017 131 8
Plug-in fuse, 30 Amp.	N 017 131 9
Power steering gear protection boot	357 422 831 B
Pressure regulator fuel distributor	037 133 035 C
Protecting boot for shock absorber, front	811 412 135 A
Protecting boot for shock absorber, front	811 412 135 B
Protecting boot for shock absorber, front	191 412 135
Protecting boot for shock absorber, front	357 412 135
Protection sleeve for steering gear, power steering	191 419 523 C
Protective tube for shock absorber, rear	1J0 513 425
Protective tube for shock absorber, rear, H=90 mm	191 513 425
Pull-open unit for carburetter	026 129 220
Pull-open unit for carburetter	030 129 220 A
Pull-open unit for carburetter	030 129 220 C

Email: [sales@simply-vwaudi.com](mailto:sales@simply-vwaudi.com)

Other manufacturers' numbers used for reference only

DESCRIPTION	OE Ref
Push rod tube	025 109 335
Push rod tube	070 109 335
Push rod tube	070 109 335 A
Radiator cap	171 121 321 B
Radiator cap	171 121 321 D
Radiator cap	171 121 321 F
Radiator cap	443 121 321
Radiator cap	1H0 121 321 A
Radiator cap	1H0 121 321 B
Radiator cap	1H0 121 321 C
Radiator cap	357 121 321
Radiator cap	357 121 321 A
Radiator cap	357 121 321 C
Radiator cap for expansion tank	025 121 321 A
Radiator cap for expansion tank	025 121 321 B
Radiator hose for carburetor	026 121 062 C
Radiator hose for expanon tank	321 121 191 D
Radiator hose for expanon tank	321 121 191 E
Radiator hose for expansion tank	191 121 109
Radiator hose for expansion tank	191 121 109 E
Radiator hose for expansion tank	811 121 109 K
Radiator hose for heat exchanger	191 819 373
Radiator hose for heat exchanger	191 819 373 D
Radiator hose for heat exchanger	4A1 819 371 B
Radiator hose for heat exchanger	893 819 371 A
Radiator hose for heating	171 121 088 B
Radiator hose for heating	171 121 088 D
Radiator hose for heating	321 819 371 F
Radiator hose for heating	321 819 375 D
Radiator hose for heating	357 819 371 E
Radiator hose for radiator, upper	171 121 101 AB
Radiator hose for radiator, upper	171 121 101 AH
Radiator hose for radiator, upper	171 121 101 E
Radiator hose for radiator, upper	171 121 101 N
Radiator hose for radiator, upper	191 121 101
Radiator hose for radiator, upper	191 121 101 B
Radiator hose for radiator, upper	191 121 101 F
Radiator hose for radiator, upper	191 121 101 G
Radiator hose for radiator, upper	191 121 101 P
Radiator hose for radiator, upper	191 121 101 Q
Radiator hose for radiator, upper	191 121 101 S
Radiator hose for radiator, upper	191 121 101 T
Radiator hose for radiator, upper	533 121 101 F
Radiator hose for radiator, upper	855 121 101
Radiator hose for radiator, upper	855 121 101 C
Radiator hose for radiator, upper	855 121 101 F
Radiator hose for radiator, upper	855 121 101 J
Radiator hose for thermo switch	049 121 123 A
Radiator hose, water flange for oil cooler	027 121 096 A
Radiator hose, carburetor pre-heat	026 121 056 G
Radiator hose, carburetor pre-heat	037 121 057
Radiator hose, cylinder block to oil cooler	074 121 096 D
Radiator hose, engine block to water pipe	026 121 063 B
Radiator hose, engine block to water pipe	026 121 063 M
Radiator hose, engine block to water pipe	026 121 063 N
Radiator hose, engine block to water pipe	055 121 063 A
Radiator hose, engine block to water pipe	068 121 063 M
Radiator hose, water pipe to oil cooler	026 121 058 D
Radiator hose, water pipe to oil cooler	037 121 058 A
Radiator hose, water pump to cylinder	026 121 053 F
Radiator hose, water pump to cylinder	026 121 053 G
Radiator hose, water pump to cylinder	027 121 063
Radiator hose, water pump to cylinder	056 121 053 B

**Email: [sales@simply-vwaudi.com](mailto:sales@simply-vwaudi.com)**

Other manufacturers' numbers used for reference only

DESCRIPTION	OE Ref
Radiator hose, water pump to cylinder	068 121 053 AE
Radiator hose, water pump to cylinder	068 121 053 E
Radiator hose, water pump to cylinder	068 121 053 M
Radiator hose, water pump to cylinder	068 121 053 P
Radiator, 600x306 mm, PL/CU	893 121 251
Radiator, 600x306 mm, PL/CU	E-030
Radiator, 615x303 mm, PL/CU	443 121 251 D
Radiator, 615x303 mm, PL/CU	443 121 251 N
Radiator, 615x303 mm, PL/CU	E-018
Radiator, 675x322 mm, PL/ALU	191 121 251 C
Radiator, 675x322 mm, PL/ALU	191 121 251 F
Radiator, 675x322 mm, PL/ALU	191 121 253 B
Radiator, 675x322 mm, PL/ALU	191 121 253 J
Radiator, 700x322 mm, PL/ALU	321 121 251 A
Radiator, 700x322 mm, PL/ALU	321 121 251 AJ
Radiator, 700x322 mm, PL/ALU	321 121 251 AL
Radiator, 700x322 mm, PL/ALU	321 121 251 BL
Radiator, 700x322 mm, PL/ALU	321 121 253 AJ
Radiator, 700x322 mm, PL/ALU	E-986
Rear axle journal, complete, for disc	8D0 501 117 C
Rear axle journal, complete, for disc brake, with ABS, left	191 501 117 A
Rear axle journal, complete, for disc brake, with ABS, left	191 501 117 B
Rear axle journal, complete, for disc brake, with ABS, left	191 501 117 D
Rear axle journal, complete, for disc brake, with ABS, left	191 501 117 E
Rear axle journal, complete, for disc brake, with ABS, left	333 501 117
Rear axle journal, complete, for disc brake, with ABS, left	333 501 117 A
Rear axle journal, complete, for disc brake, with ABS, right	191 501 118 A
Rear axle journal, complete, for disc brake, with ABS, right	191 501 118 B
Rear axle journal, complete, for disc brake, with ABS, right	191 501 118 C
Rear axle journal, complete, for disc brake, with ABS, right	191 501 118 D
Rear axle journal, complete, for disc brake, with ABS, right	333 501 118
Rear axle journal, complete, for disc brake, with ABS, right	333 501 118 A
Rear axle journal, complete, for drum brake, without ABS	321 501 117
Rear axle journal, complete, for drum brake, without ABS	357 501 117
Rear axle journal, complete, for drum brake, without ABS	357 501 117 A
Rear brake disc, 226x10 mm	191 615 601
Rear brake disc, 226x10 mm	191 615 601 A
Rear brake disc, 226x10 mm	191 615 601 B
Rear brake disc, 226x10 mm	357 615 601
Rear brake disc, 226x10 mm	357 615 601 B
Rear brake disc, 245x10 mm	4A0 615 601 A
Rear brake disc, 245x10 mm, 14" wheels	443 615 601 E
Rear door handle, left	357 839 205
Rear door handle, left	3A0 839 205 A
Rear door handle, left	443 839 205 B
Rear door handle, left	443 839 205 C
Rear door handle, left	443 839 207 B
Rear door handle, right	357 839 206
Rear door handle, right	3A0 839 206 A
Rear door handle, right	443 839 206 B
Rear door handle, right	173 839 206 E
Rear door handle, right	173 839 206 G
Rear door handle, right	193 839 206
Rear flap lock with keys	165 827 571 F
Rear flap lock with keys	191 827 571 E
Rear flap lock with keys (for central lock system)	893 862 055
Rear flap lock with keys (not for central lock system)	443 827 539
Rear flap lock with keys (not for central lock system)	893 827 539
Rear outer door handle, left, black	173 839 205 E
Rear outer door handle, left, black	173 839 205 G
Rear outer door handle, left, black	193 839 205
Rear wheel bearing, D=∅ 40 mm d=∅ 17 mm H=15 mm	311 405 645
Rear wheel bearing, D=∅ 40 mm d=∅ 17 mm H=15 mm	311 405 645.1

Email: [sales@simply-vwaudi.com](mailto:sales@simply-vwaudi.com)

Other manufacturers' numbers used for reference only

DESCRIPTION	OE Ref
Rear wheel bearing, D=∅ 45 mm d=∅ 29 mm H=15 mm	211 405 645
Rear wheel bearing, D=∅ 45 mm d=∅ 29 mm H=15 mm	211 405 645 D
Relay for fuel pump	321 906 059 H
Relay for fuel pump	443 907 385 C
Relay for fuel pump	443 907 385 F
Relay for fuel pump	165 906 381
Relay for fuel pump	357 906 381
Relay for fuel pump	357 906 381 A
Relay for fuel pump, 10 Amp	321 906 059 C
Relay for headlamps, with clip	111 941 583
Relay for headlamps, with clip	343 941 583
Relay for headlamps, with clip	343 941 583
Relay for intake manifold heating	443 951 253 K
Relay for intake manifold heating,40 Amp	191 906 383
Relay for intake manifold heating,40 Amp	191 906 383 C
Relay for intake manifold heating,40 Amp	857 951 253
Relay for intake manifold heating,40 Amp	171 906 383
Relay for wiper/washer, front	191 955 531
Relay for wiper/washer, front	321 955 531 A
Relay for wiper/washer, front	431 955 531
Relay plate/fuse box	171 941 813 D
Relay plate/fuse box	171 941 821 B
Relay plate/fuse box	171 941 821 C
Relay plate/fuse box	171 941 821 D
Relay plate/fuse box	443 941 822 A
Relay plate/fuse box	443 941 822 B
Relay shaft for shifter	191 711 173 B
Relay shaft for shifter	1H0 711 173
Relay/timer for rear wiper/washer	191 955 529
Repair kit for gear shift	191 798 116
Repair kit for gear shift	191 798 116 A
Repair kit for gear shift	191 798 116 AS
Retaining ring for exhaust	176 253 147
Retaining ring for exhaust	191 253 147
Retaining ring for exhaust	191 253 147 A
Retaining ring for exhaust	1H0 253 147 B
Retaining ring for exhaust	1H0 253 147 C
Retaining ring for exhaust	191 253 147 B
Retaining ring for exhaust	443 253 147 A
Retaining ring for exhaust	4A0 253 147 A
Retaining spring for water flange	025 121 142
Retaining spring for water flange	032 121 142
Rheostat for headlamp	8A0 941 301 A
Ribbed V-belt for air condition, 13x825 mm	049 260 849 A
Ribbed V-belt for air condition, 13x825 mm	068 260 149 A
Ribbed V-belt for air condition, 21.18x1153 mm	037 260 849
Ribbed V-belt for air condition, 21.18x1153 mm	037 260 849 C
Ribbed V-belt for generator, 21.36x2260 mm, for cars with air condition	078 903 137 P
Ribbed V-belt for generator,21.36x894 mm, alternator 60-90 Amp	037 903 137 A
Ribbed V-belt for generator,21.36x894 mm, alternator 60-90 Amp	037 903 137 B
Ribbed V-belt for generator,21.36x894 mm, alternator 60-90 Amp	037 903 137 D
Ribbed V-belt for generator,21.36x894 mm, alternator 60-90 Amp	037 903 137 E
Rod bearing set, 0.25 oversize, with oil hole	034 105 707/8
Rod bearing set, 0.25 oversize, with oil hole	87 200 610
Rod bearing set, standard size	033 105 701/8
Rod bearing set, standard size	068 198 501
Rod bearing set, standard size	069 105 701 A/8
Rod bearing set, standard size	87 464 600
Rod bearing set, standard size, 0.25 oversize	033 105 707/8
Rod bearing set, standard size, 0.25 oversize	068 198 503
Rod bearing set, standard size, 0.25 oversize	069 105 707 A/8
Rod bearing set, standard size, 0.25 oversize	87 464 610
Rod bearing set, standard size, 0.50 oversize, with oil hole	034 105 713/8

Email: [sales@simply-vwaudi.com](mailto:sales@simply-vwaudi.com)

Other manufacturers' numbers used for reference only

DESCRIPTION	OE Ref
Rod bearing set, standard size, 0.50 oversize, with oil hole	87 200 620
Rod bearing set, standard size, 0.75 oversize	033 105 719/8
Rod bearing set, standard size, 0.75 oversize	068 198 507
Rod bearing set, standard size, 0.75 oversize	069 105 719 A/8
Rod bearing set, standard size, 0.75 oversize	87 464 630
Rod bearing set, standard size, 0.75 oversize, with oil hole	034 105 719/8
Rod bearing set, standard size, 0.75 oversize, with oil hole	87 200 630
Rod bearing set, standard size, with oil hole	034 105 701/8
Rod bearing set, standard size, with oil hole	87 200 600
Roller chain for camshaft, 455/44E	027 109 120
Roller chain for camshaft, 455/44E	077 109 120
Rotary knob back rest	191 881 595
Rotary knob back rest	357 881 671
Rotary knob for seat lock rest	191 811 671
Rotor	026 905 225
Rotor	026 905 225 K
Rotor	035 905 225
Rotor	035 905 225 A
Rotor	035 905 225 C
Rotor	035 905 225 F
Rotor	052 905 225 C
Rubber buffer for engine hood	867 827 500
Rubber buffer for engine hood	867 827 500 A
Rubber buffer for rear shock absorber	1J0 512 131
Rubber buffer for rear shock absorber	443 512 129
Rubber buffer for rear shock absorber	443 512 131
Rubber buffer for rear shock absorber, H=146 mm	191 512 131
Rubber buffer for rear shock absorber, H=146 mm	191 512 131 B
Rubber buffer for shock absorber, front	443 412 131 A
Rubber buffer for shock absorber, front, H=84mm	176 412 303 A
Rubber buffer for shock absorber, front, H=84mm	191 412 303
Rubber buffer for shock absorber, front, H=84mm	191 412 303 A
Rubber buffer for shock absorber, front, H=84mm	357 412 303 E
Rubber gasket for oil sump,single sealing lip	048 103 609 B
Rubber gasket for oil sump,single sealing lip	048 103 609 C
Rubber mount for bracket fuel pump	191 201 256
Rubber mount for engine support	1J0 199 262 BE
Rubber mount for engine support	1J0 199 262 BK
Rubber mount for engine support	4A0 199 339
Rubber mount for engine support	4A0 199 379 G
Rubber mount for engine support	6N0 199 262 A
Rubber mount for engine support	6N0 199 262 L
Rubber mount for engine support	6N0 199 555 E
Rubber mount for engine support	6N0 199 555 G
Rubber mount for engine support	8D0 199 379 K
Rubber mount for engine support	357 199 381 A
Rubber mount for engine support	357 199 381 C
Rubber mount for engine support	443 199 379
Rubber mount for engine support	443 199 379 D
Rubber mount for engine support	443 199 379 E
Rubber mount for engine support	443 199 381
Rubber mount for engine support	443 199 381 C
Rubber mount for engine support	535 199 262
Rubber mount for engine support	823 199 381 B
Rubber mount for engine support	893 199 381 B
Rubber mount for engine support, D=ø 24 mm W=39.5 mm	191 199 233
Rubber mount for engine support, D=ø 24 mm W=39.5 mm	1H0 199 233 A
Rubber mount for engine support, D=ø 63 mm d=ø 25 mm L=47 mm	811 199 339 A
Rubber mount for engine support, D=ø 63 mm d=ø 25 mm L=47 mm	811 199 339 B
Rubber mount for engine support, D=ø 63 mm d=ø 25 mm L=47 mm	823 199 339 A
Rubber mount for engine support, front	191 199 279 E
Rubber mount for engine support, front	191 199 279 F
Rubber mount for engine support, front	1H0 199 609 B

Email: [sales@simply-vwaudi.com](mailto:sales@simply-vwaudi.com)

Other manufacturers' numbers used for reference only

DESCRIPTION	OE Ref
Rubber mount for engine support, front	1H0 199 609 D
Rubber mount for engine support, front	1H0 199 609 E
Rubber mount for engine support, front	1H0 199 609 F
Rubber mount for engine support, front	1H0 199 609 G
Rubber mount for engine support, front	1H0 199 609 H
Rubber mount for engine support, front	1H0 199 609 J
Rubber mount for engine support, front	1H0 199 609 K
Rubber mount for engine support, front	357 199 609
Rubber mount for engine support, front	357 199 279
Rubber mount for engine support, front	357 199 279 B
Rubber mount for engine support, front, D=ø 39 mm B402d=ø 12 mm H=46 mm	8A0 199 415 B
Rubber mount for engine support, front, D=ø 39 mm B402d=ø 12 mm H=46 mm	8A0 199 415 C
Rubber mount for engine support, front, D=ø 39 mm d=ø 10 mm H=46 mm	325 199 415.1
Rubber mount for engine support, front, D=ø 39 mm d=ø 10 mm H=46 mm	811 199 415 A
Rubber mount for engine support, front, D=ø 39 mm d=ø 10 mm H=46 mm	823 199 415 B
Rubber mount for engine support, front, D=ø 39 mm d=ø 10 mm H=46 mm	893 199 415
Rubber mount for engine support, front, D=ø 68 mm d=ø 26 mm L=46 mm	893 199 339
Rubber mount for engine support, front, D=ø 68 mm d=ø 26 mm L=46 mm	8D0 199 339 F
Rubber mount for engine support, front, D=ø 70 mm d=ø 26 mm L=47 mm	893 199 339 D
Rubber mount for engine support, left	1J0 199 555 AH
Rubber mount for engine support, left	1J0 199 555 AJ
Rubber mount for engine support, left	1J0 199 555 AK
Rubber mount for engine support, left	1J0 199 555 AL
Rubber mount for engine support, left	827 199 381
Rubber mount for engine support, left	893 199 381 D
Rubber mount for engine support, left	8A0 199 381 A
Rubber mount for engine support, left	4A0 119 351
Rubber mount for engine support, left	4A0 199 351 A
Rubber mount for engine support, left	4A0 199 351 B
Rubber mount for engine support, left	4A0 199 352 B
Rubber mount for engine support, left, M8x1.5	8D0 199 379 A
Rubber mount for engine support, left, M8x1.5	8D0 199 379 G
Rubber mount for engine support, left, M8x1.5	8D0 199 379 J
Rubber mount for engine support, left, M8x1.5	8D0 199 379 S
Rubber mount for engine support, left, rear	176 199 402
Rubber mount for engine support, left, rear	191 199 402
Rubber mount for engine support, left, rear	191 199 402 A
Rubber mount for engine support, left, rear	191 199 402 B
Rubber mount for engine support, left, rear	191 199 402 C
Rubber mount for engine support, left, rear	357 199 402
Rubber mount for engine support, left, rear	357 199 402 A
Rubber mount for engine support, left, rear	357 199 402 B
Rubber mount for engine support, left, rear	357 199 402 C
Rubber mount for engine support, left, rear	3A0 199 402
Rubber mount for engine support, left, D=ø 74.5 mm d=ø 11 mm W=42.5 mm	171 199 214 G
Rubber mount for engine support, M10x1.5	8A0 199 379 B
Rubber mount for engine support, M10x1.5	8A0 199 379 E
Rubber mount for engine support, rear, center	070 199 231
Rubber mount for engine support, rear, D=ø 38.3 mm d=ø 10.2 mm H=42 mm	811 199 419 B
Rubber mount for engine support, rear, D=ø 38.3 mm d=ø 10.2 mm H=42 mm	811 199 419 C
Rubber mount for engine support, rear, D=ø 38.3 mm d=ø 10.2 mm H=42 mm	893 199 419
Rubber mount for engine support, rear, D=ø 40.5 mm d=ø 10 mm H=36 mm	811 199 419 A
Rubber mount for engine support, rear, D=ø 40.5 mm d=ø 10 mm H=36 mm	823 199 419
Rubber mount for engine support, rear, left	191 199 381
Rubber mount for engine support, rear, left	191 199 381 A
Rubber mount for engine support, rear, left/right	070 199 231 A
Rubber mount for engine support, right	1J0 199 262 BF
Rubber mount for engine support, right	443 199 382
Rubber mount for engine support, right	4A0 199 352
Rubber mount for engine support, right	4A0 199 352 A
Rubber mount for engine support, right	823 199 381 C
Rubber mount for engine support, right	893 199 381 C
Rubber mount for engine support, right	8A0 199 381 B

Email: [sales@simply-vwaudi.com](mailto:sales@simply-vwaudi.com)

Other manufacturers' numbers used for reference only

DESCRIPTION	OE Ref
Rubber mount for engine support, right	8A0 199 382 A
Rubber mount for engine support, right	8A0 199 382 B
Rubber mount for engine support, right	8D0 199 382 E
Rubber mount for engine support, right	8D0 199 382 J
Rubber mount for engine support, right	8D0 199 382 L
Rubber mount for engine support, right, rear	1H0 199 262 A
Rubber mount for engine support, right, rear	1H0 199 262 B
Rubber mount for engine support, right, rear	1H0 199 262 D
Rubber mount for engine support, right, rear	1H0 199 262 E
Rubber mount for engine support, right, rear	1H0 199 262 F
Rubber mount for engine support, right, rear	1H0 199 262 G
Rubber mount for engine support, right, rear	1H0 199 262 H
Rubber mount for engine support, right, rear	1H0 199 262 K
Rubber mount for engine support, right, rear	357 199 262 A
Rubber mount for engine support, right, rear	357 199 262 D
Rubber mount for engine support, right, rear	191 199 262 A
Rubber mount for gear box	431 399 151 D
Rubber mount for gear box	443 399 415
Rubber mount for gear box	8D0 399 415 D
Rubber mount for gear box	8D0 399 415 E
Rubber mount for gear box	8D0 399 419 C
Rubber mount for gear box, automatic	4A0 399 151 C
Rubber mount for gear box, front	4A0 399 415
Rubber mount for gear box, front	4A0 399 415 B
Rubber mount for gear box, front, D=ø 46 mm d=ø 12 mm H=51 mm	431 399 415 B
Rubber mount for gear box, front, D=ø 46 mm d=ø 12 mm H=51 mm	443 399 415 A
Rubber mount for gear box, left	893 399 151 A
Rubber mount for gear box, left	811 399 151
Rubber mount for gear box, left	811 399 151 A
Rubber mount for gear box, left	811 399 151 B
Rubber mount for gear box, manual	4A0 399 151 D
Rubber mount for gear box, manual	4A0 399 151 K
Rubber mount for gear box, manual	893 399 151 F
Rubber mount for gear box, manual	8D0 399 151 H
Rubber mount for gear box, manual	8D0 399 151 J
Rubber mount for gear box, manual	8D0 399 151 M
Rubber mount for gear box, rear, D=ø 53 mm d=ø 12 mm H=51 mm	443 399 419 A
Rubber mount for gear box, rear, left	4A0 399 419 C
Rubber mount for gear box, rear, left	4A0 399 419 D
Rubber mount for gear box, rear, left	4A0 399 419 E
Rubber mount for gear box, rear, right	4A0 399 420 C
Rubber mount for gear box, rear, right	4A0 399 420 D
Rubber mount for gear box, rear, right	4A0 399 420 E
Rubber mount for radiator	171 121 275
Rubber mount for radiator	171 121 275 E
Rubber mount for radiator	3A0 121 367
Rubber mount for radiator	4A0 121 273 A
Rubber mount for radiator, D=ø 27 mm H=11.5 mm	431 121 273 A
Rubber mount for radiator, D=ø 27 mm H=11.5 mm	443 121 273 E
Rubber mount for radiator, D=ø 40 mm H=15 mm M8x1.5	431 121 273
Rubber mount for radiator, left	8D0 121 275
Rubber mount for rear axle beam	443 511 523 B
Rubber mount for rear axle beam	4A0 511 247
Rubber mount for rear axle beam	4D0 511 523 A
Rubber mount for rear axle beam	4D0 511 523 B
Rubber mount for rear axle beam	4D0 511 523 C
Rubber mount for rear axle beam	811 511 247
Rubber mount for rear axle beam	8D0 501 541 D
Rubber mount for rear axle beam, D=ø 44.5 mm d=ø 12 mm H=40 mm	321 501 541
Rubber mount for rear axle beam, D=ø 44.5 mm d=ø 12 mm H=90 mm	191 501 541
Rubber mount for rear axle beam, D=ø 48 mm d=ø 14 mm H=25 mm	4A0 511 247 B
Rubber mount for rear axle beam, D=ø 56 mm d=ø 12 mm H=43 mm	431 511 247 C
Rubber mount for rear axle beam, D=ø 56 mm d=ø 12 mm H=50 mm	1H9 501 541

Email: [sales@simply-vwaudi.com](mailto:sales@simply-vwaudi.com)

Other manufacturers' numbers used for reference only

DESCRIPTION	OE Ref
Rubber mount for rear axle beam, D=∅ 56 mm d=∅ 12 mm H=50 mm	333 501 541
Rubber mount for rear axle beam, D=∅ 56 mm d=∅ 12 mm H=50 mm	357 501 541
Rubber mount for rear axle beam, D=∅ 56 mm d=∅ 12 mm H=50 mm	357 501 541 A
Rubber mount for rear axle beam, D=∅ 56 mm d=∅ 12 mm H=50 mm	3A0 501 541
Rubber mount for rear axle beam, D=∅ 56 mm d=∅ 12 mm H=90 mm	1H0 501 541
Rubber mount for rear axle beam, D=∅ 56 mm d=∅ 12 mm H=90 mm	1H0 501 541 A
Rubber mount for rear axle beam, D=∅ 58 mm d=∅ 10 mm H=58 mm	6N0 501 541 D
Rubber mount for rear axle beam, D=∅ 72 mm H=90 mm	1J0 501 541 C
Rubber mount for steering gear, W=28 mm	191 419 883
Rubber mount for suspension brace	431 505 172
Rubber mount for wishbone	857 407 181
Rubber mount for wishbone	8A0 407 181
Rubber mount for wishbone	431 407 181 F
Rubber mount for wishbone	4A0 407 181 A
Rubber mount for wishbone, D=∅ 33 mm d=∅ 12 mm H=54 mm	191 407 182
Rubber mount for wishbone, D=∅ 33 mm d=∅ 12 mm H=54 mm	357 407 182
Rubber mount for wishbone, D=∅ 37.5 mm d=∅ 10 mm H=44 mm	857 407 181
Rubber mount for wishbone, D=∅ 38 mm d=∅ 10 mm H=44 mm	811 407 181
Rubber mount for wishbone, D=∅ 38 mm d=∅ 10 mm H=44 mm	811 407 181 A
Rubber mount for wishbone, D=∅ 40 mm d=∅ 12 mm H=50 mm	4D0 407 181 F
Rubber mount for wishbone, D=∅ 40 mm d=∅ 12 mm H=50 mm	4D0 407 181 H
Rubber mount for wishbone, D=∅ 44 mm d=∅ 10 mm H=44 mm	893 407 181
Rubber mount for wishbone, D=∅ 46.5 mm d=∅ 12 mm H=58 mm	431 407 183 A
Rubber mount for wishbone, D=∅ 60 mm d=∅ 17 mm H=41 mm	191 407 181 A
Rubber mount for wishbone, D=∅ 60 mm d=∅ 17 mm H=41 mm	191 407 181 B
Rubber mount for wishbone, D=∅ 61 mm d=∅ 17 mm H=46 mm	6N0 407 181
Rubber mount for wishbone, front lower, D=∅ 35 mm d=∅ 14 mm H=60 mm	701 407 183
Rubber mount for wishbone, front, D=∅ 41 mm d=∅ 14 mm H=60mm	701 407 183 C
Rubber mount for wishbone, front, D=∅ 41 mm d=∅ 14 mm H=60mm	7D0 407 183
Rubber mount for wishbone, front,upper, D=∅ 39 mm d=∅ 12 mm H=60 mm	701 407 077
Rubber mount for wishbone, left, D=∅ 54.5 mm d=∅ 15 mm H=48 mm	4A0 407 183 C
Rubber mount for wishbone, left, D=∅ 54.5 mm d=∅ 15 mm H=48 mm	4A0 407 183 D
Rubber mount for wishbone, lower, inner, D=∅ 50 mm d=∅ 12 mm H=60 mm	4D0 407 182 E
Rubber mount for wishbone, lower, left, D=∅ 43.5 mm d=∅ 12 mm H=85 mm	251 407 183
Rubber mount for wishbone, lower, left, D=∅ 43.5 mm d=∅ 12 mm H=85 mm	251 407 183 B
Rubber mount for wishbone, rear, D=∅ 38 mm d=∅ 16 mm H=55mm	171 407 181
Rubber mount for wishbone, rear, D=∅ 38 mm d=∅ 16 mm H=55mm	171 407 181 A
Rubber mount for wishbone, rear, D=∅ 60 mm d=∅ 13 mm H=41mm	1J0 407 181
Rubber mount for wishbone, rear, D=∅ 65 mm d=∅ 12 mm H=80 mm	4D0 407 183 M
Rubber mount for wishbone, rear, D=∅ 65 mm d=∅ 12 mm H=80 mm	4D0 407 183 N
Rubber mount for wishbone, rear, D=∅ 65 mm d=∅ 12 mm H=80 mm	4D0 407 183 P
Rubber mount for wishbone, rear, lower, D=∅ 50 mm d=∅ 14 mm H=60 mm	701 407 140 B
Rubber mount for wishbone, rear, lower, D=∅ 50 mm d=∅ 14 mm H=60 mm	701 407 140 C
Rubber mount for wishbone, rear, lower, D=∅ 50 mm d=∅ 14 mm H=60 mm	7D0 407 140
Rubber mount for wishbone, rear, upper, D=∅ 35 mm d=∅ 12 mm H=60 mm	701 407 087
Rubber mount for wishbone, rear,D=∅ 60 mm d=∅ 17 mm W=41 mm	191 407 181 D
Rubber mount for wishbone, rear,D=∅ 60 mm d=∅ 17 mm W=41 mm	191 407 181 E
Rubber mount for wishbone, rear,D=∅ 60 mm d=∅ 17 mm W=41 mm	357 407 181
Rubber mount for wishbone, upper	251 407 077
Rubber mount for wishbone, upper	251 407 077 B
Rubber mount, D=∅ 20mm d=∅ 6 mm H=40 mm h=B32410 mm	443 133 741 A
Rubber stop for muffler	431 253 149 A
Seal for valve stem, d=∅ 7 mm	026 109 675
Seal for valve stem, d=∅ 7 mm	035 109 675
Seal for valve stem, d=∅ 7 mm	056 109 675
Seal ring for thermostat, 44x4 mm	052 121 119
Seal ring for thermostat, 47x4 mm	032 121 119 B
Seal ring for thermostat, 50x4 mm	038 121 119 B
Seal ring for thermostat, 50x4 mm	059 121 119
Seal water flange	357 198 140 S
Sealing strip for valve cover, front	056 103 489 A
Selecting rod, 4 speed, L=86 mm	191 711 595
Selecting rod, 5 speed, front, L=220 mm	191 711 574

Email: [sales@simply-vwaudi.com](mailto:sales@simply-vwaudi.com)

Other manufacturers' numbers used for reference only

DESCRIPTION	OE Ref
Selecting rod, 5 speed, L=74 mm	191 711 595 A
Self-locking nut for wheel hub, M20x1.5 mm	171 407 643 A
Sender for fuel gauge	321 919 051 T
Sender for temperature gauge, 2 pins	251 919 501
Sender for temperature gauge, 2 pins, black-green	251 919 501 A
Sender for temperature gauge, 2 pins, black-green	251 919 501 D
Sender for water temperatuer gauge, 1 pin	027 919 501
Sender for water temperatuer gauge, 1 pin	049 919 501
Sender for water temperatuer gauge, 1 pin	175 919 501
Sender for water temperature,gauge, 2 pins	049 919 501 B
Sender for water temperature,gauge, 2 pins	049 919 501 E
Set brake shoe set with linings, 180x30 mm	171 698 051 C
Set brake shoe set with linings, 180x30 mm	191 698 051
Set brake shoe set with linings, 180x30 mm	531 698 051
Shock absorber, front	443 413 031
Shock absorber, front	443 413 031 E
Shock absorber, front	811 413 503
Shock absorber, front	811 413 503 D
Shock absorber, front	811 413 503 D/E
Shock absorber, front	811 413 503 F
Shock absorber, front	811 413 503 G
Shock absorber, front	811 413 503 G/H
Shock absorber, front	893 413 503 F
Shock absorber, front	893 413 503 Q
Shock absorber, front	8A0 413 503 B
Shock absorber, front	191 413 031
Shock absorber, front	191 413 031 H
Shock absorber, front	191 413 031 P
Shock absorber, front	1H0 413 031
Shock absorber, front	1H0 413 031 C
Shock absorber, front	1L0 413 031 C
Shock absorber, front	3B0 413 031
Shock absorber, front	3B0 413 031 A
Shock absorber, rear	321 513 031 H
Shock absorber, rear	331 513 031 H
Shock absorber, rear	443 513 031
Shock absorber, rear	443 513 031 D
Shock absorber, rear	443 513 031 N
Shock absorber, rear	6K0 513 031 M
Shock absorber, rear	191 513 033
Shock absorber, rear	1H0 513 031
Shock absorber, rear	357 513 031
Shock absorber, rear	811 513 031 /B
Shock absorber, rear	811 513 031 D
Shock absorber, rear	811 513 031 E
Shock absorber, rear, gascharged	3B5 513 031 B
Side lamp bulb, 12 Volt, 4 W	000 045 202 B
Side lamp bulb, 12 Volt, 4 W	N 017 717 2
Side lamp bulb, 12 Volt, 4 W	Z 046 015
Slave cylinder for hydraulic clutch	4A0 721 261
Slave cylinder for hydraulic clutch	893 721 261
Slave cylinder for hydraulic clutch	893 721 261 A
Sleeve for clutch release bearing	016 141 181
Sleeve for clutch release bearing	113 141 181 A
Sleeve for clutch release bearing	113 141 181 B
Sleeve for clutch release bearing	477 141 181
Spark plug	101 000 001 AD
Spark plug	101 000 003 AA
Spark plug	241 236 804
Spark plug	F6DTC
Spark plug	W7DC
Spark plug	W7DTC
Spark plug	W8DTC

Email: [sales@simply-vwaudi.com](mailto:sales@simply-vwaudi.com)

Other manufacturers' numbers used for reference only

DESCRIPTION	OE Ref
Spark plug connector with saw tooth connector	036 035 281 A
Spark plug connector with saw tooth connector, 5 K-ohm	036 035 255 A
Spark plug connector with saw tooth connector, 5 K-ohm	036 035 255 E
Spark plug connector with saw tooth connector, 5 K-ohm	036 035 255 J
Spark plug connector, saw tooth connection	027 905 447
Spark plug connector, wood screw	052 905 445
Spark pulg connector with saw tooth connector	052 035 281
Speedo cable	171 857 803 E
Speedo cable	171 957 803 B
Speedo cable	171 957 803 D
Speedo cable	171 957 803 G
Speedo cable	171 957 803 H
Speedo cable	172 957 803 B
Speedo cable	191 957 803 A
Speedo cable	191 957 803 D
Speedo cable	191 957 803 H
Speedo cable	321 957 803 AE
Speedo cable	321 957 803 AF
Speedo cable	811 957 801 K
Speedo cable	812 957 801 H
Spring seat for shock absorber, rear, upper	191 512 113
Spring seat for strut mount	357 412 341 A
Starter motor, New	020 911 023 N
Starter motor, New	026 911 023
Starter motor, reconditioned	055 911 023 C
Starter motor, reconditioned	055 911 023 K
Starter motor, reconditioned, 0.95 KW	035 911 023 L
Steering gear protection boot	6N0 419 831
Steering gear protection boot	171 419 831 B
Steering gear protection boot	171 419 831 C
Steering gear protection boot	191 419 831
Steering gear protection boot, L=150 mm	811 419 831 B
Steering gear, not for power steering	191 419 063
Steering gear, not for power steering	191 419 063 B
Steering gear, not for power steering	443 419 063 B
Steering gear, not for power steering	811 419 063 F
Steering gear, not for power steering	191 419 063 C
Stop and tail light bulb, 12 Volt, 21/5 W	000 045 233
Stop and tail light bulb, 12 Volt, 21/5 W	N 017 738 2
Stop and tail light bulb, 12 Volt, 21/5 W	N 017 738 3
Stop and tail light bulb, 12 Volt, 21/5 W	Z 046 032
Strut mounting for shock absorber front, D=ø 77 mm d=ø 12 mm H=41 mm	871 412 323 A
Strut mounting for shock absorber, front	4D0 412 377 F
Strut mounting for shock absorber, front	431 412 377 C
Strut mounting for shock absorber, front	431 412 377 D
Strut mounting for shock absorber, front	443 412 377
Strut mounting for shock absorber, front	4A0 412 337 A
Strut mounting for shock absorber, front	4A0 412 377 B
Strut mounting for shock absorber, front	4A0 412 377 C
Strut mounting for shock absorber, front, D=ø 126 mm d=ø 14 mm	357 412 329
Strut mounting for shock absorber, front, D=ø 132 mm d=ø 14 mm	176 412 329
Strut mounting for shock absorber, front, D=ø 132 mm d=ø 14 mm	176 412 329 A
Strut mounting for shock absorber, front, D=ø 132 mm d=ø 14 mm	191 412 329
Strut mounting for shock absorber, front, d=ø 14 mm	171 412 329
Strut mounting for shock absorber, front, d=ø 14 mm	171 412 329 A
Strut mounting for shock absorber, front, d=ø 14 mm	175 412 329 A
Strut mounting for shock absorber, front, upper, new implementation,d=ø 14 mm H=37 mm	811 412 323 D
Strut mounting for shock absorber, front, upper, new implementation,d=ø 14 mm H=37 mm	8A0 412 323 B
Strut mounting for shock absorber, front, upper, new implementation,d=ø 14 mm H=37 mm	8A0 412 323 D
Strut mounting for shock absorber, front, upper, without bearing	357 412 331 A
Strut mounting for shock absorber, upper, without bearing, D=ø 83 mm d=ø 26 mm H=54 mm	1J0 412 331 C
Stud for cylinder head cover	026 103 400 A
Support for rear shock absorber	1J0 513 353 A

Email: [sales@simply-vwaudi.com](mailto:sales@simply-vwaudi.com)

Other manufacturers' numbers used for reference only

DESCRIPTION	OE Ref
Support for rear shock absorber	1J0 513 353 B
Support for rear shock absorber	1J0 513 353 C
Support for rear shock absorber	8E0 513 353 B
Support for rear shock absorber	8E0 513 353 C
Support for spring seat, shock absorber, rear	1J0 512 149 B
Support for spring seat, shock absorber, rear	191 512 149
Support for spring seat, shock absorber, rear	1H0 512 149
Support rear, manual gearbox	1J0 199 851 AA
Support rear, manual gearbox	1J0 199 851 M
Support rear, manual gearbox	6N0 199 851
Support rear, manual gearbox	6N0 199 851 AG
Support rear, manual gearbox	6N0 199 851 H
Support rear, manual gearbox	6N0 199 851 S
Suspension strut mount for rear-axle, d=ø 10 mm H=40 mm	443 512 331
Suspension strut mount, lower	191 512 333
Suspension strut mount, lower	191 512 335
Switch assembly including wiper arm	251 953 503 N
Switch for back up light	014 919 361
Switch for back up light	019 941 521
Switch for back up light	084 941 521
Switch for back up light	191 919 823
Switch for back up light, 4 speed	020 945 415 A
Switch for blower	171 959 511
Switch for blower, cars with air condition	191 959 511A
Switch for blower, cars with air condition	321 959 511 A
Switch for electric window lifter	191 959 855
Switch for fog lamp	191 941 535
Switch for fog lamp	191 941 535 B
Switch for head lamps with rheostat for dashboard lightning	191 941 531 A
Switch for head lamps with rheostat for dashboard lightning	191 941 531 H
Switch for head lamps with rheostat for dashboard lightning	191 941 531 k
Switch for headlamp with rheostat dashboard lightning	357 941 531
Switch for headlamps with rheostat for dashboard lightning	305 941 531 A
Switch for headlamps with rheostat for dashboard lightning	321 941 531 G
Switch for headlamps with rheostat for dashboard lightning	321 941 531 H
Switch for headlamps with rheostat for dashboard lightning	321 941 531 K
Switch for rear window defogger	191 959 621
Switch for rear window defogger	191 959 621 B
Switch for rear window defogger	321 959 621 B
Synchronizer for transmission	014 311 295 D
Synchronizer for transmission	014 311 295 E
Tail light bulb, 12 Volt, 5 W	000 045 203 B
Tail light bulb, 12 Volt, 5 W	N 017 718 2
Tail light bulb, 12 Volt, 5 W	Z 046 011
Tail light, without socket, left	165 945 111
Tail light, without socket, right	165 945 112
Temperature sensor, 2 pins	026 906 161
Temperature sensor, 2 pins, blue	025 906 041 A
Tensiner roller for V-ribbed belt, M8x1.25, D=ø 78 mm d=ø 8 mm W=26 mm	028 145 278
Tensiner roller for V-ribbed belt, M8x1.25, D=ø 78 mm d=ø 8 mm W=26 mm	028 145 278 A
Tensiner roller for V-ribbed belt, M8x1.25, D=ø 78 mm d=ø 8 mm W=26 mm	028 145 278 E
Tension pulley for timing belt	06A 109 479
Tension pulley for timing belt	06A 109 479 A
Tensioning damper for ribbed V-belt	06A 903 315 D
Tensioning damper for ribbed V-belt	06A 903 315 E
Thermo switch for cooling system, 20 mm, 65/55°C	251 919 369
Thermo switch for cooling system, 20 mm, 100/95°C	701 919 369 D
Thermo switch for cooling system, 20 mm, 105/112°C	701 919 369 E
Thermo switch for cooling system, 20 mm, 112°C	357 919 369 F
Thermo switch for cooling system, 20 mm, 55/65°C	701 919 369
Thermo switch for cooling system, double, M10x1, 40/30°C+65/55°C	035 919 369
Thermo switch for cooling system, double, M10x1, 40/30°C+65/55°C	035 919 369 A
Thermo switch for cooling system, double, M10x1, 40/30°C+65/55°C	056 919 369 S

Email: [sales@simply-vwaudi.com](mailto:sales@simply-vwaudi.com)

Other manufacturers' numbers used for reference only

DESCRIPTION	OE Ref
Thermo switch for cooling system, M10x1, 40/30°C	035 919 369 B
Thermo switch for cooling system, M10x1, 55/65°C	035 919 369 C
Thermo switch for cooling system, M14x1.5, 10/20/80°C	035 919 369 M
Thermo switch for fan, 75/70°C 2 pins	823 959 481 A/70
Thermo switch for fan, 75/70°C 2 pins	823 959 481 F/70
Thermo switch for fan, 75/70°C 2 pins	823 959 481 L/70
Thermo switch for fan, 82/75°C 2 pins	823 959 481 F/75
Thermo switch for fan, 85/80°C 2 pins	823 959 481 G/80
Thermo switch for fan, 85/80°C 3 pins	191 959 481 C80
Thermo switch for fan, 85/80°C 3 pins	321 959 481 D80
Thermo switch for fan, 92/75°C 2 pins	823 959 481 A
Thermo switch for fan, 92/75°C 2 pins	823 959 481 F
Thermo switch for fan, 92/75°C 2 pins	823 959 481 F/87
Thermo switch for fan, 92/75°C 2 pins	823 959 481 L
Thermo switch for fan, 95/84°C 2 pins	191 959 481 B
Thermo switch for fan, 95/84°C 2 pins	321 959 481 E
Thermo switch for fan, 95/84°C 2 pins	867 959 481
Thermo switch for fan, 95/84°C 3 pins	191 959 481 C
Thermo switch for fan, 95/84°C 3 pins	191 959 481 C84
Thermo switch for fan, 95/84°C 3 pins	321 959 481 D
Thermo switch for fan, 95/84°C 3 pins	321 959 481 D84
Thermo switch for fan, 95/84°C 3 pins, dual switch	1H0 959 481 B
Thermo switch for fan, 95/84°C 3 pins, dual switch	1H0 959 481 C
Thermo switch for fan, 95/90°C 2 pins	823 959 481 G
Thermo switch for fan, 95/90°C 2 pins	823 959 481 G/90
Thermo switch for intake manifold heating, 20 mm, 55/65°C	251 919 369 B
Thermo switch for lambda probe, M10x1, 25/17°C	035 919 369 D
Thermostat, 80°C	056 121 113 A
Thermostat, 80°C	075 121 113 D
Thermostat, 84°C	030 121 113
Thermostat, 87-102°C	044 121 113
Thermostat, 87-102°C	050 121 113 C
Thermostat, 87-102°C	068 121 113
Thermostat, 87-102°C	068 121 113 B
Thermostat, 87-102°C	068 121 113 H
Thermostat, 87-102°C	032 121 110 B
Thermostat, 87°C	035 121 113 B
Thermostat, 87°C	036 121 113
Thermostat, 87°C	052 121 113
Thermostat, 87°C	056 121 113 D
Thermostat, 87°C	056 121 113 D87
Thermostat, 87°C	069 121 113
Thermostat, 87°C	075 121 113 A/C
Thermostat, 87°C	078 121 113
Thermostat, 87°C	078 121 113 C
Thermostat, 87°C	078 121 113 F
Thermostat, 87°C	025 121 113 A
Thermostat, 87°C	025 121 113 D
Thermostat, 87°C	025 121 113 E
Thermostat, 87°C	025 121 113 F
Thermostat, 92°C	036 121 113 A
Thermostat, 92°C	036 121 113 B92
Thermostat, 92°C	052 121 113 A
Thrust washer for crankshaft	026 198 421
Tie rod end, left	6N0 419 811
Tie rod end, left	7M0 422 817 A
Tie rod end, left	7M0 422 817 B
Tie rod end, left, M14x1.5	191 419 811
Tie rod end, left, M14x1.5	443 419 811 A
Tie rod end, left, M14x1.5	443 419 811 C
Tie rod end, left, M16x1.5	443 419 811 B
Tie rod end, left, M16x1.5	443 419 811 D
Tie rod end, left/right, M14x1.5	171 419 811

Email: [sales@simply-vwaudi.com](mailto:sales@simply-vwaudi.com)

Other manufacturers' numbers used for reference only

DESCRIPTION	OE Ref
Tie rod end, left/right, M14x1.5	171 419 811A
Tie rod end, left/right, M14x1.5	171 419 812
Tie rod end, left/right, M14x1.5	251 419 811
Tie rod end, M14x1.5	811 419 812
Tie rod end, M14x1.5	811 419 812 A
Tie rod end, M14x1.5	861 419 812
Tie rod end, right	7M0 422 818 A
Tie rod end, right	7M0 422 818 B
Tie rod end, right, M14x1.5	443 419 812 A
Tie rod end, right, M14x1.5	443 419 812 C
Tie rod end, right, M14x1.5	191 419 812
Tie rod end, right, M16x1.5	443 419 812 B
Tie rod end, right, M16x1.5	443 419 812 D
Tie rod end, right, not power steering	6N0 419 812
Tie rod inner, M14X1.5	171 419 821
Tie rod, adjustable	171 419 804
Tie rod, adjustable	171 419 804 A
Tie rod, adjustable	175 419 804
Tie rod, adjustable, left	191 419 803
Tie rod, adjustable, left	191 419 803 A
Tie rod, adjustable, right	191 419 804
Tie rod, adjustable, right	191 419 804 A
Tie rod, adjustable, right	811 419 802 J
Tightener for timing belt	026 109 243
Tightener for timing belt	026 109 243 E
Tightener for timing belt	026 109 243 F
Tightener for timing belt	026 109 243.1
Tightener for timing belt	049 109 243
Tightener for timing belt	056 109 243 A
Tightener for timing belt	056 109 243 D
Tightener for timing belt	068 109 243
Tightener for timing belt	068 109 243 C
Tightener for timing belt	068 109 243 F
Toothed timing belt for camshaft/ injection pump, Z=75 W=20 mm	069 130 113 A
Toothed timing belt for camshaft/ injection pump, Z=75 W=20 mm	Audi 100 LT
Toothed timing belt, Z=120 W=18 mm	034 109 119
Toothed timing belt, Z=121 W=18 mm	056 109 119 A
Toothed timing belt, Z=124	037 109 119 C
Toothed timing belt, Z=142	074 109 119
Toothed timing belt, Z=147	054 109 119 A
Toothed timing belt, Z=147	054 109 119 G
Toothed timing belt, Z=150	06B 109 119 A
Toothed timing belt, Z=150	06B 109 119 B
Toothed timing belt, Z=152	058 109 119 A
Toothed timing belt, Z=253	078 109 119 C
Top strut mount plate	191 412 341
Tower rubber buffer for shock Absorber, front	811 412 131 A
Tower rubber buffer for shock Absorber, front	811 412 131 B
Tower rubber buffer for shock Absorber, front	893 412 131 B
Trim for heater control	191 919 383
Turn signal switch	6N0 953 513
Turn signal switch	6N0 953 513 01C
Turn signal switch	357 953 513
Turn signal switch	357 953 513 F
Turn signal switch (not cruise control)	191 953 513
Turn signal switch (not cruise control)	191 953 513 01C
Turn signal switch (not cruise control)	191 953 513 B
Turn signal switch (not cruise control)	1H0 953 513
Turn signal switch (not cruise control)	1H0 953 513 C
Turn signal switch (not cruise control)	321 953 513
Turn signal switch (not cruise control)	443 953 513 H
Turn signal switch (not cruise control)	443 953 513 L
Turn signal, front, yellow, left	321 953 055 A

DESCRIPTION	OE Ref
Turn signal, front, yellow, right	321 853 050 L
Turn signal, front, yellow, right	321 953 056 A
Turn signal, front, yellow, right	321 953 156 F
Valve cotter, d=ø 8 mm	113 109 651 A
Valve cover gasket set, 8 mm hole	026 198 025 A
Valve cover gasket set, 8 mm hole	056 198 025 A
Valve for diesel filter	191 127 247 A
Valve for vacuum system	433 862 117
Valve guide, D=ø 12 mm d=ø 6.8 mm L=37 mm	037 103 419 B
Valve guide, D=ø 12 mm d=ø 7.8 mm L=36.5 mm	056 103 419 A
Valve spring, inner	049 109 633
Valve spring, inner	056 109 633 A
Valve spring, inner	056 109 633 B
Valve spring, inner	068 109 633
Valve spring, outer	056 109 623 A
Valve spring, outer	056 109 623 B
Vapour separator	026 127 177 B
Vapour separator	052 127 177 A
Ventilation pipe for crank case	056 103 493
Voltage regulator	028 903 803 A
Voltage regulator	043 903 803 G
Voltage regulator	049 903 803 B
Voltage regulator	070 903 803 A
Voltage regulator	021 903 803 B
Voltage regulator	028 903 803 C
Voltage regulator	028 903 803 D
Voltage regulator, 14.5 Volt	049 903 803 G
Voltage regulator, 14.5 Volt	068 903 803 /A
Voltage regulator, 14.5 Volt	068 903 803 B
Voltage regulator, 14.5 Volt	068 903 803 D
Washer jet, windshield washer, front	191 955 985 A
Washer jet, windshield washer, front	893 955 985
Washer jet, windshield washer, front	8D0 955 987
Washer pump for windshield washer	171 955 651
Washer pump for windshield washer	191 955 651
Washer pump for windshield washer	1H5 955 651
Washer pump for windshield washer	1H6 955 651
Washer pump for windshield washer	1J5 955 651
Washer pump for windshield washer	1J6 955 651
Washer pump for windshield washer	333 955 651
Washer pump for windshield washer	431 955 651
Washer pump for windshield washer	4A0 955 651
Washer pump for windshield washer	4A0 955 651 A
Washer pump for windshield washer	4A0 955 651 B
Washer tank	165 955 453
Washer tank	191 955 453
Washer tank	535 955 453
Water flange	026 121 144 A
Water flange	026 121 144 B
Water flange	026 121 144 E
Water flange	026 121 145 E
Water flange	026 121 145 F
Water flange	027 121 133 E
Water flange	037 121 132 A
Water flange	037 121 132 B
Water flange	037 121 132 E
Water flange	037 121 132 G
Water flange	037 121 133 B
Water flange	037 121 133 C
Water flange	037 121 133 F
Water flange	037 121 133 K
Water flange	037 121 144 H
Water flange	037 121 144 J

DESCRIPTION	OE Ref
Water flange	037 121 145
Water flange	037 121 145 G
Water flange	050 121 132 A
Water flange	050 121 133 C
Water flange	068 121 132
Water flange	068 121 132 A
Water flange	068 121 133 AB
Water flange	068 121 133 AE
Water flange	068 121 133 E
Water flange	068 121 133 M
Water flange	074 121 132
Water flange (for cars with air condition and power steering)	068 121 132 B
Water flange (for cars with air condition and power steering)	068 121 133 AF
Water flange kit, Consisting of: Water flange, 3 plugs, 3 retaining rings and 3 O-rings	037 198 132 B
Water outlet for cooling system	030 121 121 B
Water outlet for cooling system	032 121 121 B
Water outlet for cooling system	032 121 121 J
Water pump	034 121 004
Water pump	034 121 004 A
Water pump	034 121 004 AV
Water pump	034 121 004 AX
Water pump	034 121 004 V
Water pump	034 121 004 X
Water pump	034 121 005 DV
Water pump	034 121 005 DX
Water pump	074 121 005 A
Water pump	026 121 005 A
Water pump	026 121 005 C
Water pump	026 121 005 E
Water pump	026 121 005 G
Water pump	026 121 005 H
Water pump	035 121 004
Water pump	035 121 004 A
Water pump	035 121 004 AV
Water pump	035 121 004 AX
Water pump	035 121 004 X
Water pump	035 121 005 C
Water pump	035 121 005 EV
Water pump	035 121 005 K
Water pump	054 121 004
Water pump	054 121 004 A
Water pump	054 121 004 AV
Water pump	054 121 004 AX
Water pump	054 121 004 V
Water pump	054 121 004 X
Water pump	068 121 005 A
Water pump	069 121 004
Water pump	069 121 004 V
Water pump	069 121 004 X
Water pump	069 121 005 D
Water pump	069 121 005 DV
Water pump	069 121 005 DX
Water pump	073 121 004
Water pump	073 121 004 V
Water pump	073 121 004 X
Water pump	073 121 005
Water pump	074 121 004
Water pump	074 121 004 A
Water pump	074 121 004 V
Water pump	074 121 004 X
Water pump	078 121 004
Water pump	078 121 004 A
Water pump	078 121 004 B

**Email: [sales@simply-vwaudi.com](mailto:sales@simply-vwaudi.com)**

Other manufacturers' numbers used for reference only

DESCRIPTION	OE Ref
Water pump	078 121 004 C
Water pump	078 121 004 CV
Water pump	078 121 004 CX
Water pump housing	026 121 013
Water pump housing	037 121 013
Water pump housing	037 121 013 A
Water pump, complete	026 121 010 C
Water pump, complete	026 121 010 E
Water pump, complete	026 121 010 F
Water pump, complete	037 121 010
Water pump, complete	037 121 010 A
Water pump, complete	037 121 010 AV
Water pump, complete	037 121 010 V
Wheel bearing front height, D=ø 66 mm d=ø 35 mm H=37 mm	191 407 625
Wheel bearing front height, D=ø 66 mm d=ø 35 mm H=37 mm	191 407 625 A
Wheel bearing front height, D=ø 66 mm d=ø 35 mm H=37 mm	6N0 407 625
Wheel bearing kit, for one front wheel	321 498 625 A
Wheel bearing kit, for one front wheel	321 498 625 B
Wheel bearing kit, for one front wheel	321 498 625 C
Wheel bearing kit, for one front wheel	321 498 625 D
Wheel bearing kit, for one front wheel	321 498 625 E
Wheel bearing, D=ø 50 mm d=ø 29 mm H=15 mm	311 405 625 B
Wheel bearing, D=ø 50 mm d=ø 29 mm H=15 mm	311 405 625 C
Wheel bearing, D=ø 50 mm d=ø 29 mm H=15 mm	311 405 625 E
Wheel bearing, D=ø 50 mm d=ø 29 mm H=15 mm	311 405 625.1
Wheel bearing, D=ø 64 mm d=ø 34 mm H=37 mm	171 407 625
Wheel bearing, D=ø 64 mm d=ø 34 mm H=37 mm	171 407 625 A
Wheel bearing, D=ø 64 mm d=ø 34 mm H=37 mm	171 407 625 D
Wheel bearing, D=ø 68 mm d=ø 39 mm H=37 mm	811 407 625 A/B
Wheel bearing, D=ø 68 mm d=ø 39 mm H=37 mm	811 407 625 D
Wheel bearing, D=ø 68 mm d=ø 39 mm H=37 mm	823 407 625 B
Wheel bearing, D=ø 68 mm d=ø 39 mm H=37 mm	ZBC 407 625
Wheel bearing, D=ø 72 mm d=ø 40 mm H=37 mm	1H0 407 625
Wheel bearing, D=ø 72 mm d=ø 40 mm H=37 mm	357 407 625 A
Wheel bolt for steel wheels, M12x1.5x23.5	321 601 139 C
Wheel bolt for steel wheels, M12x1.5x23.5	3A0 601 139
Wheel bolt for steel wheels, M12x1.5x23.5	431 601 139 A
Wheel bolt for steel wheels, M12x1.5x23.5	443 601 139 A
Wheel bolt for steel wheels, M12x1.5x23.5	443 601 139 C
Wheel bolt for steel wheels, M14x1.5x27	8D0 601 139 A
Wheel bolt for steel wheels, M14x1.5x27	8D0 601 139 D
Wheel brake cylinder, 14.29 mm	171 611 051 A
Wheel brake cylinder, 14.29 mm	171 611 051 B
Wheel brake cylinder, 14.29 mm	171 611 053
Wheel brake cylinder, 15.87 mm	861 611 053 A
Wheel brake cylinder, 17.46 mm	331 611 051 A
Wheel brake cylinder, 17.46 mm	331 611 053
Wheel brake cylinder, 17.46 mm	331 611 053 A
Wheel brake cylinder, 20.64 mm	357 611 053
Wheel brake cylinder, 20.64 mm	357 611 053 B
Wheel brake cylinder, 20.64 mm	3A0 611 053
Wheel cover	893 601 147
Wheel cover	8D0 601 147
Wheel hub, 34 mm, 4/100	175 407 615
Wheel hub, 34 mm, 4/100	861 407 615 A
Wheel hub, 35 mm, 4/100	191 407 615
Wheel hub, 39 mm, 4/100	823 407 615 A
Wheel hub, 40 mm, 4/100	357 407 615 A
Wheel hub, 42 mm, 4/108	443 407 615 A
Window lift channel kit, incl. Moulding	171 837 571 A
Window lift channel kit, incl. Moulding	171 898 571 A
Window lift channel kit, incl. Moulding	867 898 571
Window lifter front, electric, left	191 837 461 A

Email: [sales@simply-vwaudi.com](mailto:sales@simply-vwaudi.com)

Other manufacturers' numbers used for reference only

DESCRIPTION	OE Ref
Window lifter front, electric, with motor, left	1H0 837 461
Window lifter front, electric, with motor, left	1H0 837 461A
Window lifter front, electric, with motor, left	191 837 401 C
Window lifter front, electric, with motor, left	191 837 461 S
Window lifter front, electric, with motor, right	191 837 462 A
Window lifter front, electric, with motor, right	1H0 837 462
Window lifter front, electric, with motor, right	1H0 837 462 A
Window lifter, front, electric, left	443 837 397 B
Window lifter, front, electric, left	443 837 397 D
Window lifter, front, electric, right	443 837 398 B
Window lifter, front, electric, right	443 837 398 D
Window lifter, front, left	191 837 401
Window lifter, front, left	191 837 401 B
Window lifter, front, left	321 837 399
Window lifter, front, right	191 837 402
Window lifter, front, right	191 837 402 B
Window lifter, front, right	321 837 400
Window lifter, rear, electric, left	443 839 397 B
Window lifter, rear, electric, left	443 839 397 D
Window lifter, rear, electric, right	443 839 398 B
Window lifter, rear, electric, right	443 839 398 D
Window lifter, rear, left	193 839 401
Window lifter, rear, right	193 839 402
Window winder handle, left/right	1H0 837 581
Window winder handle, left/right	1H0 837 581 B
Window winder handle, left/right	1H0 837 581 D
Window winder handle, left/right	191 837 581
Window wiper mechanism	191 955 023 L
Wiper blade set, 450 mm	431 998 001
Wiper blade set, 450 mm	431 998 001 A
Wiper bracket with bearing	191 955 215
Wiper motor, 12 Volt	191 955 113 A
Wiper motor, 12 Volt	1J0 955 119
Wiper motor, 12 Volt	251 955 119
Wiper/washer switch	443 953 503 D
Wiper/washer switch	445 953 503 E
Wiper/washer switch	165 953 519
Wiper/washer switch (not on board computer)	191 953 519
Wiper/washer switch (not on board computer)	191 953 519 01C
Wiper/washer switch (not on board computer)	191 953 519 01C
Wiper/washer switch (not on board computer)	191 953 519 A
Wiper/washer switch (not on board computer)	1H0 953 519
Wiper/washer switch (not on board computer)	1H0 953 519 01C
Wiper/washer switch (not on board computer)	321 953 519
Wiper/washer switch (not on board computer)	321 953 519 A
Wiper/washer switch (not on board computer)	321 953 519 B
Wiper/washer switch (not on board computer)	321 953 519 D
Wiper/washer switch (not on board computer)	331 953 519 A
Wiper/washer switch (not on board computer)	357 953 519
Wiper/washer switch (not on board computer)	535 953 519 A
Wiperblade set, 400 mm	161 998 001
Wiperblade set, 400 mm	161 998 001 A
Wiperblade set, 530 mm	357 998 001 D
Wiperblade set, 550 mm	4A0 998 001
Wishbone, front, with bushings	191 407 151 B
Wishbone, front, with bushings	1H0 407 151
Wishbone, front, with bushings	811 407 147
Wishbone, front, with bushings	811 407 147 A
Wishbone, front, with bushings	811 407 147 B
Wishbone, front, with bushings	893 407 147 G
Wishbone, front, with bushings, power steering, left	857 407 147 A
Wishbone, front, with bushings, power steering, left	893 407 147 C